Catalog C18













ICC tailors its solutions to small and medium-sized installers to help them win more projects.

Small & Mid-sized Installers





High Profit Margin

ICC prices are low, up to 60% lower compared to the big brands; so our Elite Installers can increase their margin and win more projects.

ICC focuses only on non-spec projects. We help our Elite Installers win those projects over the expensive spec brands.

Non-Spec Projects






Value Distribution Network

ICC distributors share the same value as ICC, we work together to keep our prices low.

ICC offers end-to-end structured cabling solutions with nine product categories as a single vendor solution, so our Elite Installers have no compatibility issues from mixing vendors.

One Vendor






Ease of Installation

ICC engineers its products to keep installation simple, minimizing training time and reducing labor cost.

Join the Elite









Elite Installer™



- Free membership
- 15-Year Performance Limited Warranty
- Project discounts
- Sales promotions
- Free product samples and demos
- New product releases
- Reward points

Certified Elite Installer™



- Paid membership
- All benefits from Elite, plus:
- Lifetime Performance Limited Warranty
- One free Master Technician Training Course included
- Free unlimited site verifications
- Free tools

Master Technician Training

- One-day course
- Earn a Master Technician License
- BICSI® certified
- Earn BICSI Continuing Education Credits
- Hands-on training

Visit **icc.com/elite** to sign up and learn more about the Elite Installer program.

Table of Contents

01 Work Area Outlets

25 Patch Panels and Cross-connect

35 Premise Cables

39 Fiber Optic System

49 Racks and Cable Management

69 Residential Enclosures

77 Cords and Cable Assemblies

81 Raceway and Wiring Ducts

85 Tools and Accessories

90 Part Number Index










This catalog is an overview of our wide product selection. Visit us online at icc.com for our full line of products, detailed information, tech specs, and installation instructions.

© 2018, ICC. ICC and the ICC logo are a registered trade name and trademark. All rights reserved. The materials contained here are protected by copyright, trademark, and other intellectual property laws and may not be copied, modified, or used in any unauthorized manner without the express, written permission from ICC. All other trade names and trademarks are the property of their respective owners.



Work Area Outlets



High Density (HD) Keystone Jacks



Colored wiring diagram


Rear split-back IDC



50μ" gold plated contacts


Terminate and trim wires in one squeeze




Free JackEasy™ included

HD Keystone Jacks

- Exceeds TIA-568 performance

CAT 6A FTP	IC1078S6A0
CAT 6A UTP	IC1078GAxx[2]
CAT 6	IC1078F6xx[1]
CAT 5e	IC1078F5xx[1]
6P6C	IC1076F0xx[1]

25-Pack ValuePacks

- Packaged in a resealable bag
- Reduces packaging waste
- Lowers the cost per unit

CAT 6	IC107F6Cxx[2]
CAT 5e	IC107F5Cxx[2]
6P6C	IC1076FCxx[3]

[2]Available in: WH, IV, BL, OR, RD, BK
[3]Available in: WH, IV

400-Pack ValuePacks

- Packaged in a resealable box
- Ten jacks per bag, forty bags per box
- Lowers the cost per unit

CAT 6	IC107F6Vxx[4]
CAT 5e	IC107F5Vxx[4]
6P6C	IC1076FVWH


[4]Available in: WH, BL


[1]Color Options:
See more at icc.com

WH IV BL OR RD YL GY BK AL GN PR



Six HD jacks in a Décorex™ insert







HD in the Work Area

With a narrow body, up to six HD keystone jacks can be installed in a Decorex™ insert to maximize usage of space. Installing CAT 6A keystone jacks require standard spacing between ports to reduce alien crosstalk.



Up to 48 ports in 1 RMS


Narrow body reduces space




TIA® Component Rated


CAT 6A: 360° zinc-alloy shielding



HD in the Telecom Closet

HD keystone jacks can help maximize connectivity in the telecom closet by providing up to 48 ports of connectivity within one rack mount space.



Easy (EZ®) Keystone Jacks



Colored wiring diagram


In-line 110 IDC


Cap terminated wires



Terminate and trim wires in one squeeze




Free JackEasy™ included

EZ Keystone Jacks

- Unshielded Twisted Pair (UTP)
- Exceeds TIA-568 performance

CAT 6	IC1078L6xx[1]
CAT 5e	IC1078E5xx[1]
6P6C	IC1076V0xx[1]

25-Pack ValuePacks

- Packaged in a resealable bag
- Reduces packaging waste
- Lowers the cost per unit

CAT 6	IC107L6Cxx[2]
CAT 5e	IC107E5Cxx[2]
6P6C	IC1076VCxx[3]

[2]Available in: WH, IV, BL, OR, RD, BK
[3]Available in: WH, IV

400-Pack ValuePacks

- Packaged in a resealable box
- Ten jacks per bag, forty bags per box
- Lowers the cost per unit

CAT 6	IC107L6Vxx[4]
CAT 5e	IC107E5Vxx[4]
6P6C	IC1076VVWH

[4]Available in: WH, BL

[1]Color Options:
See more at icc.com


WH IV BL OR RD YL GY BK AL GN PR




Easy to grip



Six EZs in a single gang



Comes pre-kitted in surface mount boxes




Mobile Patch Boxes




EZ® in the Work Area

EZ keystone jacks work with a wide variety of faceplates, surface mount boxes, mounting boxes, and mobile patch boxes.



24 ports in 1 RMS


Easy to service and manage



TIA® Component Rated





EZ® in the Telecom Closet

With a wider body, EZ keystone jacks are staggered on patch panels to allow for easy insertion and removal.


Install in faceplates


Install in blank patch panels

Couplers & Inserts


Available in resealable bags

Keystone Couplers

- HD style
- TIA® Component Rated
- No termination required
- 50 micro-inch gold plated contacts
- For patch cable extension

25-Pack ValuePacks	
CAT 6	IC107C6CBK
CAT 5e	IC107C5CBK
Single	
CAT 6A	IC107C6Axx*
CAT 6	IC107CP6xx*
CAT 5e	IC107C5Exx*
6P6C Pin 1-6	IC107C6Sxx*
6P6C Pin 1-1	IC107C6Rxx*

*Color Options:
See more at icc.com

WH BK




LC 10G Duplex


LC Duplex


SC Simplex


ST Simplex

Fiber Optic Couplers

- HD style
- Female/Female
- Feed-through – front and rear
- Ceramic or metal sleeves
- Supports multimode or single-mode

LC 10G Duplex	IC107LCGxx*
LC Duplex	IC107LC2xx*
SC Simplex	IC107SC2xx*
ST Simplex	IC107ST2xx*









Voice Phone Couplers

- Connects line cords together
- 50 micro-inch gold plated contacts

8P8C, Pin 1-1, F to F	ICMA3508DR
6P6C, Pin 1-6, F to F	ICMA350A6C
6P6C, Pin 1-1, M to 2F	ICMA267D66



Blank Fill-In & Feed-Through Insert ValuePacks

- HD style
- Fills open and unused ports
- Pass cable through a 0.30" diameter hole

Fill-in


100-Pack ValuePack	IC107BNVxx*
10-Pack ValuePack	IC107BN0xx*

Feed-Through

10-Pack ValuePack	IC107BN2WH

*Color Options:
See more at icc.com

WH IV



Audio & Video Connectors



Install in residential enclosures



Matches decorator style outlets



100% digital A/V signals


Angled to reduce space





HDMI Couplers

- HD style
- Supports 1080p, 3D, and HDCP
- 99.99% oxygen free conductors
- 24k gold plated connectors

Female/Female	IC107HDMxx*
90° Female/Female	IC107AHMWH

HDMI Décorex™ Inserts

- Works with Décorex faceplates
- Includes two blank modular inserts

1 HDMI, 2 HD Ports	IC107DH2xx*
2 HDMI, 2 HD Ports	IC107DDHxx*

*Color Options:
See more at icc.com

WH IV









Dual Audio Speaker Connectors

- HD style
- Patented design
- Red and black push buttons
- Molded (+) and (–) signs

Rear crimp-on	IC107DSCxx*
Rear buttons	IC107DSBxx*





Binding Post Audio Speaker Connectors

- Gold plated posts
- Posts work with banana plugs
- Marked red and black for polarity

Pair of HD connectors	IC107PMGWH









RCA Jacks

- HD style
- Gold plated
- High quality audio and video
- 6-Pack includes: two red, one green, one blue, one white, and one blank module

RCA/RCA	
Red insert	IC107R6GWH
6-Pack	IC107RR5WH
RCA/F-Type	
White insert	IC107BFGWH
RCA/IDC	
Red insert	IC107R8GWH
White insert	IC107B8GWH



3.5mm Stereo Audio Speaker Couplers

- HD style
- Works with 3.5mm plugs

Female/Female	IC107SACWH
Female/Push-pin	IC107SAPxx*

*Color Options:
See more at icc.com

WH IV











F-Type Video Jacks


- HD style
- Female/Female
- Threaded to secure connection
- Works with RG-6 and RG-59 coaxial cable
- F-Type Compression Tool and Connectors, see page 88


Nickel plated, 3 GHz	IC107B9Fxx*
Gold plated, 3 GHz	IC107B9Gxx*
Nickel plated, 2 GHz	IC107B5Fxx*
Gold plated, 2 GHz	IC107B5Gxx*
RG-6Q, compression	IC107FQGWH

25-Pack ValuePacks

- Packaged in a resealable bag
- Reduces packaging waste
- Lowers the cost per unit

Nickel plated, 3 GHz	IC107BFDWH
Gold plated, 3 GHz	IC107BGDWH
Nickel plated, 2 GHz	IC107BFCWH
Gold plated, 2 GHz	IC107BGCWH













BNC Video Jacks

- HD style
- Nickel plated
- Supports CCTV, NTSC analog video signals, and satellite link signals

75 Ohm	IC107BNCxx*
50 Ohm	IC107B3Gxx*

USB Couplers

- HD style
- Female/Female

90°, A-to-A, USB 3.0	IC107AUSWH
A-to-A, USB 3.0	IC107UAAWH
A-to-B, USB 2.0	IC107UABWH

*Color Options:
See more at icc.com

WH IV








Home theater solutions


VGA: analog video



Décorex™ Audio and Video Inserts

- Works with Décorex faceplates
- Durable ABS plastic

1 HDMI, 2 HD Ports	IC107DH2xx*
2 HDMI, 2 HD Ports	IC107DDHxx*
1 VGA, 2 HD Ports	IC107DR2xx*
1 VGA, 4 HD Ports	IC107DR4xx*
8 Binding Posts	ICRDSQBPxx*
3 RCA, 1 F-Type	ICRDS3RFWH
1 F-Type	IC630DSFxx*


*Color Options:
See more at icc.com


WH IV





Faceplates & Inserts





Décorex™ Faceplates

- Decorator style outlets
- Configurable with inserts
- Smooth glossy finish
- Durable ABS plastic

1 Insert, Single Gang	IC107DFSxx*
2 Inserts, Double Gang	IC107DFDxx*
3 Inserts, Triple Gang	IC107DFTWH
4 Inserts, Quad Gang	IC107DFQWH
Stainless Steel	
1 Insert, Single Gang	IC107DFSSS
2 Inserts, Double Gang	IC107DFDSS

Décorex™ Inserts

- Configurable with connectors

Blank	IC630DIBxx*
1 Port	IC107DI1xx*
2 Ports	IC107DI2xx*
3 Ports	IC107DI3xx*
4 HD Ports	IC107DI4xx*
6 HD Ports	IC107DI6xx*


*Color Options:
See more at icc.com


WH IV




Accepts A/V connectors


Accepts HD and EZ® connectors


Double gang, 12 ports


Six EZs in a single gang




Tab lock box

Classic Faceplates

- Durable ABS plastic
- Rugged texture finish
- Fits NEMA size outlet box

Single Gang	
Blank	IC630EB0xx*
1 Port	IC107F01xx*
2 Ports	IC107F02xx*
3 Ports	IC107F03xx*
4 Ports	IC107F04xx*
6 Ports	IC107F06xx*
Double Gang	
Blank	IC630EBDxx*
8 Ports	IC107FD8xx*
12 Ports	IC107F12xx*

25-Pack ValuePacks

- Packaged in a resealable box
- Reduces packaging waste
- Lowers the cost per unit

1 Port	IC107F1Cxx*
2 Ports	IC107F2Cxx*
3 Ports	IC107F3Cxx*
4 Ports	IC107F4Cxx*

*Color Options:
See more at icc.com

WH IV



Oversized: 22% larger



Integrated Faceplates with IDC Termination

• One-piece design	CAT 5e & F-Type	ICRDS0F5WH
• Durable ABS plastic	6P6C & CAT 5e	ICRDSV05WH
• Rugged texture finish	6P6C, CAT 5e, & F-Type	ICRDSVF5WH




Oversized Integrated Faceplates with IDC Termination

• Designed to cover uneven and oversized drywall cuts	CAT 5e & F-Type	ICRDS0FLWH
	6P6C & CAT 5e	ICRDSV0LWH
• Larger than standard faceplates	6P6C, CAT 5e, & F-Type	ICRDSVFLWH
• Durable ABS plastic		
• Rugged texture finish		



Configurable Stainless Steel

Blank	IC630EBSSS
1 Port	IC107SF1SS
2 Ports	IC107SF2SS
3 Ports	IC107SF3SS
4 Ports	IC107SF4SS
6 Ports	IC107SF6SS



Configurable Station ID

1 Port	IC107S01xx*
2 Ports	IC107S02xx*
3 Ports	IC107S03xx*
4 Ports	IC107S04xx*
6 Ports	IC107S06xx*



Configurable Telephone

1 Port, ABS plastic	IC107FFWxx*
1 Port, stainless steel	IC107FFWSS



Configurable Stainless Steel with ID

1 Port	IC107S01SS
2 Ports	IC107S02SS
3 Ports	IC107S03SS
4 Ports	IC107S04SS
6 Ports	IC107S06SS



HD Configurable Furniture

NEMA Opening: 1.83" H x 2.60" W x 0.19" D

4 HD Ports	IC107FN4xx*

TIA Opening: 1.33" H x 2.60" W x 0.19" D

4 HD Ports	IC107FT4xx*




Configurable Furniture

Modular Opening: 1.30" H x 2.56" W x 0.19" D

3 Ports	IC107FM3xx*

*Color Options:
See more at icc.com

WH IV



Integrated

F-Type	IC630EG0xx*
2 F-Type	IC630EGGxx*
With Screw Termination	
6P6C	IC630E60xx*
2 6P6C	IC630E66xx*
6P6C and F-Type	IC630E6GWH



Configurable Oversized

- 3.12" W x 4.87" H

1 Port	IC107LF1xx*
2 Ports	IC107LF2xx*
3 Ports	IC107LF3xx*
6 Ports	IC107LF6xx*



Configurable Angled

1 Port	IC107DA1xx*
2 Ports	IC107DA2xx*
4 Ports	IC107DA4xx*
With Station ID	
4 Ports, 2 flat/2 angled	IC107AS4WH



Telephone

Phillips Screw Termination	
6P6C	IC630DB6xx*
IDC Termination	
6P6C, stainless steel	IC630DA6SS



Configurable Electrical

Faceplate	
2 Ports, Single Gang	IC106FP2xx*
Insert	
2 Ports	IC107DPIxx*
4 HD Ports	IC1074PIxx*




Bulk Nose

Single Gang	
Opening: 1.25" W x 0.90" D	IC640BSSxx*
Double Gang	
Opening: 2.75" W x 1.15" D	IC640BDSxx*

*Color Options:
See more at icc.com

WH IV



12 port box works with raceway

Surface Mount & Mounting Boxes





Classic Configurable

- Two-piece design; cover and base
- Durable ABS plastic
- Includes adhesive strips and wood screws for mounting

1 Port	IC107SB1xx*
2 Ports	IC107SB2xx*
4 Ports	IC107SB4WH
6 Ports	IC107SB6WH
12 Ports	IC107SBTxx*


25-Pack ValuePacks


- Packaged in a tab lock box
- Reduces packaging waste
- Lowers the cost per unit

1 Port	IC107BC1xx*
2 Ports	IC107BC2xx*


*Color Options:
See more at icc.com

WH IV









Elite boxes are raceway compatible









Classic Kitted

- Kitted with EZ keystone jacks
- CAT 5e or voice
- Includes adhesive strips and wood screws for mounting

CAT 5e

1 Port, 1 Connector	IC625S51xx*
2 Ports, 2 Connectors	IC625S52xx*

6P6C

1 Port, 1 Connector	IC625SV1IV
2 Ports, 2 Connectors	IC625SV2IV

Elite™ Configurable

- Two-piece design; cover and base
- Works with raceway and magnets
- Includes icons and mounting hardware: adhesive strips and wood screws


1 Port	IC108SB1xx*
2 Ports	IC108SB2xx*
4 Ports	IC108SB4xx*
6 Ports	IC108SB6xx*

*Color Options:
See more at icc.com

WH IV



Cables need to be pulled through the box prior to mounting



Base and raceway can be mounted prior to pulling cable

Mounting Boxes

- Durable ABS plastic
- Includes cable ties, adhesive strips, and wood screws for mounting

Single Gang	IC107MRSxx*
Double Gang	IC107MRDxx*

Junction Boxes

- Two-piece design; box and base
- Durable ABS plastic
- Includes cable ties, adhesive strips, and wood screws for mounting

Single Gang	ICACSMBSxx*
Double Gang	ICACSMBDxx*





Double washers









Surface Mount Jacks

- Supports voice applications
- Phillips screw down terminals
- Includes adhesive strips and wood screws for mounting

8P8C	IC625SB8IV
8P4C	IC635DS4xx*
8P8C with RJ-31x	IC635DS8xx*

Mobile Patch Boxes

- Six ports of connectivity
- Works with magnets to mount on flat metal surfaces

Configurable	IC107MB6BK
CAT 6	ICMPPMB606
CAT 5e	ICMPPMB506
Magnet, 2 pcs.	ICMAGBLOCK

*Color Options:
See more at icc.com

WH IV




Patch Panels & Cross-connect




Rack Mount Patch Panels













Patch Panels

- TIA® Component Rated
- IEEE 802.3 PoE Plus
- Fits 19" EIA rack mount widths
- Data Color Icons and Dust Caps, see page 31

24 Port, 1 RMS

CAT 6A	ICMPP0246B
CAT 6	ICMPP02460
CAT 5e	ICMPP0245E
6P6C, USOC	ICMPP024U6

48 Port, 2 RMS

CAT 6A	ICMPP0486B
CAT 6	ICMPP04860
CAT 5e	ICMPP0485E
6P6C, USOC	ICMPP048U6

6-Pack ValuePacks

- Packaged in a resealable box
- Reduces packaging waste
- Lowers the cost per unit

24 Port, 1 RMS

CAT 6	ICMPP2460V
CAT 5e	ICMPP245EV

48 Port, 2 RMS

CAT 6	ICMPP4860V
CAT 5e	ICMPP485EV

1 RMS (rack mount space) = 1.75" H





HD single row



HD/EZ® staggered row



HD dual row







Configurable Blank Patch Panels

- Configurable with modular connectors
- Fits 19" EIA rack mount widths

24 Port

HD Single, 1 RMS	IC107BP241
HD/EZ Staggered, 1 RMS	IC107BE241

48 Port

HD Dual, 1 RMS	IC107BP481
HD Dual, 2 RMS	IC107BP482

1 RMS (rack mount space) = 1.75" H









Configurable CAT 6A UTP Patch Panels

- 24 ports
- TIA® Component Rated
- Shielded wire caps
- Protects against alien crosstalk
- Staggered ports reduce crosstalk

Kitted

1 RMS	ICMPP246AU

Blank

1 RMS	IC107PPU6A

Configurable CAT 6A FTP Patch Panels

- 24 ports
- Shielded 360°
- Steel frame construction
- Protects against EMI/RFI
- Pre-installed grounding studs

Kitted

1 RMS	ICMPP246AS

Blank

1 RMS	IC107PPS6A

Grounding Accessories

Wire, 10-Pack	ICACSGK6AS
Kit	ICACSGKS00





Feed-Through Patch Panels

- TIA® Component Rated
- Pre-installed keystone couplers
- No termination required
- 50 micro-inch gold plated contacts

24 Port

CAT 6, 1 RMS	ICMPP24CP6
CAT 5e, 1 RMS	ICMPP24CP5

48 Port

CAT 6, 1 RMS	ICMPP48C61
CAT 6, 2 RMS	ICMPP48CP6
CAT 5e, 1 RMS	ICMPP48C51
CAT 5e, 2 RMS	ICMPP48CP5

1 RMS (rack mount space) = 1.75" H






Male 50-Pin


Female 50-Pin

Voice Patch Panels with Telco Connectors

8P2C
- Active pins: 4 and 5

Male

24 Port, 1 RMS	ICMPP24T2C
48 Port, 2 RMS	ICMPP48T2C

Female

24 Port, 1 RMS	ICMPP24TF2
48 Port, 2 RMS	ICMPP48TF2

8P4C
- Active pins: 4/5 and 3/6

Male

24 Port, 1 RMS	ICMPP24T4C
48 Port, 2 RMS	ICMPP48T4C

Female

24 Port, 1 RMS	ICMPP24TF4
48 Port, 2 RMS	ICMPP48TF4

6P2C
- Active pins: 3 and 4

Male

24 Port, 1 RMS	ICMPP024T2
48 Port, 2 RMS	ICMPP048T2

Female

24 Port, 1 RMS	ICMPPTF242

6P4C
- Active pins: 3/4 and 2/5

Male

24 Port, 1 RMS	ICMPP024T4
48 Port, 2 RMS	ICMPP048T4

Female

24 Port, 1 RMS	ICMPPTF244

1 RMS (rack mount space) = 1.75" H




The panel can be reversed



Wall Mount Patch Panels



Integrated with IDC Termination

- 12 ports
- TIA® Component Rated
- Install on wall and racks
- 10" H x 3.30" W x 2.40" D
- Two-piece design; patch panel with 89D mounting bracket

CAT 6	ICMPP12V60
CAT 5e	ICMPP12V5E
6P6C, USOC	ICMPP012U6

Patch Panel Color Icons

Data Icons,120-Pack	ICMPPICSxx*

Dust Cover ValuePacks

10-Pack	ICACSDCICL
100-Pack	ICACSDCVCL

6-Pack ValuePacks

- Packaged in a resealable box
- Reduces packaging waste
- Lowers the cost per unit

CAT 6	ICMPP1260V
CAT 5e	ICMPP125EV

*Color Options:









Front Access Zero-U Patch Panels

- 12 ports — CAT 6 — ICMPP12F6E
- TIA® Component Rated — CAT 5e — ICMPP12F5E
- Install on wall
- 110-Type IDC terminations
- Removable cover











Configurable Blank Patch Panels

- Install on wall — 12 HD Ports — IC107BP12V
- 10" H x 3.30" W x 2.40" D — 8 HD/EZ Ports — IC107BP8VB
- Configurable with modular connectors
- Two-piece design; patch panel with 89D mounting bracket











110 Wiring







Kits

- Includes a wiring block with feet
- Includes 110 connecting blocks

CAT 5e

100-Pair	IC110W1004
300-Pair	IC110W3004
100-Pair, Hinged	IC110H1004

CAT 6

96-Pair	IC110WK966

Wiring Blocks

100-Pair with Feet	IC110WF100
300-Pair with Feet	IC110WF300
100-Pair without Feet	IC110NF100
100-Pair, Hinged	IC110WH100

Cable Managers

With Feet	IC110CMBWF
Without Feet	IC110CMBNF

Patch Panels

96-Pair CAT 6 Kit	IC110PRK61
100-Pair	IC110RM100
200-Pair	IC110RM200
Cable Manager	IC110RMCMB

Accessories

Connecting Blocks 100-Packs

4-Pair	IC110CB4PC
5-Pair	IC110CB5PC

Other

Label Holder, 6-Pack	IC110LHLDR
Wire Cap, 50-Pack	IC110TC450








Clear Cover


66 Wiring











50-Pair Wiring Blocks

25-Pack ValuePack	IC066NBC50
Single Block	IC066NB050

Pre-wired Blocks

- Includes 89D Mounting Bracket
- Includes Removable Hinged Cover

Data

12 Ports, 8P8C	IC06628P8C

Voice

8 Ports, 6P6C	IC06686P6C
12 Ports, 6P4C	IC06626P4C

Telco

1 25-Pair Female	IC066SFT25
2 25-Pair Female	IC066DFT50

89B Mounting Brackets

25-Pack ValuePack	ICMB89BCWH
Single Bracket	ICMB89B0WH

Accessories


Block Clear Cover	IC066CV050
Bridge Clips, 100-Pack	IC066BRCLP

Spools 10-Pack ValuePacks

Built-in wood screw	ICACSWDS20
Without screw	ICACSWDS10




Premise Cables



REELEX II® tangle-free coiling



Pull box packaging



REELEX II® box design




CAT 6A reel packaging



Big payout tube


Packaging

Premise cables come packaged in a double-layered carton which strengthens the carton's durability to prevent tearing. CAT 6A premise cables come packaged on a wooden reel to reduce stress when pulling cable.


Headroom: exceeds TIA standards







TIA® Component Rated





Performance

ICC Premise Cables are tested to meet and exceed TIA® industry performance standards and comply with the strict TIA, UL®, and RoHS® (Restriction of Hazardous Substance) standards.



CAT 6A: available in UTP and FTP




Sequential footage markings




Bare solid copper



X separator: reduces crosstalk



Rip cord: easy jacket removal



CAT 6A 650 MHz

- 1000 feet per reel


UTP

Riser	ICCABR6Axx[1]
Plenum	ICCABP6Axx[1]

[1]Available in: BL, WH

FTP


Riser	ICCABR6FBL
Plenum	ICCABP6FBL



CAT 6e UTP 600 MHz

- 1000 feet per box


Riser	ICCABR6Exx[2]
Plenum	ICCABP6Exx[2]



CAT 6 UTP 500 MHz

- 1000 feet per box

Riser, no tape separator	ICCABR6Vxx[2]
Plenum, tape separator	ICCABP6Vxx[2]




CAT 5e UTP 350 MHz

- 1000 feet per box

Riser	ICCABR5Exx[2]
Plenum	ICCABP5Exx[2]

[2]Color Options: BL WH GY YL GN




Fiber Optic System






Enclosure Solutions

LGX® compatible fiber optic enclosures include covers and doors to protect fiber connectivity. Wall mount enclosures come with a locking door to provide extra protection for installations in unsecured areas.



Panel Solutions

Fiber optic patch panels provide a cost-effective solution in an open frame environment. LGX® compatible panels are configurable with fiber adapter panels and MPO cassettes making moves, adds, and changes easy.



Fiber Optic Enclosures







Rack Mount Enclosures, 12.6" Depth

- Configurable with LGX® compatible adapter panels and LGX compatible MPO cassettes
- 20 GA steel, powder-coated black
- Slide-out tray
- Holds one splice tray
- Fits 19" EIA rack mount widths

3 Panel, 1 RMS	ICFORE31RM
6 Panel, 2 RMS	ICFORE62RM
12 Panel, 4 RMS	ICFORET4RM
12 fiber splice tray	ICFOSKFM12

Rubber Grommets, 20-Pack

25.4mm (1 RMS)	ICFORECAC2
38.10mm (2 & 4 RMS)	ICFORECAC3







Wall Mount Enclosure, 3.5" Depth


- Configurable with LGX compatible adapter panels and LGX compatible MPO cassettes
- Single locking door design
- Includes four hook and loop Velcro® cable ties
- Holds one splice tray
- 10.75" H x 13" W

4 Panel	ICFODE41WM
12 fiber splice tray	ICFOSKFM12

Rubber Grommets, 20-Pack

38.10mm	ICFORECAC3

1 RMS (rack mount space) = 1.75" H | O.D. = Outer Diameter





Fiber Optic Connectivity



HD LC Quad Fiber Patch Panel, 96 Fibers

- Loaded with 24 LC to LC quad adapters
- Fits 19" EIA rack mount widths
- Includes dust caps

LC quad patch panel, 10G aqua adapters, 1 RMS — ICFP96ML1G

Blank Fiber Patch Panel

- Configurable with LGX compatible adapter panels and LGX MPO cassettes
- Fits 19" EIA rack mount widths

3 Panel, 1 RMS — ICFORPP1RM

1 RMS (rack mount space) = 1.75" H



LGX compatible footprint


288 fibers in 4 RMS


LC-LC 24 fibers


LC-LC 12 fibers


SC-SC 12 fibers


ST-ST 6 fibers

Adapter Panels

LC to LC

24 fibers, MM, 10G, aqua	ICFOPL161G
24 fibers, MM, beige	ICFOPL1615
24 fibers, SM, blue	ICFOPL1619
12 fibers, MM, 10G, aqua	ICFOPL16BG
12 fibers, MM, beige	ICFOPL16B5
12 fibers, SM, blue	ICFOPL16BK

Blank Panel

Blank, cover unused panel openings	ICFOPB00BK

SC to SC

12 fibers, MM, 10G, aqua	ICFOPC161G
12 fibers, MM, beige	ICFOPC16BK
12 fibers, SM, blue	ICFOPC26BK
6 fibers, MM, beige	ICFOPS16BK
6 fibers, SM, blue	ICFOPS26BK

ST to ST

6 fibers, MM, beige	ICFOPT16BK
6 fibers , SM, blue	ICFOPT26BK

MM = Multimode, SM = Single-mode





Removable snap-in cassette

HD Cassette Patch Panels




Rear male MPO connectors

HD MPO Cassette Panels

- Built with pre-terminated LC or SC to MPO cassettes
- One MPO connector supports twelve fibers
- Interchangeable cassettes, remove using a screwdriver
- Fits 19" EIA rack mount widths
- Includes dust caps
- Supports migration from 10G to 40G and 100G

	LC 24 Fibers	SC 12 Fibers
OM3, 50/125	ICFC24MLPG	ICFC12MSPG
OM2, 50/125	ICFC24MLP5	ICFC12MSP5
OM1, 62.5/125	ICFC24MLP6	ICFC12MSP6
OS1, 9/125	ICFC24SLP9	ICFC12SSP9





MPO Cassettes




Rear male MPO connectors


MPO Cassettes


- LGX compatible footprint
- Factory terminated and tested
- Includes dust caps and performance results
- Low Insertion Loss of <0.5dB
- Equipped with male MPO connectors on the rear

	LC 24 Fibers	LC 12 Fibers	SC 12 Fibers
OM3, 50/125	ICFC24ML1G	ICFC12ML1G	ICFC12MS1G
OM2, 50/125	ICFC24ML50	ICFC12ML50	ICFC12MS50
OM1, 62.5/125	ICFC24MLD6	ICFC12MLD6	ICFC12MSD6
OS1, 9/125	ICFC24SLD9	ICFC12SLD9	ICFC12SSD9




We offer tools to help remove connectors


Bend-insensitive fiber


Factory tested

Fiber Optic Patch Cords


Dust caps are included for protection


LC


SC


ST


MPO

Duplex Patch Cords, OFNR

- Lengths (zz*) = 01, 02, 03, 05, 07, and 10 meters

	OM3 50/125	OM2 50/125	OM1 62.5/125	OS1 9/125
LC to LC	ICFOJ1G7zz*	ICFOJ1M7zz*	ICFOJ1M3zz*	ICFOJ1M5zz*
LC to SC	ICFOJ2G7zz*	ICFOJ2M7zz*	ICFOJ2M3zz*	ICFOJ2M5zz*
LC to ST	-	ICFOJ3M7zz*	ICFOJ3M3zz*	ICFOJ3M5zz*
SC to SC	ICFOJ8G7zz*	ICFOJ8C7zz*	ICFOJ8C3zz*	ICFOJ8C5zz*
SC to ST	-	ICFOJ9C7zz*	ICFOJ9C3zz*	ICFOJ9C5zz*
ST to ST	-	ICFOJ7C7zz*	ICFOJ7C3zz*	ICFOJ7C5zz*

MPO Patch Cords, OFNP, 12 Fibers

- Lengths (zz*) = 05, 10, 15, 20, 30, and 50 meters

OM3, 50/125	ICFOJATGzz*
OM2, 50/125	ICFOJATMzz*
OM1, 62.5/125	ICFOJATNzz*
OS1, 9/125	ICFOJATSzz*

1 meter = 3.28 feet



Racks & Cable Management









Hinged Brackets

- Limited space/closet installations
- Available in EZ-Fold or traditional style
- Supports up to 60 lb. of equipment

Open Frame Racks

- Limited floor space/small room installations
- Self-squaring design; easy to assemble
- Supports up to 125 lb. of equipment







Enclosed Cabinets

- Small room/space for swing out
- For secure and non-secure installations
- Swings out to access equipment from the rear
- Supports up to 150 lb. of equipment

Floor Racks

- Regulation size telecom rooms
- Available with 2 and 4 posts
- Supports up to 1500 lb. of equipment



Racks











Wall Mount Hinged Brackets, 6" Depth

- Up to 40 lb. capacity

1 RMS, 2-Pack	ICCMSHB1RC
1 RMS	ICCMSHB1RS
2 RMS, 2-Pack	ICCMSHB2RC
2 RMS	ICCMSHB2RS
4 RMS, 2-Pack	ICCMSHB4RC
4 RMS	ICCMSHB4RS

Wall Mount EZ-Fold Brackets, 15" Depth

- 30 lb. capacity
- 2.5" height
- Double mounting holes
- No weight bears at the hinge
- Patented

2 RMS	ICCMSABRS2
4 RMS	ICCMSABRS4
6 RMS	ICCMSABRS6
8 RMS	ICCMSABRS8





Wall Mount EZ-Fold Brackets, 6" Depth

- 30 lb. capacity
- 2.5" height
- Double mounting holes
- No weight bears at the hinge
- Patented

2 RMS	ICCMSABR62
4 RMS	ICCMSABR64
6 RMS	ICCMSABR66
8 RMS	ICCMSABR68



Wall Mount Vertical Hinged Brackets

- Up to 60 lb. capacity
- Swings down 90°

6 RMS, 12" Depth	ICCMSVHB06
8 RMS, 12" Depth	ICCMSVHB08
8 RMS, 18" Depth	ICCMSVHB18

1 RMS (rack mount space) = 1.75" H | 25-Pack #12-24 Rack Screws: ICACSS01BK



Wall Mount Racks, 18" Depth

- 125 lb. capacity
- Reinforced arms with 14 GA steel

8 RMS	ICCMSWMR08
15 RMS	ICCMSWMR15
30 RMS	ICCMSWMR30



Wall Mount Swing Frame Racks, 18" Depth

- 85 lb. capacity
- Reversible installation
- Mounting screw template included

12 RMS	ICCMSSFR12
25 RMS	ICCMSSFR25



Wall Mount Enclosure Cabinets, 26" Depth

- 150 lb. capacity
- Vented side panels
- Knockouts on top and bottom for cable entry
- Reversible front door

Solid Door

12 RMS	ICCMSWMC12
26 RMS	ICCMSWMC26

Plexiglass Door

12 RMS	ICCMSWMP12
26 RMS	ICCMSWMP26



Wall Mount Utility Rack

- 75 lb. capacity
- Mounts equipment vertically
- Pre-assembled with swing out arms

5 RMS	ICCMSWMUR5

1 RMS (rack mount space) = 1.75" H | 25-Pack #12-24 Rack Screws: ICACSS01BK







Adjustable depth

Adjustable 4-Post Distribution Rack

- Adjustable depth: 27"-32"
- 19" EIA rack mount width
- 1500 lb. capacity

7' H, 45 RMS	ICCMSR4P84
Anchor Kit	ICCMSRFLKT





Cable channels

2-Post Distribution Racks

- Lightweight aluminum
- 19" EIA rack mount width
- 750 lb. capacity


7' H, 45 RMS	ICCMSR1984
6' H, 38 RMS	ICCMSR1972
4' H, 24 RMS	ICCMSR1948
Anchor Kit	ICCMSRFLKT

Cable Management Rack

- 6" D x 3.15" W channels
- 19" EIA rack mount width
- 1000 lb. capacity


7' H, 44 RMS	ICCMSCMRH7
Anchor Kit	ICCMSRFLKT


1 RMS (rack mount space) = 1.75" H | 25-Pack #12-24 Rack Screws: ICACSS01BK




Cable Managers

















Vertical Finger Duct Panels

Single-sided

2-Pack, Side or Center Mount, Flat Bracket
78" H x 6" W x 5" D ICCMSCMA73

Side Mount, Flat Bracket
78" H x 4" W x 5" D ICCMSCMA84

Side Mount, Z-Bend Bracket
78" H x 4" W x 5" D ICCMSCMA81
35" H x 4" W x 5" D ICCMSCMA21

Double-sided

Center Mount, Z-Bend Bracket
78" H x 4" W x 10" D ICCMSCMA82
35" H x 4" W x 10" D ICCMSCMA22

Side Mount, Z-Bend Bracket
78" H x 4" W x 10" D ICCMSCMA83
35" H x 4" W x 10" D ICCMSCMA23











Vertical Channels with Plastic Covers 4-Pack ValuePack

- Mount on the front, rear, and in-between racks
- Front swivel latches
- Large rear openings
- Adjustable mounting brackets swing-out left and right
- One 4-pack can build two 7-foot channels

40" H, 4-Pack ICCMSC40BK

1 RMS (rack mount space) = 1.75" H



Single-sided Finger Ducts, 3" Depth

- 24 slotted ducts
- Flexible fingers
- 16 GA steel frame
- Includes slide-on cover

1 RMS, 6-Pack	ICCMSCMAC1
1 RMS	ICCMSCMA41
2 RMS, 6-Pack	ICCMSCMAC2
2 RMS	ICCMSCMA42



Single-sided Finger Ducts, 5" Depth

- 24 slotted ducts
- Flexible fingers
- 16 GA steel frame
- Includes slide-on cover

1 RMS	ICCMSCMA15
2 RMS	ICCMSCMA25



Double-sided Finger Ducts

- 24 slotted ducts
- Flexible fingers
- 16 GA steel frame
- Includes slide-on cover

1 RMS, 6-Pack	ICCMSCMAD1
1 RMS	ICCMSCMA61
2 RMS, 6-Pack	ICCMSCMAD2
2 RMS	ICCMSCMA62



Metal Blank Panels

- Fills open spaces between panels
- 16 GA steel frame

1 RMS, 12-Pack	ICCMSCMPC1
1 RMS	ICCMSCMPB1
2 RMS, 12-Pack	ICCMSCMPC2
2 RMS	ICCMSCMPB2
3 RMS, 6-Pack	ICCMSCMPC3
3 RMS	ICCMSCMPB3
4 RMS, 6-Pack	ICCMSCMPC4
4 RMS	ICCMSCMPB4



Plastic Interbay Rings

• Five plastic rings	1 RMS, 6-Pack	ICCMSCMAV1
• Rear cable openings	1 RMS	ICCMSCMA51
• 16 GA steel frame	2 RMS, 6-Pack	ICCMSCMAV2
• Includes snap-on cover	2 RMS	ICCMSCMA52



Extended Bracket 6-Pack ValuePack

• Front or rear cable management	Front, 3" D	ICCMSFCMC3
• No extra RMS needed	Rear, 5" D	ICCMSRCMC5
• 16 GA steel frame		



Metal Vertical Rings

• Five centered vertical rings	1 RMS, 6-Pack	ICCMSCMP61
• Horizontal management	1 RMS	ICCMSCMPK1
• 16 GA steel frame	2 RMS, 6-Pack	ICCMSCMP62
• Includes steel snap-on cover	2 RMS	ICCMSCMPK2



Metal Vertical and Horizontal Rings

• Three centered vertical rings with two outer horizontal rings	1 RMS	ICCMSCMP31
	2 RMS	ICCMSCMP32
• Horizontal & vertical management		
• 16 GA steel frame		
• Includes steel snap-on cover		

1 RMS (rack mount space) = 1.75" H



Wall mount



Ceiling mount



Batwing



Batwing clip

J-Hooks 25-Pack ValuePacks

- Galvanized steel with a rust resistant zinc finish

Wall Mount		Ceiling Mount		Batwing	
3/4" D	ICCMSJHK22	3/4" D	ICCMSJH922	3/4" D	ICCMSJHW22
1 5/16" D	ICCMSJHK33	1 5/16" D	ICCMSJH933	1 5/16" D	ICCMSJHW33
2" D	ICCMSJHK44	2" D	ICCMSJH944	2" D	ICCMSJHW44
4" D	ICCMSJHK55	4" D	ICCMSJH955	4" D	ICCMSJHW55



Metal "L" Bracket

- Custom vertical or horizontal cable management
- 25-Pack ValuePack

0.95" H x 6" W	ICCMSCMPLC



Vertical Metal Rings

- Mounts on the sides of racks
- Double-sided

3" W	ICCMSCMPR3
6" W	ICCMSCMPR4



Vertical Metal Rings

- Mounts on the sides of racks
- 10-Pack ValuePack

1.70" W	ICCMSCMPT1
3" W	ICCMSCMPT2



Cable Radius Manager

- Mounts on the side of brackets
- 20-Pack ValuePack

2.44" H x 3.6" W	ICCMSRMU1C



Horizontal Plastic Ring

- Mounts on the sides of racks

10-Pack ValuePack	ICCMSCMPV6
Single, 1.25" H	ICCMSCMPR6



Vertical Plastic Ring

- Mounts on the sides of racks

10-Pack ValuePack	ICCMSCMPV5
Single, 1.25" W	ICCMSCMPR5



Universal Plastic Ring

- Mounts on the side or in-between two racks

10-Pack ValuePack	ICCMSCMPV7
Single, 3" H x 3" W	ICCMSCMPR7



Metal Wall Mount D-Rings

- 100-Pack ValuePack

2" D	ICCMSDRM02
3" D	ICCMSDRM03
5" D	ICCMSDRM05



Plastic Wall Mount D-Rings

- 100-Pack ValuePack

2" D	ICCMSDRP02
3" D	ICCMSDRP03
5" D	ICCMSDRP05



Shelves



Solid Bottom Rack Shelves

- Up to a 250 lb. capacity

Single-sided		Double-sided	
10" D, 2 RMS, 2-Pack	ICCMSRSFC1	20" D, 2 RMS, 2-Pack	ICCMSRDSC3
10" D, 2 RMS	ICCMSRSF10	20" D, 2 RMS	ICCMSRDS20
15" D, 3 RMS, 2-Pack	ICCMSRSFC2	30" D, 3 RMS	ICCMSRDS30
15" D, 3 RMS	ICCMSRSF15	20" D, 3 RMS	ICCMSHDS20



Vented Bottom Rack Shelves

- Up to a 100 lb. capacity

Single-sided		Double-sided	
10" D, 2 RMS, 2-Pack	ICCMSRSVC1	20" D, 2 RMS, 2-Pack	ICCMSRDVC4
10" D, 2 RMS	ICCMSRSV10	20" D, 2 RMS	ICCMSRDV20
15" D, 3 RMS, 2-Pack	ICCMSRSVC2	30" D, 3 RMS	ICCMSRDV30
15" D, 3 RMS	ICCMSRSV15		



Adjustable 4-Post Shelf

- 125 lb. capacity

27"-32" D, 2 RMS	ICCMSRAS30



Vented 4-Post Shelf

- 125 lb. capacity

32" D, 2 RMS	ICCMSRFV32



Keyboard Rack Shelves

- 25 lb. capacity

Sliding Shelf

10" D, 3 RMS	ICCMSRKLST

Sliding Mouse Tray

10" D, 3 RMS	ICCMSRKSMT



Wall Shelf


- 125 lb. capacity


17" D, 2-Pack	ICCMSWMSV2

1 RMS (rack mount space) = 1.75" H



Ladder Rack System















Ladder Rack Kit

- Includes a 5' runway, relay bracket, wall angle, and J-bolts


Kit	ICCMSLRW05



Ladder Rack Runway

- 16 GA steel with a durable powder-coated finish

7', 2-Pack ValuePack	ICCMSLSTV7
10'	ICCMSLST10
5'	ICCMSLST05



90° Flat Turn

- Gradual sweeping bend

Flat Turn	ICCMSLFT90




90° Corner Turns


- Routes cable vertically

Inside Turn	ICCMSLIR90
Outside Turn	ICCMSLOR90











Radius Drops

• Maintains cable's bend radius at drop points	2-Pack ValuePack	ICCMSLRRDB

Cable Retainers

• Prevents cable from falling	10-Pack ValuePack	ICCMSLRCRP










Butt Splices

- Joins ladder rack runway at ends

10-Pack ValuePack ICCMSLRBSK



Triangle Wall Support

- Holds ladder rack runway to the wall, recommended every 5'

6-Pack ValuePack ICCMSLTWS6
Single Support ICCMSLTWSK



Swivel Butt Splices

- Allows ends to adjust to various angles


2-Pack ValuePack ICCMSLESSK



Wall Support Angle

- Mounts runway to the wall

2-Pack ValuePack	ICCMSLAWS2
Single Support Angle	ICCMSLAWSK



Relay Rack Bracket

- Mounts and secures runway over 2-Post racks


Bracket	ICCMSLRRBK



4-Post Relay Rack Brackets

- Secures runway over 4-Post racks


2-Pack ValuePack	ICCMSL4PBK



6' Threaded Ceiling Rods

- Ceiling mount to sustain over-hanging runway


2-Pack ValuePack	ICCMSLCMRK



Wall Brackets

- Secures runway sections flat against the wall


2-Pack ValuePack	ICCMSLVWBK



Floor Mount Feet

- Secure runway to the floor with mounting feet and butt splices


2-Pack ValuePack	ICCMSLMFFK
2-Pack ValuePack	ICCMSLMFF2



Tee-Junction Splices

- Fastens runway in a tee intersection

2-Pack ValuePack	ICCMSLTJSK



Protective End Caps

- Covers runway ends

2-Pack ValuePack	ICCMSLPECK



J-Bolts

- Inserts over and secures runway

2-Pack ValuePack	ICCMSLJB01



Residential Enclosures









14" Combo

- For small and single-family homes
- 20 GA steel
- UL Listed
- Designed to be stud mounted
- Also available in 21" and 28"

9" Combo

- For apartments and condos
- ABS plastic
- ETL Listed
- Designed to be surface or stud mounted










8" Combo

- For apartments and condos
- ABS plastic
- ETL Listed
- Designed to be surface or stud mounted


Mini Combo

- For remodels and retrofits
- ABS plastic
- UL Listed
- Designed to be surface mounted



14" Net.Media Center









20 Gauge Steel Net.Media Center™ Combos

- For small and single-family homes
- Designed to be stud mounted
- Enclosures are compatible with most major brand modules

01 Hinged reversible door
02 Door latch
03 Lock knockout
04 2" Cable knockouts
05 Rubber bumpers
06 Voice module
07 CAT 6 module
08 Video splitter module
09 Rubber grommets
10 Stud depth measurements
11 AC power knockouts
12 Extendable mounting tabs



21" Net.Media Center




28" Net.Media Center


	Voice Ports	Data Ports	Video Ports	Part No.
14"	8, RJ-31x	8, CAT 6	6, 2 GHz	ICRESDC14K
14"	8, RJ-31x	-	6, 2 GHz	ICRESDC14D
14"	6, RJ-31x	6, CAT 5e	-	ICRESDC14W
21"	8, RJ-31x	8, CAT 6	6, 2 GHz	ICRESDC21K
28"	8, RJ-31x	8, CAT 6	6, 2 GHz	ICRESDC28K



9" Net.Media Center











ABS Plastic Net.Media Center™ Combos

- For apartments, condos, and remodels
- Designed to be surface or stud mounted
- 9" enclosures are compatible with most major brand modules

01 Cover
02 Pad lock hasp
03 Cable knockouts
04 Extendable mounting tabs
05 Screw-down cover holes
06 Voice module
07 Data module
08 Video splitter module
09 Plastic grommet
10 Stud depth measurements
11 AC power knockouts
12 Wiring diagram on cover



8" Net.Media Center



Mini Net.Media Center

	Voice Ports	Data Ports	Video Ports	Part No.
9"	8, RJ-31x	8, CAT 6	6, 2 GHz	ICRESDC9PK
9"	8, RJ-31x	-	6, 2 GHz	ICRESDC9PD
9"	6, RJ-31x	6, CAT 5e	-	ICRESDC9PW
8"*	8	-	6, 2 GHz	ICRDSMMBK8
8"*	6	6, CAT 5e	-	ICRDSMMBW8
Mini	8	8, CAT 5e	4, 2 GHz	ICRDSMMBK1
Mini	8	-	4, 1 GHz	ICRDSMMBD1
Mini	6	6, CAT 5e	-	ICRDSMMBW1

* 8" Net.Media Centers are only available in 6-Pack ValuePack



Voice Modules

- 8 Ports, bridged IDC
- Built-in RJ-31X and expansion ports

Voice Modules

PCB board, 10-Pack	ICRESVPA3D
PCB board	ICRESVPA3C
with plastic cover	ICRESVPA2C
with steel cover	ICRESVPA1C

Expansion Modules

PCB board	ICRESVPB3C
with plastic cover	ICRESVPB2C
with steel cover	ICRESVPB1C



Data Modules

- 8 Ports, 110-Type IDC
- Supports up to 8 computers

CAT 6

PCB board, 10-Pack	ICRESDPB3D
PCB board	ICRESDPB3C
with plastic cover	ICRESDPB2C
with steel cover	ICRESDPB1C

CAT 5e

PCB board, 10-Pack	ICRESDPA3D
PCB board	ICRESDPA3C
with plastic cover	ICRESDPA2C
with steel cover	ICRESDPA1C



Video Splitters

- Supports 2 GHz, 5~2300 MHz bandwidth
- Voice connectivity, 8-Ports, bridged IDC, supports up to 4 incoming phone lines and up to 8 extensions per line

1 x 4	ICRESAV42L
1 x 6	ICRESAV62L
1 x 6, 10-Pack	ICRESAV62V
1 x 8	ICRESAV82L

Video Splitter with Voice

1 x 4	ICRES8V42S
1 x 6	ICRES8V62S
1 x 8	ICRES8V82S



Patch Panels

- Configurable with voice, data, and video modular connectors
- Lightweight metal bracket

6 HD Ports	ICRESBMP06
4 EZ® Ports	ICRESBMP04



Net.Media Center Doors

- Replacement part
- Includes two thread forming screws for mounting to enclosure

28"	ICRESDR28H
21"	ICRESDR21H
14"	ICRESDR14H
9"	ICRESDR9PH



Electronics Bracket

- Designed to hold electronics such as modems, routers, and switches
- Steel bracket

Bracket	ICRESDCBUM



Cable Management Cover

- Designed to conceal cable
- Steel construction

Cover	ICRESCMC06



Protective Grommets

- Install in enclosure knockouts to protect cable from damage
- 10 pieces per bag

Plastic	ICRESDCAC3
Rubber	ICRDSDCAC2



Door Lock and Keys

- Install on 14", 21", and 28" Net.Media Center doors
- Provides added security

Lock and two keys	ICRDSDC2LK



Cords & Cable Assemblies









Patch Cords

- Exceeds TIA-568 CAT 6A/6/5e performance standards
- Slim boot fits narrow port spacing
- Flexible snag-free strain relief boots maintain proper bend radius
- Factory tested and wired T568

25-Pack ValuePacks

CAT 6	ICPCSDzzBL[1]
CAT 5e	ICPCSCzzBL[1]

Single

CAT 6A FTP 10G	ICPCSGzzxx[2]
CAT 6	ICPCSKzzxx[3]
CAT 5e	ICPCSJzzxx[3]

Length (zz) & Color (xx) Options

zzBL[1] = 01, 03, 05, 07, 10'	
zzxx[2] = 03, 05, 07, 10, 15, 25'	
zzxx[3] = 01, 03, 05, 07, 10, 14, 25'	









Modular Plugs 100-Pack ValuePack

- For customization of cords for voice or data applications
- UL Recognized

	Entry	Cable	AWG	Part No.
CAT 6	Oval	Solid/Stranded	23~24	ICMP8P8C6E
CAT 6/5e Shielded	Oval	Solid/Stranded	23~24	ICMP8P8C6S
CAT 5e	Oval	Stranded	24~26	ICMP8P8C5E
8P8C	Oval	Solid	24~28	ICMP8P8SRD
8P8C	Oval	Stranded	24~28	ICMP8P8CRD
8P8C	Flat	Stranded	24~28	ICMP8P8CFT




Solderless joints


Terminated IDC


Male


Female

Telco Cables

- Provides connectivity for voice and low data applications
- 25-Pair, 24 AWG, UTP, RJ-21X

Male to Male	ICPCSTMMzz[1]
Female to Female	ICPCSTFFzz[1]
Female to Male	ICPCSTFMzz[1]
Male to Blunt	ICPCSTMBzz[1]
Female to Blunt	ICPCSTFBzz[1]

Length (zz[1]) = 05, 10, 15, 25[1]







VELCRO® Cable Tie Strap ValuePacks


- Individually perforated
- One-piece fastening device
- Available in black
- 0.5" W

Qwik Tie		
1120-Pack, 8" L		ICACSQV8BK
112-Pack, 8" L		ICACSQB8BK
ONE-WRAP®		
100-Pack, 8" L		ICACSVB8BK
100-Pack, 12" L		ICACSVBTBK

VELCRO® Cable Tie Tape

- 75' L x 0.5" W
- Cut to desired length

Qwik Tie		
10-Roll Pack, Black		ICACSQVKBK
Single Roll, Black		ICACSQ75BK
ONE-WRAP®		
Single Roll, Black		ICACSV75BK
Single Roll, Blue		ICACSV75BL





Nylon Cable Tie ValuePacks

- One-piece construction
- Flammability rating UL 94V-2
- MIL SPEC approved

100-Packs

	Support	Part No.
4"	18 lb.	ICACSS04xx*
5.5"	18 lb.	ICACSS55BK
6"	40 lb.	ICACSM06xx*
12"	40 lb.	ICACSM12xx*
14.5"	50 lb.	ICACSL15xx*
14.5"	120 lb.	ICACSE15NL

1000-Packs

	Support	Part No.
7.5"	50 lb.	ICACSL7Kxx*
8"	18 lb.	ICACSS8Kxx*
8.5"	40 lb.	ICACSM8Kxx*
11"	50 lb.	ICACSL1Kxx*

*Color Options: BK NL




Raceway & Wiring Ducts


Adhesive back



Available individually wrapped



One-piece design




01


02


03


04

20-Pack ValuePacks

6' Sections (per foot)[1]

3/4" W, 1' L	ICRWR11Sxx*
1 1/4" W, 1' L	ICRWR12Sxx*
1 3/4" W, 1' L	ICRWR13Sxx*

8' Sections (per foot)[1]

3/4" W, 1' L	ICRWR118xx*
1 1/4" W, 1' L	ICRWR128xx*
1 3/4" W, 1' L	ICRWR138xx*

Individual Packaging

6' Sections (per stick)

3/4" W, 6' L	ICRW22R6xx*
1 1/4" W, 6' L	ICRW33R6xx*
1 3/4" W, 6' L	ICRW44R6xx*

8' Sections (per stick)

3/4" W, 8' L	ICRW22R8xx*
1 1/4" W, 8' L	ICRW33R8xx*
1 3/4" W, 8' L	ICRW44R8xx*

[1]Cost is calculated per foot

Outside Corner Covers

10-Pack ValuePacks

3/4"	ICRW11OCxx*
1 1/4"	ICRW12OCxx*
1 3/4"	ICRW13OCxx*

Covers and Bases

10-Pack ValuePacks

3/4"	ICRW11OBxx*
1 1/4"	ICRW12OBxx*
1 3/4"	ICRW13OBxx*

Inside Corner Covers

10-Pack ValuePacks

3/4"	ICRW11ICxx*
1 1/4"	ICRW12ICxx*
1 3/4"	ICRW13ICxx*

Single

3/4"	ICRW22NCxx*
1 1/4"	ICRW33NCxx*
1 3/4"	ICRW44NCxx*

Tees

10-Pack ValuePacks

3/4"	ICRW11TOxx*
1 1/4"	ICRW12TOxx*
1 3/4"	ICRW13TOxx*


Single


3/4"	ICRW22TExx*
1 1/4"	ICRW33TExx*
1 3/4"	ICRW44TExx*


*Color Options: WH IV


Retail ready packaging


Three widths


Knockouts for raceway




05


06


07


08

Ceiling Entries

10-Pack ValuePacks

3/4"	ICRW11CExx*
1 1/4"	ICRW12CExx*
1 3/4"	ICRW13CExx*

Single

3/4"	ICRW22CMxx*
1 1/4"	ICRW33CMxx*
1 3/4"	ICRW44CMxx*

Joint Covers

10-Pack ValuePacks

3/4"	ICRW11JCxx*
1 1/4"	ICRW12JCxx*
1 3/4"	ICRW13JCxx*

Single

3/4"	ICRW22JCxx*
1 1/4"	ICRW33JCxx*
1 3/4"	ICRW44JCxx*

90° Flat Elbows

10-Pack ValuePacks

3/4"	ICRW11EOxx*
1 1/4"	ICRW12EOxx*
1 3/4"	ICRW13EOxx*

Single

3/4"	ICRW22FExx*
1 1/4"	ICRW33FExx*
1 3/4"	ICRW44FExx*

90° Flat Elbows and Bases

10-Pack ValuePacks

3/4"	ICRW11EBxx*
1 1/4"	ICRW12EBxx*
1 3/4"	ICRW13EBxx*

Single

3/4"	ICRW22EBxx*
1 1/4"	ICRW33EBxx*
1 3/4"	ICRW44EBxx*

End Caps

10-Pack ValuePacks


3/4"	ICRW11ECxx*
1 1/4"	ICRW12ECxx*
1 3/4"	ICRW13ECxx*


Single

3/4"	ICRW22ECxx*
1 1/4"	ICRW33ECxx*
1 3/4"	ICRW44ECxx*

*Color Options: WH IV







Wiring Ducts

- 2" W x 2" H
- Includes slide-on cover
- Cut, trim, and paint to fit any décor and application layout
- Pre-drilled mount holes

Slotted	ICRWL226xx*
Solid	ICRWS226WH

*Color Options: WH BK



Tools & Accessories



HD



EZ





Switchable blades



Replacement blades



Blade storage

JackEasy™ Tool

- Cuts four pairs of wires
- Terminates with one squeeze
- 16 GA steel framework
- Works with HD and EZ® connectors

Tool	ICACSPDTEH
Replacement blades	ICACS8WUEH


110 termination



66 termination


Blade storage

110 and 66 Single Blade Punch-Down Tool

- High and low impact settings
- Includes 110 and 66 blades

Tool	ICACSPDT00
Replacement blades	
110 blade	ICACS110RB
66 blade	ICACS066RB




Seats 110 blocks


Replacement blade


Anti-slip grip

110 4-Pair Punch-Down Tool

- Cuts four pairs of wires
- 50 kgs impact force
- Anti-slip rubber grip

Tool	ICACSPDT4P
Replacement blade	ICACS04PH5



Heavy Duty Modular Plug Crimping Tool

- Crimp 8-Position 8-Conductor modular plugs
- Ergonomic design provides a firm and comfortable grip


Tool ICACSCT845



Universal Modular Plug Crimping Tool

- Crimp 4, 6, and 8-Position modular plugs

Tool ICACSCT864



Universal Compression Tool

- Compress F-Type, RCA, BNC, and BNC 90° compression connectors and modular compression connectors
- Ergonomic design provides a firm and comfortable grip

Tool ICACSCT01U

F-Type Connectors 100-Packs

RG-6, compression	ICRDSAV01C
RG-6Q, compression	ICRDSAV04C
RG-59, compression	ICRDSAV59C

F-Type Modular Connectors

RG-6Q, compression	IC107FQGWH




Economy Compression Tool

- Compress F-Type, RCA and BNC compression connectors

Tool ICACSCT01E

F-Type Connectors 100-Packs


RG-6, compression	ICRDSAV01C
RG-6Q, compression	ICRDSAV04C
RG-59, compression	ICRDSAV59C



Handheld Termination Aid

- Works with HD and EZ modules
- Provides a base for termination

Aid ICACSHTA01





Stripper Tools

- Deluxe: UTP, STP, and coax cable
- Economy: UTP cable
- 5~6.2mm cable diameter


Deluxe ICACSTSUCD
Economy ICACSTSUS1



Wire Cutter and Stripper

- Strips 12~24 AWG stranded wire and 10~22 AWG solid wire

Tool ICACSCTRST



Connector Removal Tool

- Removes modular keystone connectors in tight spaces
- Narrow profile head

Tool ICACSPP481

Part Number Index

IC066BRCLP ... 34
IC066CV050 ... 34
IC066DFT50 ... 34
IC066NB050 ... 34
IC066NBC50 ... 34
IC066SFT25 ... 34
IC106FP2xx ... 21
IC107AHMWH ... 13
IC107AS4WH ... 21
IC107AUSWH ... 15
IC107B3Gxx ... 15
IC107B5Fxx ... 15
IC107B5Gxx ... 15
IC107B8GWH ... 14
IC107B9Fxx ... 15
IC107B9Gxx ... 15
IC107BC1xx ... 22
IC107BC2xx ... 22
IC107BE241 ... 28
IC107BFCWH ... 15
IC107BFDWH ... 15
IC107BFGWH ... 14
IC107BGCWH ... 15
IC107BGDWH ... 15
IC107BN0xx ... 11
IC107BN2xx ... 11
IC107BNCxx ... 15
IC107BNVxx ... 11
IC107BP8VB ... 32
IC107BP12V ... 32
IC107BP241 ... 28
IC107BP481 ... 28
IC107BP482 ... 28
IC107C5CBK ... 10
IC107C5Exx ... 10
IC107C6Axx ... 10
IC107C6CBK ... 10
IC107C6Rxx ... 10
IC107C6Sxx ... 10
IC107CP6xx ... 10
IC107DA1xx ... 21
IC107DA2xx ... 21
IC107DA4xx ... 21
IC107DDHxx ... 13, 16
IC107DFDSS ... 17
IC107DFDxx ... 17
IC107DFQWH ... 17
IC107DFSSS ... 17
IC107DFSxx ... 17
IC107DFTWH ... 17
IC107DH2xx ... 13, 16
IC107DI1xx ... 17
IC107DI2xx ... 17
IC107DI3xx ... 17
IC107DI4xx ... 17
IC107DI6xx ... 17
IC107DPIxx ... 21
IC107DR2xx ... 16
IC107DR4xx ... 16
IC107DSBxx ... 14
IC107DSCxx ... 14
IC107E5Cxx ... 07
IC107E5Vxx ... 07
IC107F1Cxx ... 18
IC107F01xx ... 18
IC107F2Cxx ... 18
IC107F02xx ... 18
IC107F3Cxx ... 18
IC107F03xx ... 18
IC107F4Cxx ... 18
IC107F04xx ... 18
IC107F5Cxx ... 03
IC107F5Vxx ... 03
IC107F6Cxx ... 03
IC107F6Vxx ... 03
IC107F06xx ... 18
IC107F12xx ... 18
IC107FD8xx ... 18
IC107FFWSS ... 20
IC107FFWxx ... 20
IC107FM3xx ... 20
IC107FN4xx ... 20
IC107FQGWH ... 15, 88
IC107FT4xx ... 20
IC107HDMxx ... 13
IC107L6Cxx ... 07
IC107L6Vxx ... 07
IC107LC2xx ... 11
IC107LCGxx ... 11
IC107LF1xx ... 21
IC107LF2xx ... 21
IC107LF3xx ... 21
IC107LF6xx ... 21
IC107MB6BK ... 24
IC107MRDxx ... 24
IC107MRSxx ... 24
IC107PMGWH ... 14
IC107PPS6A ... 29
IC107PPU6A ... 29
IC107R6GWH ... 14
IC107R8GWH ... 14
IC107RR5WH ... 14
IC107S01SS ... 20
IC107S01xx ... 20
IC107S02SS ... 20
IC107S02xx ... 20
IC107S03SS ... 20
IC107S03xx ... 20
IC107S04SS ... 20
IC107S04xx ... 20
IC107S06SS ... 20
IC107S06xx ... 20
IC107SACWH ... 14
IC107SAPxx ... 14
IC107SB1xx ... 22
IC107SB2xx ... 22
IC107SB4WH ... 22
IC107SB6WH ... 22
IC107SBTxx ... 22
IC107SC2xx ... 11
IC107SF1SS ... 20
IC107SF2SS ... 20
IC107SF3SS ... 20
IC107SF4SS ... 20
IC107SF6SS ... 20
IC107ST2xx ... 11
IC107UAAWH ... 15
IC107UABWH ... 15
IC108SB1xx ... 23
IC108SB2xx ... 23
IC108SB4xx ... 23
IC108SB6xx ... 23
IC110CB4PC ... 33
IC110CB5PC ... 33
IC110CMBNF ... 33
IC110CMBWF ... 33
IC110H1004 ... 33
IC110LHLDR ... 33
IC110NF100 ... 33
IC110PRK61 ... 33
IC110RM100 ... 33
IC110RM200 ... 33
IC110RMCMB ... 33
IC110TC450 ... 33
IC110W1004 ... 33
IC110W3004 ... 33
IC110WF100 ... 33
IC110WF300 ... 33
IC110WH100 ... 33
IC110WK966 ... 33
IC625S51xx ... 23
IC625S52xx ... 23
IC625SB8IV ... 24
IC625SV1IV ... 23
IC625SV2IV ... 23
IC630DA6SS ... 21
IC630DB6xx ... 21
IC630DIBxx ... 17
IC630DSFxx ... 16
IC630E6GWH ... 21
IC630E60xx ... 21
IC630E66xx ... 21
IC630EB0xx ... 18
IC630EBDxx ... 18
IC630EBSSS ... 20
IC630EG0xx ... 21
IC630EGGxx ... 21
IC635DS4xx ... 24
IC635DS8xx ... 24
IC640BDSxx ... 21
IC640BSSxx ... 21
IC1074PIxx ... 21
IC1076F0xx ... 03
IC1076FCxx ... 03
IC1076FVWH ... 03
IC1076V0xx ... 07
IC1076VCxx ... 07
IC1076VVWH ... 07
IC1078E5xx ... 07
IC1078F5xx ... 03
IC1078F6xx ... 03
IC1078GAxx ... 03
IC1078L6xx ... 07
IC1078S6A0 ... 03
IC06626P4C ... 34
IC06628P8C ... 34
IC06686P6C ... 34
ICACS04PH5 ... 87
ICACS8WUEH ... 86
ICACS066RB ... 87
ICACS110RB ... 87
ICACSCT01E ... 88
ICACSCT01U ... 88
ICACSCT845 ... 88
ICACSCT864 ... 88
ICACSCTRST ... 89
ICACSDCICL ... 31
ICACSDCVCL ... 31
ICACSE15NL ... 80
ICACSGK6AS ... 29
ICACSGKS00 ... 29
ICACSHTA01 ... 89
ICACSL1Kxx ... 80
ICACSL7Kxx ... 80
ICACSL15xx ... 80
ICACSM06xx ... 80
ICACSM8Kxx ... 80
ICACSM12xx ... 80
ICACSMBDxx ... 24

ICACSMBSxx ... 24
ICACSPDT00 ... 87
ICACSPDT4P ... 87
ICACSPDTEH ... 86
ICACSPP481 ... 89
ICACSQ75BK ... 80
ICACSQB8BK ... 80
ICACSQV8BK ... 80
ICACSQVKBK ... 80
ICACSS01BK ... 53-55
ICACSS04xx ... 80
ICACSS8Kxx ... 80
ICACSS55BK ... 80
ICACSTSUCD ... 89
ICACSTSUS1 ... 89
ICACSV75BK ... 80
ICACSV75BL ... 80
ICACSVB8BK ... 80
ICACSVBTBK ... 80
ICACSWDS10 ... 34
ICACSWDS20 ... 34
ICCABP5Exx ... 38
ICCABP6Axx ... 38
ICCABP6Exx ... 38
ICCABP6FBL ... 38
ICCABP6Vxx ... 38
ICCABR5Exx ... 38
ICCABR6Axx ... 38
ICCABR6Exx ... 38
ICCABR6FBL ... 38
ICCABR6Vxx ... 38
ICCMSABR62 ... 53
ICCMSABR64 ... 53
ICCMSABR66 ... 53
ICCMSABR68 ... 53
ICCMSABRS2 ... 53
ICCMSABRS4 ... 53
ICCMSABRS6 ... 53
ICCMSABRS8 ... 53
ICCMSC40BK ... 57
ICCMSCMA15 ... 58
ICCMSCMA21 ... 57
ICCMSCMA22 ... 57
ICCMSCMA23 ... 57
ICCMSCMA25 ... 58
ICCMSCMA41 ... 58
ICCMSCMA42 ... 58
ICCMSCMA51 ... 59
ICCMSCMA52 ... 59
ICCMSCMA61 ... 58
ICCMSCMA62 ... 58
ICCMSCMA81 ... 57
ICCMSCMA82 ... 57
ICCMSCMA83 ... 57
ICCMSCMA84 ... 57
ICCMSCMAC1 ... 58
ICCMSCMAC2 ... 58
ICCMSCMAD1 ... 58
ICCMSCMAD2 ... 58
ICCMSCMAV1 ... 59
ICCMSCMAV2 ... 59
ICCMSCMP31 ... 59
ICCMSCMP32 ... 59
ICCMSCMP61 ... 59
ICCMSCMP62 ... 59
ICCMSCMPB1 ... 58
ICCMSCMPB2 ... 58
ICCMSCMPB3 ... 58
ICCMSCMPB4 ... 58
ICCMSCMPC1 ... 58
ICCMSCMPC2 ... 58
ICCMSCMPC3 ... 58
ICCMSCMPC4 ... 58
ICCMSCMPK1 ... 59
ICCMSCMPK2 ... 59
ICCMSCMPLC ... 61
ICCMSCMPR3 ... 61
ICCMSCMPR4 ... 61
ICCMSCMPR5 ... 61
ICCMSCMPR6 ... 61
ICCMSCMPR7 ... 61
ICCMSCMPT1 ... 61
ICCMSCMPT2 ... 61
ICCMSCMPV5 ... 61
ICCMSCMPV6 ... 61
ICCMSCMPV7 ... 61
ICCMSCMRH7 ... 55
ICCMSDRM02 ... 61
ICCMSDRM03 ... 61
ICCMSDRM05 ... 61
ICCMSDRP02 ... 61
ICCMSDRP03 ... 61
ICCMSDRP05 ... 61
ICCMSFCMC3 ... 59
ICCMSHB1RC ... 53
ICCMSHB1RS ... 53
ICCMSHB2RC ... 53
ICCMSHB2RS ... 53
ICCMSHB4RC ... 53
ICCMSHB4RS ... 53
ICCMSHDS20 ... 63
ICCMSJH922 ... 60
ICCMSJH933 ... 60
ICCMSJH944 ... 60
ICCMSJH955 ... 60
ICCMSJHK22 ... 60
ICCMSJHK33 ... 60
ICCMSJHK44 ... 60
ICCMSJHK55 ... 60
ICCMSJHW22 ... 60
ICCMSJHW33 ... 60
ICCMSJHW44 ... 60
ICCMSJHW55 ... 60
ICCMSL4PBK ... 68
ICCMSLAWS2 ... 68
ICCMSLAWSK ... 68
ICCMSLCMRK ... 68
ICCMSLESSK ... 67
ICCMSLFT90 ... 65
ICCMSLIR90 ... 65
ICCMSLJB01 ... 68
ICCMSLMFF2 ... 68
ICCMSLMFFK ... 68
ICCMSLOR90 ... 65
ICCMSLPECK ... 68
ICCMSLRBSK ... 67
ICCMSLRCRP ... 66
ICCMSLRRBK ... 68
ICCMSLRRDB ... 66
ICCMSLRW05 ... 65
ICCMSLST05 ... 65
ICCMSLST10 ... 65
ICCMSLSTV7 ... 65
ICCMSLTJSK ... 68
ICCMSLTWS6 ... 67
ICCMSLTWSK ... 67
ICCMSLVWBK ... 68
ICCMSR4P84 ... 55
ICCMSR1948 ... 55
ICCMSR1972 ... 55
ICCMSR1984 ... 55
ICCMSRAS30 ... 63
ICCMSRCMC5 ... 59
ICCMSRDS20 ... 63
ICCMSRDS30 ... 63
ICCMSRDSC3 ... 63
ICCMSRDV20 ... 63
ICCMSRDV30 ... 63
ICCMSRDVC4 ... 63
ICCMSRFLKT ... 55
ICCMSRFV32 ... 63
ICCMSRKLST ... 63
ICCMSRKSMT ... 63
ICCMSRMU1C ... 61
ICCMSRSF10 ... 63
ICCMSRSF15 ... 63
ICCMSRSFC1 ... 63
ICCMSRSFC2 ... 63
ICCMSRSV10 ... 63
ICCMSRSV15 ... 63
ICCMSRSVC1 ... 63
ICCMSRSVC2 ... 63
ICCMSSFR12 ... 54
ICCMSSFR25 ... 54
ICCMSVHB06 ... 53
ICCMSVHB08 ... 53
ICCMSVHB18 ... 53
ICCMSWMC12 ... 54
ICCMSWMC26 ... 54
ICCMSWMP12 ... 54
ICCMSWMP26 ... 54
ICCMSWMR08 ... 54
ICCMSWMR15 ... 54
ICCMSWMR30 ... 54
ICCMSWMSV2 ... 63
ICCMSWMUR5 ... 54
ICFC12ML1G ... 47
ICFC12ML50 ... 47
ICFC12MLD6 ... 47
ICFC12MS1G ... 47
ICFC12MS50 ... 47
ICFC12MSD6 ... 47
ICFC12MSP5 ... 46
ICFC12MSP6 ... 46
ICFC12MSPG ... 46
ICFC12SLD9 ... 47
ICFC12SSD9 ... 47
ICFC12SSP9 ... 46
ICFC24ML1G ... 47
ICFC24ML50 ... 47
ICFC24MLD6 ... 47
ICFC24MLP5 ... 46
ICFC24MLP6 ... 46
ICFC24MLPG ... 46
ICFC24SLD9 ... 47
ICFC24SLP9 ... 46
ICFODE41WM ... 43
ICFOJ1G7zz ... 48
ICFOJ1M3zz ... 48
ICFOJ1M5zz ... 48
ICFOJ1M7zz ... 48
ICFOJ2G7zz ... 48
ICFOJ2M3zz ... 48
ICFOJ2M5zz ... 48
ICFOJ2M7zz ... 48
ICFOJ3M3zz ... 48
ICFOJ3M5zz ... 48
ICFOJ3M7zz ... 48
ICFOJ7C3zz ... 48
ICFOJ7C5zz ... 48
ICFOJ7C7zz ... 48
ICFOJ8C3zz ... 48
ICFOJ8C5zz ... 48
ICFOJ8C7zz ... 48
ICFOJ8G7zz ... 48
ICFOJ9C3zz ... 48
ICFOJ9C5zz ... 48
ICFOJ9C7zz ... 48
ICFOJATGzz ... 48
ICFOJATMzz ... 48
ICFOJATNzz ... 48
ICFOJATSzz ... 48

ICFOPB00BK ... 45
ICFOPC16BK ... 45
ICFOPC26BK ... 45
ICFOPC161G ... 45
ICFOPL16B5 ... 45
ICFOPL16BG ... 45
ICFOPL16BK ... 45
ICFOPL161G ... 45
ICFOPL1615 ... 45
ICFOPL1619 ... 45
ICFOPS16BK ... 45
ICFOPS26BK ... 45
ICFOPT16BK ... 45
ICFOPT26BK ... 45
ICFORE31RM ... 43
ICFORE62RM ... 43
ICFORECAC2 ... 43
ICFORECAC3 ... 43
ICFORET4RM ... 43
ICFORPP1RM ... 44
ICFOSKFM12 ... 43
ICFP96ML1G ... 44
ICMA267D66 ... 11
ICMA350A6C ... 11
ICMA3508DR ... 11
ICMAGBLOCK ... 24
ICMB89B0WH ... 34
ICMB89BCWH ... 34
ICMP8P8C5E ... 78
ICMP8P8C6E ... 78
ICMP8P8C6S ... 78
ICMP8P8CFT ... 78
ICMP8P8CRD ... 78
ICMP8P8SRD ... 78
ICMPP12F5E ... 32
ICMPP12F6E ... 32
ICMPP012U6 ... 31
ICMPP12V5E ... 31
ICMPP12V60 ... 31
ICMPP24CP5 ... 29
ICMPP24CP6 ... 29
ICMPP024T2 ... 30
ICMPP24T2C ... 30
ICMPP024T4 ... 30
ICMPP24T4C ... 30
ICMPP24TF2 ... 30
ICMPP24TF4 ... 30
ICMPP024U6 ... 27
ICMPP48C51 ... 29
ICMPP48C61 ... 29
ICMPP48CP5 ... 29
ICMPP48CP6 ... 29
ICMPP048T2 ... 30
ICMPP48T2C ... 30
ICMPP048T4 ... 30
ICMPP48TF2 ... 30
ICMPP48TF4 ... 30
ICMPP048U6 ... 27
ICMPP125EV ... 31
ICMPP0245E ... 27
ICMPP245EV ... 27
ICMPP246AS ... 29
ICMPP246AU ... 29
ICMPP0246B ... 27
ICMPP0485E ... 27
ICMPP485EV ... 27
ICMPP0486B ... 27
ICMPP1260V ... 31
ICMPP02460 ... 27
ICMPP2460V ... 27
ICMPP04860 ... 27
ICMPP4860V ... 27
ICMPPICSxx ... 31
ICMPPMB506 ... 24
ICMPPMB606 ... 24
ICMPPTF242 ... 30
ICMPPTF244 ... 30
ICPCSCzzBL ... 78
ICPCSDzzBL ... 78
ICPCSGzzxx ... 78
ICPCSJzzxx ... 78
ICPCSKzzxx ... 78
ICPCSTFBzz ... 79
ICPCSTFFzz ... 79
ICPCSTFMzz ... 79
ICPCSTMBzz ... 79
ICPCSTMMzz ... 79
ICRDS0F5WH ... 19
ICRDS0FLWH ... 19
ICRDS3RFWH ... 16
ICRDSAV01C ... 88
ICRDSAV04C ... 88
ICRDSAV59C ... 88
ICRDSDC2LK ... 76
ICRDSDCAC2 ... 76
ICRDSMMBD1 ... 75
ICRDSMMBK1 ... 75
ICRDSMMBK8 ... 75
ICRDSMMBW1 ... 75
ICRDSMMBW8 ... 75
ICRDSQBPxx ... 16
ICRDSV0LWH ... 19
ICRDSV05WH ... 19
ICRDSVF5WH ... 19
ICRDSVFLWH ... 19
ICRES8V42S ... 76
ICRES8V62S ... 76
ICRES8V82S ... 76
ICRESAV42L ... 76
ICRESAV62L ... 76
ICRESAV62V ... 76
ICRESAV82L ... 76
ICRESBMP04 ... 76
ICRESBMP06 ... 76
ICRESCMC06 ... 76
ICRESDC9PD ... 75
ICRESDC9PK ... 75
ICRESDC9PW ... 75
ICRESDC14D ... 73
ICRESDC14K ... 73
ICRESDC14W ... 73
ICRESDC21K ... 73
ICRESDC28K ... 73
ICRESDCAC3 ... 76
ICRESDCBUM ... 76
ICRESDPA1C ... 76
ICRESDPA2C ... 76
ICRESDPA3C ... 76
ICRESDPA3D ... 76
ICRESDPB1C ... 76
ICRESDPB2C ... 76
ICRESDPB3C ... 76
ICRESDPB3D ... 76
ICRESDR9PH ... 76
ICRESDR14H ... 76
ICRESDR21H ... 76
ICRESDR28H ... 76
ICRESVPA1C ... 76
ICRESVPA2C ... 76
ICRESVPA3C ... 76
ICRESVPA3D ... 76
ICRESVPB1C ... 76
ICRESVPB2C ... 76
ICRESVPB3C ... 76
ICRW11CExx ... 83
ICRW11EBxx ... 83
ICRW11ECxx ... 83
ICRW11EOxx ... 83
ICRW11ICxx ... 82
ICRW11JCxx ... 83
ICRW11OBxx ... 82
ICRW11OCxx ... 82
ICRW11TOxx ... 82
ICRW12CExx ... 83
ICRW12EBxx ... 83
ICRW12ECxx ... 83
ICRW12EOxx ... 83
ICRW12ICxx ... 82
ICRW12JCxx ... 83
ICRW12OBxx ... 82
ICRW12OCxx ... 82
ICRW12TOxx ... 82
ICRW13CExx ... 83
ICRW13EBxx ... 83
ICRW13ECxx ... 83
ICRW13EOxx ... 83
ICRW13ICxx ... 82
ICRW13JCxx ... 83
ICRW13OBxx ... 82
ICRW13OCxx ... 82
ICRW13TOxx ... 82
ICRW22CMxx ... 83
ICRW22EBxx ... 83
ICRW22ECxx ... 83
ICRW22FExx ... 83
ICRW22JCxx ... 83
ICRW22NCxx ... 82
ICRW22R6xx ... 82
ICRW22R8xx ... 82
ICRW22TExx ... 82
ICRW33CMxx ... 83
ICRW33EBxx ... 83
ICRW33ECxx ... 83
ICRW33FExx ... 83
ICRW33JCxx ... 83
ICRW33NCxx ... 82
ICRW33R6xx ... 82
ICRW33R8xx ... 82
ICRW33TExx ... 82
ICRW44CMxx ... 83
ICRW44EBxx ... 83
ICRW44ECxx ... 83
ICRW44FExx ... 83
ICRW44JCxx ... 83
ICRW44NCxx ... 82
ICRW44R6xx ... 82
ICRW44R8xx ... 82
ICRW44TExx ... 82
ICRWL226xx ... 84
ICRWR11Sxx ... 82
ICRWR12Sxx ... 82
ICRWR13Sxx ... 82
ICRWR118xx ... 82
ICRWR128xx ... 82
ICRWR138xx ... 82
ICRWS226WH ... 84

Success Stories









Elite Installers™ have won projects for:

- School districts
- University campuses
- Apartment complexes
- Medical hospitals
- Five-star hotels and resorts
- Government buildings
- Commercial buildings
- Retail stores
- Community centers
- Financial institutions
- And more!

Visit **icc.com/success** to learn more.

Commercial
Residential



Copper
Fiber





Structured Cabling Solutions

2100 E Valencia Dr, Ste D Fullerton, CA 92831
icc.com
(888) ASK.4ICC (275.4422)

The information in this document is deemed to be reliable and accurate, but is subject to change without notice. ICC is not responsible for misprints, obsolete information, or errors.

MMILIT0448-18