

888.792.7463 **WWW.TARGETD.COM** 



# PRODUCT ROLLOUT AD PRODUCT ROLLOUT AD PRODUCT ROLLOUT

# **Speco's New Additions** of high definition products to the HD-TVI, IP and Network Video Recorder lines prove to not only impress but also exceeds the requests and demands of our customers. With added benefits like included junction boxes and UL listings our products continue to grow in value and quality.



HD-TVI DOMES		Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	Heater	OSD Control via UTC	Additional Analog Output	IP Rating
	30:	HTFD2TM	2MP	2.8-12mm motorized						FLEXIBLE INTENSIFIER TECHNOLOGY				IP66
Domes		HT5943T	3MP	2.8-12mm varifocal										IP66
	6	HT724ST8 (stainless steel)	2MP	2.8mm fixed										IP68
ialty		CVC605CMT	2MP	3.6mm fixed										
Specialty		HTINT40T	2MP	3.6mm fixed										
												OSD	Additional	

	VALU	JE HD-TVI	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	Heater	OSD Control via UTC	Additional Analog Output	IP Rating
ı			HT71T(G/W)	2MP	2.9mm fixed										IP66
		6	HINT71T(G/W)	2MP	2.9mm fixed										IP66
ı	Domes	THE STATE OF THE S	HTMD2T	2MP	3.6mm fixed		Junction Box								IP67
			VLD1TW	2MP	2.8-12mm varifocal		Adapter Plate								IP66
			VLD2TW	2MP	3.6mm fixed		Adapter Plate								IP66

HD-	-TVI BULLETS	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	Heater	OSD Control via UTC	Additional Analog Output	IP Rating
		HTFB2TM	2MP	2.8-12mm motorized						FLEXIBLE INTENSIFIER TECHNOLOGY				IP66
Bullets		HT7043T	3MP	2.8-12mm varifocal										IP66
		HTINT702T	2MP	5–50mm varifocal										IP67

	VAI	LUE HD-TVI	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	Heater	OSD Control via UTC	Additional Analog Output	IP Rating
Bullets	ets		VLB1TW	2MP	2.8-12mm varifocal		Adapter Plate								IP66
		(b) )()	VLB2TW	2MP	3.6mm fixed		Adapter Plate								IP66

F	Recorders	Model	Resolution	UL Listed	PoE Ports	EZ Setup	EZ Search	EZ Network	Museum Search	H.265	Total Camera Bandwidth	Digital Deterrent®	2-Way Audio
NVRs		N4NXL N8NXL	up to 6MP on every channel		4 (N4NXL) 8 (N8NXL)						80Mbps		
		N8NXP	up to 4K on every channel		8						200Mbps		
		N16NXP	up to 4K on every channel		16						200Mbps		
		N32NX	up to 12MP on every channel								320Mbps		
DVR	÷	D8VX D16VX	2MP, 3MP, 4MP (HD-TVI)								N/A		

IP	DOMES	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	H.265	Heater	4K	IK10	IP Rating
		O8D2M	8MP (4K)	2.7-12mm motorized		Junction Box									IP67
		O4D2M	4MP	2.7-12mm motorized		Junction Box									IP67
		O4D1	4MP	2.8mm fixed		Junction Box									IP67
seu		O4FD5M	4MP	2.8-12mm motorized						FLEXIBLE INTENSIFIER TECHNOLOGY					IP66
Domes		O3VFDM	3MP	2.7-12mm motorized		Junction Box		DWDR							IP67
		O3FD8M	3MP	2.9-12mm motorized						FLEXIBLE INTENSIFIER TECHNOLOGY					IP66
		O3FDP9	3MP	2.8mm fixed						FLEXIBLE INTENSIFIER TECHNOLOGY					
	9	O2iD5M	2MP	2.8-12mm motorized											IP66
Se		O4P30X	4MP	4.5-135mm, 30x optical zoom		Wall Bracket									IP67
PTZ Domes		O2P4X	2MP	2.7-11mm, 4x optical zoom		Junction Box									IP66
F		O2P12X	2MP	5.1-61.1mm, 12x optical zoom		Wall Bracket									IP66
VA	ALUE IP	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	H.265	Heater	4K	IK10	IP Rating
40		O3VLD1	3MP	2.8mm fixed		Junction Box		DWDR							IP67
Domes		O2VLD6	2MP	2.8-12mm varifocal		Adapter Plate		DWDR							IP66
		O2VLD5	2MP	3.6mm fixed		Adapter Plate		DWDR							IP66

	P BULLETS	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	H.265	Heater	4K	IP Rating
		O8B2M	8MP (4K)	2.7-12mm motorized		Junction Box								IP67
		O4B2M	4MP	2.7-12mm motorized		Junction Box								IP67
		O4FB8M	4MP	2.8-12mm motorized						FLEXIBLE INTENSIFIER TECHNOLOGY				IP66
Bullets		O4B7	4MP	2.8mm fixed		Junction Box								IP67
Bul	0-5	O3VFBM	3MP	2.7-12mm motorized		Junction Box		DWDR						IP67
		O3FB56M	3MP	5-60mm motorized						FLEXIBLE INTENSIFIER TECHNOLOGY				IP67
	0-0-0	O3FB68	3MP	2.8mm fixed						FLEXIBLE INTENSIFIER TECHNOLOGY				IP68
		O2iB8M	2MP	2.8-12mm motorized										IP66
LPR		O2LPR67	2MP	5-50mm motorized										IP66
	VALUE IP	Model	MP	Lens	UL Listed	Included Accessory	Motorized Zoom	WDR	IR	Intensifier®	H.265	Heater	4K	IP Rating
(0-	6-0	O3VLB3	3MP	2.8mm fixed		Junction Box		DWDR						IP67
Bullets	1	O2VLB6	2MP	2.8-12mm varifocal		Adapter Plate		DWDR						IP66
	(b) (i)	O2VLB5	2MP	3.6mm fixed		Adapter Plate		DWDR						IP66

# WIRELESS ACCESSORIES

RESIDENTIAL & COMMERCIAL SOLUTIONS



### Outdoor Point-to-Point Video Network Bridge with DIP Function, 300Mbps



AP200M 24V, 2.4Ghz AP200M48 48V, 2.4Ghz AP300M 24V, 5.85Ghz AP300M48 48V, 5.85Ghz

- Point-to-point direct networking between camera and recorder/viewer
- Signal up to 7000' line of sight
- Includes ball joint mount with wall and pole mount attachments
- Can be used up to four points to one

### Outdoor Long-Range Point-to-Point Video Network Bridge, 300Mbps



### **AP500M** 5.85Ghz

- Point-to-point direct networking between camera and recorder/viewer
- Signal up to 6 miles line of sight
- Includes mounting accessories
- Powered by 24V PoE (included)

### 2.4Ghz Outdoor WiFi Access Point or Repeater, 300Mbps



sold individually

### **APRPT**

- Extends the range of WiFi ready equipment beyond typical performance range with a signal up to 300'
- Includes ball joint mount with wall and pole mount attachments
- Each access point requires PoE powered by AC adapter (included)

## POINT-TO-POINT WIRELESS NETWORKING

Perfect solution for any application where wires are difficult to run



AP200M / AP200M48

Signal up to 7,000 ft. Line-of-Sight!

AP300M / AP300M48 AP500M

Signal up to 6 miles Line-of-Sight!

\*\*Number varies based on resolution & bandwidth

# CREATE A PRIVATE NETWORK

Between Your WiFi Cameras and NVR that Doesn't Interfere with Your Local Network Bandwidth!



With the **APRPT**, WiFi Cameras Can be Plug & Play with the NVR without Manual Setup!

SecureGuard® VMS

# Secure Guard VIDEO MANAGEMENT SOFTWARE

ADDED

**Custom Branding** 

**NAS/DAS Archiving** 

2-Way Audio

**Audio Streaming** 

**Email Notifications on Event** 

**Watermark on Export** 

Dual Stream Support (for DVRs, NVRs and Hybrid Units)

**User Access Management** 

**Batch Export Event Clips** 

**Tag Sites of Interest** 

Backup, Repair & Restore Database



# POWERFUL SOPHISTICATED RELIABLE



We Design Your Surveillance System!

SecureGuard Design Service

DON'T STRESS OVER WHAT SURVEILLANCE SYSTEM
YOU NEED! SecureGuard® experts will help design a
custom surveillance solution from the ground up with our
SecureGuard® Servers at NO ADDITIONAL COST! Let
our professionals select cameras and technologies that will

best fit your needs or design a system that supports
your existing surveillance system.



For this **value-added** service visit **specotech.com** 

### **NEW PRODUCTS**

**HD-TVI Cameras** 

**IP Cameras** 

**Network Video Recorders** 

WiFi Products

SecureGuard® VMS



2017BROCHURE



For more information contact us at: sales@specotech.com 1.800.645.5516 or specotech.com

Speco Technologies is constantly developing and improving products. We reserve the right to modify product design and specifications without notice and without incurring any obligation. Rev.1/24/17