

COMMERCIAL
RESIDENTIAL
COPPER
FIBER
STRUCTURED
CABLING
SOLUTIONS




CATALOG

WORK AREA OUTLETS CAT 6A/6/5e connectors04 Integrated VDV outlets10 Audio/Video connectors12 Configurable faceplates18 Decorex™ faceplates21 Surface mount jacks.....24 Mounting boxes27 Surface mount boxes28 Mobile patch boxes29 MUTOA outlets.....30	PATCH PANELS & CROSS-CONNECT CAT 6A patch panels32 CAT 6/5e patch panels34 Wall mountable panels34 Feed-through panels36 Configurable blank panels37 Telco panels39 110 wiring blocks40 110 patch panels42 66 wiring blocks.....44	PREMISE CABLES CAT 6A UTP/FTP48 CAT 6e UTP.....48 CAT 6 UTP50 CAT 5e50
RACKS & CABLE MANAGEMENT Wall mount racks54 Floor mount racks59 Vertical cable managers.....60 Horizontal cable managers...62 Plastic rings.....64 Metal rings.....65 Shelves66 J-Hooks68 Ladder Rack.....70	CORDS & CABLE ASSEMBLIES CAT 6A patch cords72 CAT 6 patch cords72 CAT 5e patch cords73 110 patch cords74 Telco cables75 Modular plugs76 Voice line cords77 Velcro® cable ties78 Nylon cable ties79	FIBER OPTIC SYSTEM Plug and Play cassettes82 Adapters84 Patch panels85 Rack mount enclosures.....86 Wall mount enclosures89 Splice trays90 Couplers91 MUTOA boxes92 Multimedia outlets93 Cable assemblies94
RESIDENTIAL ENCLOSURES Metal enclosure combos.....96 Plastic enclosure combos98 Voice modules102 CAT 6/5e data modules.....103 Video modules.....104 Multi-media patch panels ...105 Electrical power strip.....105 Electronics bracket.....105 Cable management covers..105	TOOLS & ACCESSORIES JackEasy™ tool.....106 110/66 punch-down tool107 4-Pair punch-down tool108 5-Pair punch-down tool108 Cable stripping tools109 Crimping tools.....109 Compression tools110 Compression connectors.....111 Wire cutters112 Raceway cutter112	RACEWAY Runway sections114 Compatible outlets.....115 Connecting accessories.....116 Slotted wiring ducts117 Solid wiring ducts117
PRE-TERMINATED CABLES HiPerLink™ copper118 HiPerLink™ fiber optic.....119	INDEX Part number index120	WIRING DIAGRAMS T568A/B wiring122

ICC is an independent and privately owned California corporation. ICC has been manufacturing structured cabling products for small and mid-size installers since 1984.



HD or EZ®



High Density
Up to 48-Ports in 1 RMS



Easy
Easy to lay wires



HD Outlets
Decorex™ and Furniture



EZ® Outlets
Classic and Furniture



HD Panels
Single row ports



EZ® Panel
Staggered ports

One Tool



For Both



Be Green, Buy ValuePacks!

We created ValuePacks to shrink storage size, reduce packaging waste, and lower unit cost. Look for ValuePacks throughout the catalog to save space, save Mother Earth, and save money.

Connectors



Faceplates



Patch Cords




66 Blocks

CAT 6A 10G UTP MODULAR CONNECTORS HD STYLE

- Rear split-back IDC
- Shielded termination cap
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION	CARTON / CASE
IC1078GAxx ¹	8P8C, UTP	50 / 400
Color (xx ¹) =	WH IV BL OR RD BK	

PERMANENT LINK PERFORMANCE TEST



Installed with ICC premise cable and tested per TIA Permanent Link specification




CAT 6A 10G FTP MODULAR CONNECTOR HD STYLE

- 360° shielding from Electromagnetic Interference and Alien Crosstalk
- Rear split-back IDC
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION	CARTON / CASE
IC1078S6A0	8P8C, FTP	50 / 400
ICACSGK6AS	Grounding wire, 18 AWG, 7" length, 10 pcs.	

PERMANENT LINK PERFORMANCE TEST



Installed with ICC premise cable and tested per TIA Permanent Link specification




CAT 6A 10G UTP MODULAR COUPLER HD STYLE

- No termination required; feed-through the front and rear
- Joins two high performance CAT 6A patch cords
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION	CARTON / CASE
IC107C6Axx ¹	8P8C, UTP	50 / 400
Color (xx ¹) =	WH BK	





CAT 6 HD AND EZ® STYLE MODULAR CONNECTORS

- Exceeds TIA-568 CAT 6 performance standard
- Built-in PCB technology for maximum signal quality
- 50 micro-inch gold plated contacts
- Includes a color T568A/B wiring diagram
- Terminate with the JackEasy termination tool


PART NO.	DESCRIPTION
A. IC1078F6xx¹	8P8C, HD style
• Rear split-back IDC	

CARTON / CASE
50 / 400

B. IC1078L6xx¹	8P8C, EZ style
• Rear in-line IDC makes seating wires easy	
• Pair-to-pair wiring; no splitting	

50 / 400

Color (xx¹) =	WH	IV	BL	OR	RD	YL	GY	BK	AL	GN	PR



CAT 6 HD AND EZ® STYLE MODULAR CONNECTOR VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag

PART NO.	DESCRIPTION
A. IC107F6Cxx¹	8P8C, HD style , 25 pcs.
B. IC107L6Cxx¹	8P8C, EZ style, 25 pcs.

CARTON / CASE
10 / 40
10 / 40

Color (xx¹) =	WH	IV	BL	OR	RD	BK



CAT 6 MODULAR COUPLERS HD STYLE

- No termination required; feed-through the front and rear
- Exceeds TIA-568 CAT 6 performance standard
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION
IC107CP6xx¹	8P8C

CARTON / CASE
50 / 400

Color (xx¹) =	WH	BK




CAT 6 MODULAR COUPLER HD STYLE VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag

PART NO.	DESCRIPTION
IC107C6Cxx¹	8P8C, 25 pcs.

CARTON / CASE
10 / 40

Color (xx¹) =	WH	BK




CAT 5e HD AND EZ® STYLE MODULAR CONNECTORS

- Exceeds TIA-568 CAT 5e performance standard
- Built-in PCB technology for maximum signal quality
- 50 micro-inch gold plated contacts
- Includes a color T568A/B wiring diagram
- Compatible with VoIP phone systems
- Terminate with the JackEasy termination tool

PART NO.	DESCRIPTION	CARTON / CASE
A. IC1078F5xx¹	8P8C, HD style	50 / 400
• Rear split-back IDC		
B. IC1078E5xx¹	8P8C, EZ style	50 / 400
• Rear in-line IDC makes seating wires easy		
• Pair-to-pair wiring; no splitting		

Color (xx ¹) =	WH	IV	BL	OR	RD	YL	GY	BK	AL	GN	PR



CAT 5e HD AND EZ® STYLE MODULAR CONNECTOR VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107F5Cxx¹	8P8C, HD style, 25 pcs.	10 / 40
B. IC107E5Cxx¹	8P8C, EZ style, 25 pcs.	10 / 40

Color (xx ¹) =	WH	IV	BL	OR	RD	BK



CAT 5e MODULAR COUPLERS HD STYLE

- No termination required; feed-through the front and rear
- Exceeds TIA-568 CAT 5e performance standard
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION	CARTON / CASE
IC107C5Exx¹	8P8C	50 / 400

Color (xx ¹) =	WH	BK




CAT 5e MODULAR COUPLER HD STYLE VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag

PART NO.	DESCRIPTION	CARTON / CASE
IC107C5Cxx¹	8P8C, 25 pcs.	10 / 40


Color (xx ¹) =	WH	BK



VOICE HD AND EZ® STYLE MODULAR CONNECTORS

- Supports phone applications
- Compatible with RJ-11 plug
- Accepts category-rated cable and 22~24 AWG solid wire
- 50 micro-inch gold plated contacts
- Includes a color USOC/UTP wiring diagram
- Terminate with the JackEasy termination tool

PART NO.	DESCRIPTION	CARTON / CASE
A. IC1076F0xx ¹	6P6C, HD style	50 / 400
• Rear split-back IDC		
B. IC1076V0xx ¹	6P6C, EZ style	50 / 400
• Rear in-line IDC makes seating wires easy		
Color (xx ¹) =	WH	IV
	BL	OR
	RD	YL
	GY	BK
	AL	GN
	PR	



VOICE HD AND EZ® STYLE MODULAR CONNECTOR VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag


PART NO.	DESCRIPTION	CARTON / CASE
A. IC1076FCxx ¹	6P6C, HD style, 25 pcs.	10 / 40
B. IC1076VCxx ¹	6P6C, EZ style, 25 pcs.	10 / 40
Color (xx ¹) =	WH	IV



VOICE MODULAR COUPLERS HD STYLE

- No termination required; feed-through on the front and rear
- Supports phone applications
- Compatible with RJ-11 plug
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION	CARTON / CASE
IC107C6Sxx ¹	6P6C, Pin 1-6	50 / 400
IC107C6Rxx ¹	6P6C, Pin 1-1	50 / 400
Color (xx ¹) =	WH	IV
	GY	BK





One Vendor, No Compatibility Issue

We fine tune premise cables and connectivity outlets to work together as End-to-End solutions.

FIBER OPTIC MODULAR COUPLERS HD STYLE

- Female to female coupler
- Feed-through on the front and rear; no termination required
- Designed with ceramic sleeves
- Supports multimode and single-mode


PART NO.	DESCRIPTION
A. IC107LC2xx ¹	LC duplex coupler, ceramic sleeves
B. IC107SC2xx ¹	SC simplex coupler, ceramic sleeve
C. IC107ST2xx ¹	ST simplex coupler, ceramic sleeve

Color (xx ¹) =	WH	IV
		


CARTON / CASE
50 / 400
50 / 400
50 / 400



A.



B.




C.




FIBER OPTIC COUPLERS IN ELITE™ SURFACE MOUNT BOXES

Elite surface mount box →
Page 28

Snap-in design






FIBER OPTIC ELITE™ BEZELS

- Fiber couplers are integrated into the bezel
- Designed with metal sleeves
- Install bezels in Elite™ series faceplates, outlets and MUTOA boxes
- Package includes icons

PART NO.	DESCRIPTION
A. IC108BFCxx ¹	SC duplex to SC duplex, flat
B. IC108BFDxx ¹	2 SC duplex to SC duplex, flat
C. IC108BACxx ¹	SC duplex to SC duplex, angled
D. IC108BFTxx ¹	ST duplex to ST duplex, flat
E. IC108BFRxx ¹	SC duplex to ST duplex, flat

Color (xx ¹) =	WH	IV



FIBER OPTIC SLIM BEZELS

- Fiber couplers are integrated into the bezel
- Install slim bezels inside the bottom of Elite™ multimedia outlets


PART NO.	DESCRIPTION
A. ICFOBWLbxx ¹	Dual LC duplex to LC duplex, metal sleeves
B. ICFOBWCbxx ¹	SC duplex to SC duplex, metal sleeves
C. ICFOBWTbxx ¹	ST duplex to ST duplex, metal sleeves


Color (xx ¹) =	WH	IV	GY

ELITE™ MULTIMEDIA OUTLETS AND MUTOA BOXES ARE CONFIGURABLE WITH ELITE BEZELS AND SLIM BEZELS

Elite multimedia outlet
Page 31

Slim bezels mount inside the bottom of multimedia outlets allowing fiber to enter and exit vertically.





INTEGRATED FACEPLATES WITH VOICE, CAT 5e DATA AND VIDEO

- Integrate all the connectivity into one faceplate
- One-piece design; no assembly required
- Designed with rear 110-Type IDC for fast termination
- Durable ABS plastic body
- 50 micro-inch gold plated contacts
- Package includes retention caps to secure wiring

PART NO.	DESCRIPTION	CARTON / CASE
A. ICRDSV05xx ¹	6P6C voice and CAT 5e data	25 / 100
B. ICRDSVF0xx ¹	6P6C voice and F-Type video	25 / 100
C. ICRDSVF5xx ¹	6P6C voice, CAT 5e data and F-Type video	25 / 100
D. ICRDSV25xx ¹	6P6C voice, CAT 5e data and 2 F-Type video	25 / 100
E. ICRDS0F5xx ¹	CAT 5e data and F-Type video	25 / 100
F. ICRDS2F5xx ¹	2 CAT 5e data and 2 F-Type video	25 / 100

Color (xx¹) = WH IV AL



INTEGRATED FACEPLATE FEATURES

All ports are embossed to identify applications. All modular connectors have 50 micro inch gold plated contacts for maximum performance.



Voice Port

- Supports:
- Phones
 - Fax machines



CAT 5e Data Port

- Supports:
- Home networking
 - 1 Gigabit per second
 - High speed internet



F-Type Port


- Supports:
- 2 GHz bandwidth
 - Televisions
 - Satellite
 - Cable



CLASSIC SURFACE MOUNT BOXES KITTED WITH VOICE AND CAT 5e DATA MODULAR CONNECTORS

- Comes with a voice or CAT 5e, EZ® style, modular connector
- Connectors are removable
- Package includes adhesive strips and wood screws for mounting


Color (xx') = WH IV



PART NO. **A. IC625SV1xx'** 1-Port box, with voice EZ connector
DESCRIPTION **B. IC625SV2xx'** 2-Port box with 2 voice EZ connectors

C. IC625S51xx' 1-Port box with CAT 5e EZ connector
D. IC625S52xx' 2-Port box with 2 CAT 5e EZ connectors

SURFACE MOUNT BOX KIT FEATURES



WORK AREA OUTLETS



HDMI MODULAR COUPLERS HD STYLE

- Female to female gold plated coupler
- Supports high-definition video: 1080p, 3D and HDCP


PART NO.
IC107HDMxx¹

DESCRIPTION
HDMI connector

CARTON / CASE
50 / 400

Color (xx¹) =

WH	IV	BK	AL



USB MODULAR COUPLERS HD STYLE

- Female to female coupler

PART NO.
A. IC107UAAWH

DESCRIPTION
USB coupler, A-to-A

CARTON / CASE
50 / 400

- Supports USB connectivity; backwards compatible

B. IC107UABWH USB coupler, A-to-B

50 / 400

- Supports USB connectivity
- Reversible coupler with either the A or B port facing outward

Color = White



3.5mm STEREO AUDIO PLUG MODULAR CONNECTORS HD STYLE

- Rear push-pins accept UTP cable or any 22~24 AWG wire
- Terminals are marked for correct polarity

PART NO.
IC107SAPxx¹

DESCRIPTION
3.5mm connector to push pin

CARTON / CASE
50 / 400

Color (xx¹) =

WH	IV	BK	AL



3.5mm STEREO AUDIO PLUG MODULAR COUPLERS HD STYLE

- Female to female nickel plated coupler

PART NO.
IC107SACWH

DESCRIPTION
3.5mm coupler, feed-through

CARTON / CASE
50 / 400

Color = White



S-VIDEO MODULAR CONNECTORS HD STYLE

- Front female connector with rear 110-Type IDC termination
- Rear IDC accepts UTP cable or any 22~24 AWG wire
- Package includes a termination cap to secure wiring

PART NO.
IC107SVIxx¹

DESCRIPTION
S-Video connector

CARTON / CASE
50 / 400

Color (xx¹) =

WH	IV	BK	AL

WORK AREA OUTLETS



HDMI DÉCOREX™ INSERTS WITH 2 OPEN HIGH DENSITY PORTS

- Female to female gold plated coupler
- Supports high-definition video: 1080p, 3D and HDCP
- Package includes 2 blank modular inserts

PART NO.
IC107DH2xx¹

DESCRIPTION
1 HDMI coupler, 2 HD ports

CARTON / CASE
25 / 200

Color (xx¹) =

WH	IV	BK	AL



DUAL HDMI DÉCOREX™ INSERTS WITH 2 OPEN HIGH DENSITY PORTS

- Female to female gold plated couplers
- Supports high-definition video: 1080p, 3D and HDCP
- Package includes 2 blank modular inserts

PART NO.
IC107DDHxx¹

DESCRIPTION
2 HDMI couplers, 2 HD ports

CARTON / CASE
25 / 200

Color (xx¹) =

WH	IV	BK	AL



VGA DÉCOREX™ INSERTS WITH 2 OPEN HIGH DENSITY PORTS

- Female to female 15-Pin VGA coupler
- Supports high quality analog video
- Package includes 2 blank modular inserts

PART NO.
IC107DR2xx¹

DESCRIPTION
1 VGA coupler, 2 HD ports

CARTON / CASE
25 / 200

Color (xx¹) =

WH	IV	BK	AL



VGA DÉCOREX™ INSERTS WITH 4 OPEN HIGH DENSITY PORTS

- Female to female 15-Pin VGA coupler
- Supports high quality analog video
- Package includes 4 blank modular inserts

PART NO.
IC107DR4xx¹

DESCRIPTION
1 VGA coupler, 4 HD ports

CARTON / CASE
25 / 200


Color (xx¹) =

WH	IV	BK	AL



VGA Décorex Inserts

Connecting to computer monitors, projectors and flat screen TV's from the wall outlet.



F-TYPE VIDEO MODULAR CONNECTORS HD STYLE

- Female to female feed-through connector
- Threaded connector to secure connection
- Works with RG-6 and RG-59 coaxial cable

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107B9Fxx ¹	F-Type nickel plated, 3 GHz (pictured)	50 / 400
IC107B9Gxx ¹	F-Type gold plated, 3 GHz	50 / 400
IC107B5Fxx ²	F-Type nickel plated, 2 GHz	50 / 400
IC107B5Gxx ²	F-Type gold plated, 2 GHz	50 / 400

Color (xx ¹) =	WH	IV	BK	AL	Color (xx ²) =	WH	IV	GY	BK	AL

F-TYPE VIDEO MODULAR CONNECTOR HD STYLE VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107BFCWH	F-Type nickel plated, 2 GHz, 25 pcs.	10 / 40
B. IC107BGCWH	F-Type gold plated, 2 GHz, 25 pcs.	10 / 40

Color	=	White

F-TYPE VIDEO MODULAR COMPRESSION CONNECTOR HD STYLE

- Front female nickel plated connector with rear compression connector
- Rear compression connector works with RG-6 quad shield coaxial cable
- Not compatible with plenum cable

PART NO.	DESCRIPTION	CARTON / CASE
IC107FQGWH	F-Type, RG-6Q, blue band	50 / 400

Color	=	White

BNC VIDEO MODULAR CONNECTORS HD STYLE

- Female to female feed-through nickel plated connector
- Supports CCTV, NTSC Analog video signals and satellite link signals

PART NO.	DESCRIPTION	CARTON / CASE
IC107BNCxx ¹	BNC connector, 75 Ohm	50 / 400
IC107B3Gxx ¹	BNC connector, 50 Ohm	50 / 400

Color (xx ¹) =	WH	IV	BK

BNC VIDEO MODULAR COMPRESSION CONNECTOR HD STYLE

- Front female nickel plated connector with rear compression connector
- Rear compression connector works with RG-6 quad shield coaxial cable
- Not compatible with plenum cable

PART NO.	DESCRIPTION	CARTON / CASE
IC107BQCWH	BNC, blue band, 75 Ohm	50 / 400

Color	=	White



RCA FEMALE-TO-RCA FEMALE MODULAR CONNECTORS HD STYLE

- Female to female feed-through connector

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107R6Gxx ¹	Red insert (pictured)	50 / 400
IC107G6Gxx ¹	Green insert	50 / 400
IC107L6Gxx ¹	Blue insert	50 / 400
IC107B6Gxx ¹	White insert	50 / 400
IC107Y6Gxx ¹	Yellow insert	50 / 400
IC107K6Gxx ¹	Black insert	50 / 400

Color (xx ¹) =	WH	IV	BK	AL



RCA FEMALE-TO-F-TYPE MODULAR CONNECTORS HD STYLE

- Front female connector with rear F-Type female connector
- Rear connector works with RG-6 and RG-59 coaxial cable

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107RFGxx ¹	Red Insert (pictured)	50 / 400
IC107GFGxx ¹	Green Insert	50 / 400
IC107LFGxx ¹	Blue Insert	50 / 400
IC107BFGxx ¹	White Insert	50 / 400
IC107YFGxx ¹	Yellow Insert	50 / 400
IC107KFGxx ¹	Black Insert	50 / 400

Color (xx ¹) =	WH	IV	BK	AL



RCA FEMALE-TO-IDC MODULAR CONNECTORS HD STYLE

- Front female connector with rear 110-Type IDC termination
- Rear IDC accepts UTP cable or any 22-24 AWG wire
- Package includes a termination cap to secure wiring

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107R8Gxx ¹	Red insert (pictured)	50 / 400
IC107G8Gxx ¹	Green insert	50 / 400
IC107L8Gxx ¹	Blue insert	50 / 400
IC107B8Gxx ¹	White insert	50 / 400
IC107Y8Gxx ¹	Yellow insert	50 / 400
IC107K8Gxx ¹	Black insert	50 / 400

Color (xx ¹) =	WH	IV	BK	AL



RCA MODULAR COMPRESSION CONNECTORS HD STYLE

- Front female nickel plated connector with rear compression connector
- Rear compression connector works with RG-6 quad shield coaxial cable
- Not compatible with plenum cable

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107RQRWH	Red insert, blue band (pictured)	50 / 400
IC107RQGWH	Green insert, blue band	50 / 400
IC107RQLWH	Blue insert, blue band	50 / 400
IC107RQWWH	White insert, blue band	50 / 400
IC107RQYWH	Yellow insert, blue band	50 / 400
IC107RQKWH	Black insert, blue band	50 / 400

Color	=	White




RCA SOLDER TAIL AND COMPONENT PACK MODULAR CONNECTORS

- PART NO. DESCRIPTION**
- A. IC107B7Gxx¹ Solder Tail, Black Insert, HD style
- Front female connector with rear solder tail termination
- B. IC107RR5xx² Female to female connector, HD style, **5 pcs.** (pictured)
- IC107RF5xx² Front female with rear F-Type female, HD style, **5 pcs.**
- IC107RD5xx² Front female with rear 110-Type IDC termination, HD style, **5 pcs.**
- Includes connectors with 2 red, 1 green, 1 blue and 1 white insert
 - 5 pieces per bag

Color (xx ¹) =	WH	IV	AL	Color (xx ²) =	WH	IV	BK	AL

WORK AREA OUTLETS

AUDIO SPEAKER CONNECTORS



DUAL AUDIO SPEAKER MODULAR CONNECTORS HD STYLE

- Front push buttons with rear crimp-on wire connector
- Black and red push buttons have + and - signs for correct polarity
- Accepts speaker wire up to 16 AWG
- Patented design


PART NO.
IC107DSCxx¹

DESCRIPTION
Front speaker connector

CARTON / CASE
50 / 400

Color (xx¹) =

WH	IV	BK	AL



DUAL FRONT AND BACK AUDIO SPEAKER MODULAR CONNECTORS HD STYLE

- Front and rear push buttons
- Black and red push buttons have + and - signs for correct polarity
- Accepts speaker wire up to 16 AWG
- Patented design

PART NO.
IC107DSBxx¹

DESCRIPTION
Front and rear speaker connector

CARTON / CASE
50 / 400

Color (xx¹) =

WH	IV



SPRING CLIP AUDIO SPEAKER MODULAR CONNECTORS HD STYLE

- Front spring clip with rear crimp-on wire connector
- Front accepts speaker wire up to 12 AWG
- Rear accepts speaker wire up to 16 AWG
- Comes in pairs with red and black clips for correct polarity
- Patented design

PART NO.
IC107BSSBK

DESCRIPTION
Spring clip connectors

CARTON / CASE
50 / 400

Color = Black

--



BINDING POST AUDIO SPEAKER MODULAR CONNECTORS HD STYLE

- Front gold plated binding post with female banana plug
- Rear set-screw connection
- Accepts speaker wire up to 8 AWG
- Comes in pairs with red and black bands for correct polarity

PART NO.
IC107PMGxx¹

DESCRIPTION
Binding post connectors, gold plated

CARTON / CASE
50 / 400

Color (xx¹) =

WH	IV	BK	AL


Home Theater Solution

Install 7.1 surround sound, high definition and component A/V as well as satellite and cable input in a Décorex™ quad-gang faceplate.



WORK AREA OUTLETS

AUDIO AND VIDEO CONNECTORS




BINDING POST AUDIO SPEAKER DÉCOREX™ INSERTS

- Front gold plated binding post with female banana plug
- Rear set-screw connection
- Accepts speaker wire up to 8 AWG
- Red and black bands for correct polarity

PART NO.	DESCRIPTION
A. ICRDSSBPxx ¹	2 binding posts
B. ICRDSDBPxx ²	4 binding posts
C. ICRDSQBPxx ²	8 binding posts

Color (xx¹) = WH IV

Color (xx^2) = WH IV AL



F-TYPE AND RCA DÉCOREX INSERTS

PART NO.	DESCRIPTION
A. IC630DSFxx ¹	F-Type connector
B. IC630DDFxx ¹	2 F-Type connectors

- Female to female F-Type connector

C. ICRDS3RFxx² F-Type connector and 3 RCA connectors

- Female to female F-Type connector
- 3 RCA female connectors with rear F-Type connectors
- Rear works with RG-6 and RG-59 coaxial cable

Color (xx^1) = WH IV AL

Color (xx^2) = WH IV



BLANK FILL-IN MODULAR INSERTS HD STYLE

- Fills open and unused ports until they are needed

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107BN0xx ¹	Blank fill-in insert, 10 pcs.	25 / 200
B. IC107BNVxx ²	Blank fill-in insert, 100 pcs. VALUEPACK	

Color (xx^1) = WH IV GY BK AL Color (xx^2) = WH IV BK



CABLE FEED-THROUGH MODULAR INSERTS HD STYLE

- Allows cable to pass through a 0.30 inch diameter hole

PART NO.	DESCRIPTION
IC107BN2xx ¹	Cable feed-through insert, 10 pcs.

Color (xx') = WH IV GY AL

CARTON / CASE
75 / 300



DUST COVER

- Works with CAT 6A, CAT 6, CAT 5e and voice modular connectors and patch panels
- Snaps on the port opening to prevent dust from entering

PART NO.	DESCRIPTION
ICACSDCICL	Dust cover, 10 pcs.
ICACSDCVCL	Dust cover, 100 pcs. VALUEPACK

Color = Clear





CLASSIC CONFIGURABLE FACEPLATES

- Flush mount style
- Durable ABS plastic

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107F01xx ¹	1-Port, single gang	25 / 200
B. IC107F02xx ¹	2-Ports, single gang	25 / 200
C. IC107F03xx ¹	3-Ports, single gang	25 / 200
D. IC107F04xx ¹	4-Ports, single gang	25 / 200
E. IC107F06xx ¹	6-Ports, single gang	25 / 200
F. IC107FD8xx ¹	8-Ports, double gang	25 / 100
G. IC107F12xx ¹	12-Ports, double gang	25 / 100
H. IC107FT9xx ²	9-Ports, triple gang	25 / 200
I. IC107FT0xx ²	12-Ports, triple gang	25 / 100

Color (xx ¹) =	WH	IV	GY	BK	AL	Color (xx ²) =	WH	IV	GY

CLASSIC CONFIGURABLE FACEPLATE VALUEPACKS


- Packaged in a resealable box for easy storage
- Reduces packaging waste
- 25 pieces per box


PART NO.	DESCRIPTION
A. IC107F1Cxx ¹	1-Port, single gang, 25 pcs.
IC107F2Cxx ¹	2-Ports, single gang, 25 pcs.
IC107F3Cxx ¹	3-Ports, single gang, 25 pcs.
IC107F4Cxx ¹	4-Ports, single gang, 25 pcs.

Color (xx ¹) =	WH	IV

CLASSIC CONFIGURABLE FACEPLATE FEATURES

We offer a wide selection of classic faceplates. They are configurable with modular connectors, couplers and adapters and are designed to fit standard NEMA outlet boxes. Faceplates come in various colors.






CLASSIC STAINLESS STEEL CONFIGURABLE FACEPLATES

- Flush mount style
- Corrosion resistant 304 stainless steel


PART NO.	DESCRIPTION	CARTON / CASE
A. IC107SF1SS	1-Port, single gang	25 / 200
B. IC107SF2SS	2-Ports, single gang	25 / 200
C. IC107SF3SS	3-Ports, single gang	25 / 200
D. IC107SF4SS	4-Ports, single gang	25 / 200
E. IC107SF6SS	6-Ports, single gang	25 / 200
F. IC107DF4SS	4-Ports, double gang	25 / 100
G. IC107DF8SS	8-Ports, double gang	25 / 100



CLASSIC ANGLED CONFIGURABLE FACEPLATES

- Angled ports help reduce cable stress
- Flush mount style
- Durable ABS plastic


PART NO.	DESCRIPTION	CARTON / CASE
A. IC107DA1xx ¹	1-Port angled, single gang	25 / 200
B. IC107DA2xx ¹	2-Ports angled, single gang	25 / 200
C. IC107AF2xx ²	1-Port flat, 1-Port angled, single gang	25 / 200
D. IC107DA4xx ¹	4-Ports angled, single gang	25 / 200
E. IC107AF4xx ²	2-Ports flat, 2-Ports angled, single gang	25 / 200
F. IC107AF8xx ²	4-Ports flat, 4-Ports angled, double gang	25 / 200




CLASSIC OVERSIZED CONFIGURABLE FACEPLATES

- Designed to cover uneven and oversized drywall cuts
- Larger than standard faceplates
- Flush mount style
- Durable ABS plastic

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107LF1xx ¹	1-Port, single gang	25 / 200
B. IC107LF2xx ¹	2-Ports, single gang	25 / 200
C. IC107LF3xx ¹	3-Ports, single gang	25 / 200
D. IC107LF4xx ¹	4-Ports, single gang	25 / 200
E. IC107LF6xx ¹	6-Ports, single gang	25 / 200






CLASSIC CONFIGURABLE FACEPLATES WITH STATION ID

- Flush mount style
- Durable ABS plastic
- Package includes paper labels and clear view covers


PART NO.	DESCRIPTION	CARTON / CASE
A. IC107S01xx ¹	1-Port, single gang	25 / 200
B. IC107S02xx ¹	2-Ports, single gang	25 / 200
C. IC107S03xx ¹	3-Ports, single gang	25 / 200
D. IC107S04xx ¹	4-Ports, single gang	25 / 200
E. IC107S06xx ¹	6-Ports, single gang	25 / 200
F. IC107SD8xx ¹	8-Ports, double gang	25 / 100
G. IC107ST9xx ¹	9-Ports, triple gang	25 / 100



CLASSIC STAINLESS STEEL CONFIGURABLE FACEPLATES WITH STATION ID

- Flush mount style
- Corrosion resistant 304 stainless steel
- Package includes paper labels and clear view covers

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107S01SS	1-Port, single gang	25 / 200
B. IC107S02SS	2-Ports, single gang	25 / 200
C. IC107S03SS	3-Ports, single gang	25 / 200
D. IC107S04SS	4-Ports, single gang	25 / 200
E. IC107S06SS	6-Ports, single gang	25 / 200




CLASSIC ANGLED CONFIGURABLE FACEPLATES WITH STATION ID

- Angled ports help reduce cable stress
- Flush mount style
- Durable ABS plastic
- Package includes paper labels and clear view covers

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107AS2xx ¹	1-Port flat, 1-Port angled, single gang	25 / 200
B. IC107AS4xx ¹	2-Ports flat, 2-Ports angled, single gang	25 / 200
C. IC107AS8xx ¹	4-Ports flat, 4-Ports angled, double gang	25 / 200



THREE STYLES OF CONFIGURABLE FACEPLATES



Station ID

Accept labels up to
1.70" W x 0.40" H




Décorex

HDMI Décorex™ Inserts




Electrical



DÉCOREX™ CONFIGURABLE INSERTS

- Inserts are configurable with modular connectors
- Durable ABS plastic


PART NO.	DESCRIPTION	CARTON / CASE
A. IC107DI1xx ¹	1-Port	50 / 400
B. IC107DI2xx ¹	2-Ports	50 / 400
C. IC107DI3xx ¹	3-Ports	50 / 400
D. IC107DI4xx ¹	4-Ports; works with HD style connectors only	50 / 400
E. IC107DI6xx ¹	6-Ports; works with HD style connectors only	50 / 400
F. IC630DIBxx ²	Blank insert	50 / 400



DÉCOREX CONFIGURABLE FACEPLATES

- Faceplates are configurable with Décorex inserts
- Durable ABS plastic


PART NO.	DESCRIPTION	CARTON / CASE
A. IC107DFSxx ¹	1-Insert space, single gang	25 / 200
B. IC107DFDxx ¹	2-Insert spaces, double gang	25 / 200
C. IC107DFTxx ¹	3-Insert spaces, triple gang	50 / 200
D. IC107DFQxx ¹	4-Insert spaces, quad gang	25 / 100



DÉCOREX STAINLESS STEEL CONFIGURABLE FACEPLATES

- Faceplates are configurable with Décorex inserts
- Corrosion resistant 304 stainless steel



PART NO.	DESCRIPTION	CARTON / CASE
A. IC107DFSxx ¹	1-Insert space, single gang	25 / 100
B. IC107DFDxx ¹	2-Insert spaces, double gang	25 / 100



ELECTRICAL CONFIGURABLE FACEPLATES & INSERTS

- Durable ABS plastic

PART NO.	DESCRIPTION	CARTON / CASE
A. IC106FP2xx ¹	2-Ports, single gang faceplate	25 / 500
B. IC106FP4xx ²	4-Ports, double gang faceplate	25 / 250
C. IC107DPIxx ¹	2-Ports, insert	50 / 400
D. IC1074PIxx ¹	4-Ports, insert; works with HD style connectors only	50 / 400



For Electrical Floor Boxes

Electrical inserts are configurable with voice, data, audio, video and fiber optic modular connectors. They can also be installed in NEMA electrical boxes on the floor.

WORK AREA OUTLETS



FLUSH CONFIGURABLE TELEPHONE WALL PLATES

- Designed with standoffs to mount phones on walls and vertical surfaces
- Flush mount style

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107FFWSS	1-Port, single gang, stainless steel	25 / 200
B. IC107FFWxx1	1-Port, single gang, ABS plastic	25 / 200

Color (xx1) = WH IV BK AL



RECESSED CONFIGURABLE TELEPHONE WALL PLATES

- Designed with standoffs to mount phones on walls and vertical surfaces
- Recessed style
- Use color ID caps for a clean appearance

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107FRWSS	1-Port, single gang, stainless steel	25 / 200
B. IC107FRWxx1	1-Port, single gang, ABS plastic	25 / 200

Color (xx1) = WH IV BK AL




RECESSED CONFIGURABLE TELEPHONE WALL PLATES

- Designed with standoffs to mount phones on walls and vertical surfaces
- Recessed style
- Durable ABS plastic
- Use color ID caps for a clean appearance

PART NO.	DESCRIPTION	CARTON / CASE
IC107FWPxx1	1-Port, single gang	25 / 200

Color (xx1) = WH IV BK AL



BLANK FACEPLATES

- Covers open and unused wall outlets until needed

PART NO.	DESCRIPTION	CARTON / CASE
A. IC630EBSSS	Blank, single gang, stainless steel	25 / 200
B. IC630EB0xx1	Blank, single gang, ABS plastic	25 / 200
C. IC630EBDxx1	Blank, double gang, ABS plastic	25 / 100

Color (xx1) = WH IV AL

Blank Faceplates





BULK NOSE FACEPLATES

- Faceplates are molded with large opening
- Allows bulky cable to pass through the wall outlet
- Durable ABS plastic

PART NO. **DESCRIPTION**
A. IC640BSSxx¹ Single gang

- 1.25" W x 0.90" D opening

B. IC640BDSxx¹ Double gang

- 2.75" W x 1.15" D opening

Color (xx¹) = WH IV



CARTON / CASE
15 / 120

10 / 80



INTERNATIONAL CONFIGURABLE FACEPLATES

- Works with international wall outlet dimensions
- Spring loaded shutters in ports, prevent dust from entering
- Recessed areas above and below ports for easy labeling

PART NO. **DESCRIPTION**
A. IC107EF1WH 1-Port, 86 mm H x 86 mm W
B. IC107EF2WH 2-Ports, 86 mm H x 86 mm W

Color = White



CARTON / CASE
25 / 200
25 / 200



EURO STYLE CONFIGURABLE ELITE™ MULTIMEDIA BOXES

- Works with international European wall outlet dimensions
- Two-piece design, faceplate and mounting box
- Configurable with Elite bezels
- Box is designed with knockouts to work with raceway systems
- Package includes paper labels, clear view covers and mounting screws

PART NO. **DESCRIPTION**
IC108CE1xx¹ 1-Bezel opening, 83.5 mm H x 83.5 mm W x 55.626 mm D




Color (xx¹) = WH IV GY



Bulk Nose Faceplates

WORK AREA OUTLETS

SCREW TERMINAL OUTLETS



WALL PLATES INTEGRATED WITH VOICE AND VIDEO

- One-piece design; no assembly required
- Designed with rear Phillips screw down terminals
- Durable ABS plastic

PART NO.	DESCRIPTION	CARTON / CASE
A. IC630E60xx ¹	6P6C, single gang	25 / 200
B. IC630E66xx ¹	2 6P6C, single gang	25 / 200
C. IC630EG0xx ¹	F-Type, single gang	25 / 200
D. IC630EGGxx ¹	2 F-Type, single gang	25 / 200
E. IC630E6Gxx ¹	6P6C and F-Type, single gang	25 / 200

Color (xx¹) = WH IV

SURFACE MOUNT JACKS INTEGRATED WITH VOICE

- Two-piece design; cover and base
- Wiring diagram is molded under the cover
- Designed with rear Phillips screw down terminals
- Package includes adhesive strips and wood screws for mounting

PART NO.	DESCRIPTION	CARTON / CASE
A. IC625SB6xx ¹	6P6C	100 / 400
B. IC625SB8xx ¹	8P8C	100 / 400

Color (xx¹) = WH IV

SURFACE MOUNT JACKS INTEGRATED WITH VOICE

- Two-piece design; cover and base
- Wiring diagram is molded under the cover
- Designed with a keyed RJ31X jack with shorting bar
- Designed with rear Phillips screw down terminals
- Package includes adhesive strips and wood screws for mounting

PART NO.	DESCRIPTION	CARTON / CASE
A. IC635DS4xx ¹	8P4C	75 / 300
B. IC635DS8xx ¹	8P8C	75 / 300


Color (xx¹) = WH IV

SCREW DOWN TERMINATION FEATURES

Wall plates, surface mount jacks and Décorex™ inserts are designed with deep slotted Phillips screw heads to provide a traditional way to terminate wires.




Deep slotted and flat Phillips screws will not slip when using automatic screw drivers




Wiring diagram is molded under the cover



Removable side knockouts



Double washers so wires will not unwind




DÉCOREX INSERTS INTEGRATED WITH VOICE AND VIDEO

- Designed with rear Phillips screw down terminals
- Durable ABS plastic

PART NO.	DESCRIPTION
A. IC630DI6xx ¹	6P6C
B. IC630DD6xx ¹	2 6P6C
C. IC630DVFxx ¹	6P6C and F-Type

Color (xx ¹) =	WH	IV	AL

CARTON / CASE
25 / 200
50 / 400
25 / 200




TELEPHONE WALL PLATES INTEGRATED WITH VOICE

- Designed with standoffs to mount phones on walls and vertical surfaces
- Designed with rear Phillips screw down terminals
- Durable ABS plastic

PART NO.	DESCRIPTION
IC630DB6xx ¹	6P6C, single gang

Color (xx ¹) =	WH	IV

CARTON / CASE
25 / 200



TELEPHONE WALL PLATES INTEGRATED WITH VOICE

- Designed with standoffs to mount phones on walls and vertical surfaces
- Designed with rear 110-Type IDC for fast termination
- Package includes 110 punch-down termination tool

PART NO.	DESCRIPTION
A. IC630DA6SS	6P6C, single gang, stainless steel
B. IC630SS6xx ¹	6P6C, single gang, ABS plastic

Color (xx ¹) =	WH	IV

CARTON / CASE
25 / 200
25 / 200

Telephone Wall Plates


Designed with mounting standoffs so phones can be hung securely on the wall.

Page **22** and **25**




CONFIGURABLE HIGH DENSITY NEMA MODULAR FURNITURE FACEPLATES

- Fits in office furniture with NEMA size openings
- Faceplates are configurable with HD style connectors only




CONFIGURABLE HIGH DENSITY TIA MODULAR FURNITURE FACEPLATES

- Fits in office furniture with TIA size openings
- Faceplates are configurable with HD style connectors only




CONFIGURABLE MODULAR FURNITURE FACEPLATES


- Fits in office furniture with TIA size openings
- Faceplates are configurable with EZ[®] and HD style connectors



CONFIGURABLE UNIVERSAL MODULAR FURNITURE FACEPLATES WITH ADJUSTABLE LOCKING TABS

- Two-piece design, faceplate and mounting box
- Faceplates are configurable with EZ[®] and HD style connectors
- Package includes wood screws for mounting





MOUNTING BOXES

- Durable ABS plastic
- Package includes adhesive strips and wood screws for mounting
- Package includes cable ties for cable management

PART NO.	DESCRIPTION
A. IC107MRSxx ¹	Single gang, 4.5" H x 2.75" W x 1.89" D
B. IC107MRDxx ¹	Double gang, 4.5" H x 4.6" W x 1.89" D

Color (xx ¹) =	WH	IV




LOW-PROFILE MOUNTING BOXES

- Works with wall plates and Décorex inserts with screw-down terminals only
- Durable ABS plastic
- Package includes wood screws for mounting

PART NO.	DESCRIPTION
IC250MBSxx ¹	Single gang, 4.5" H x 2.75" W x 0.93" D

Color (xx ¹) =	WH	IV



JUNCTION BOXES


- Two-piece design; mounting box and base
- Durable ABS plastic
- Package includes adhesive strips and wood screws for mounting
- Package includes cable ties for cable management

PART NO.	DESCRIPTION
A. ICACSMBSxx ¹	Single gang, 4.5" H x 2.75" W x 1.89" D
B. ICACSMBDxx ¹	Double gang, 4.5" H x 4.6" W x 1.89" D


Color (xx ¹) =	WH	IV

MOUNTING AND JUNCTION BOX FEATURES

Mounting and junction boxes fit standard NEMA outlet boxes. They work with single and double gang faceplates. Designed with routing posts, cable tie points and knockouts to work with raceway systems.




Mounting boxes: Cables need to be pulled through the box prior to mounting.



Junction boxes: Bases and raceway can be mounted prior to cable pulling.

WORK AREA OUTLETS

SURFACE MOUNT BOXES



CLASSIC CONFIGURABLE SURFACE MOUNT BOXES

- Two-piece design; cover and base
- Durable ABS plastic
- Package includes adhesive strips and wood screws for mounting



PART NO.	DESCRIPTION
A. IC107SB1xx ¹	1-Port
B. IC107SB2xx ¹	2-Ports
C. IC107SB4xx ²	4-Ports
D. IC107SB6xx ²	6-Ports
E. IC107SBTxx ²	12-Ports, 1 station ID, works with raceway and magnets



CLASSIC CONFIGURABLE SURFACE MOUNT BOX VALUEPACKS

- Packaged in a resealable box for easy storage
- Reduces packaging waste
- 25 pieces per box

PART NO.	DESCRIPTION
A. IC107BC1xx ¹	1-Port, 25 pcs.
IC107BC2xx ¹	2-Ports, 25 pcs.



ELITE™ CONFIGURABLE SURFACE MOUNT BOXES


- Two-piece design; cover and base
- Designed to work with raceway and magnets
- Durable ABS plastic
- Package includes adhesive strips and wood screws for mounting
- Package includes icons

PART NO.	DESCRIPTION
A. IC108SB1xx ¹	1-Port
B. IC108SB2xx ¹	2-Ports
C. IC108SB4xx ¹	4-Ports, includes cable ties
D. IC108SB6xx ¹	6-Ports, includes cable ties



SURFACE MOUNT BOX FEATURES

Classic and Elite™ surface mount boxes are configurable with HD and EZ® style modular connectors.



Classic 2-Port box

Classic 12-Port box

Elite 4-Port box



6-PORT CAT 6 AND CAT 5e MOBILE PATCH BOXES

- Two-piece design; cover and base
- Designed with rear 110-Type IDC for fast termination
- 50 micro-inch gold plated contacts
- Exceeds TIA-568 CAT 6 and CAT 5e performance standards
- Package includes wood screws for mounting
- Package includes cable ties for cable management
- Durable ABS plastic


PART NO.	DESCRIPTION
A. ICMPPMB606	CAT 6, 8P8C, 6-Ports
B. ICMPPMB506	CAT 5e, 8P8C, 6-Ports



6-PORT CONFIGURABLE MOBILE PATCH BOX

- Two-piece design; cover and base
- Box is configurable with modular connectors
- Package includes wood screws for mounting
- Package includes cable ties for cable management
- Durable ABS plastic

PART NO.	DESCRIPTION
IC107MB6BK	6-Ports blank





METAL AND ADHESIVE MAGNETS

- To mount boxes on flat metal surfaces
- | PART NO. | DESCRIPTION |
|----------------------|--------------------------------|
| A. ICMAGBLOCK | Metal magnet, 2 pcs. |
| B. IC317MTAPE | Adhesive magnet, 2 pcs. |
- Works with boxes designed with magnet holders
 - Magnetic front with rear adhesive tape
 - Works with all boxes

MOBILE PATCH BOX FEATURES

Mobile patch boxes allow connectivity in open environments where outlet is unavailable. Use for temporary workstations, POS terminals, warehouses, industrial environment, tradeshow, retail showrooms and more.



FLAT AND ANGLED ELITE™ BEZELS

- Install bezels in Elite™ series faceplates, outlets and MUTOA boxes
- Package includes icons

Color (xx') = WH IV



PART NO.	IC108BF1xx¹	IC108BF2xx¹	IC108BA1xx¹	IC108BA2xx¹	IC108BFBxx¹
DESCRIPTION	1-Port, flat	2-Ports, flat	1-Port, angled	2-Ports, angled	Blank, flat

SINGLE AND DOUBLE GANG ELITE™ FACEPLATES WITH STATION ID

Color (xx') = WH IV



← Configurable with Elite™ bezels


PART NO.	IC108F01xx¹	IC108F02xx¹	IC108FD4xx¹
DESCRIPTION	1-Bezel opening	2-Bezel openings	4-Bezel openings

MULTI-USER TELECOMMUNICATIONS OUTLET ASSEMBLY (MUTOA) ELITE™ MULTIMEDIA BOXES

Color (xx') = WH IV GY

Package includes:

- Cover and base
- Cable ties for cable management
- Paper labels and clear view covers
- Adhesive strips and wood screws for mounting





PART NO.	IC108MMBxx¹
DESCRIPTION	MUTOA multimedia box with 7 Elite bezel openings

SINGLE GANG ELITE™ MULTIMEDIA OUTLETS

Package includes:

- Cover and base
- Cable ties for cable management
- Paper labels and clear view covers
- Wood screws for mounting

Color (xx') = WH IV GY





Configurable with Elite™ bezels

**PART NO.**
IC108WBSxx¹**DESCRIPTION**
Single gang multimedia outlet with 2 Elite and 2 slim bezel openings**DOUBLE GANG ELITE™ MULTIMEDIA OUTLETS**

Package includes:

- Cover and base
- Cable ties for cable management
- Paper labels and clear view covers
- Wood screws for mounting

Color (xx') = WH IV GY

**PART NO.**
IC108WBDxx¹**DESCRIPTION**
Double gang multimedia outlet with 4 Elite and 3 slim bezel openings


CAT 6A 10G UNSHIELDED TWISTED PAIR (UTP) PATCH PANEL

- Permanent Link performance tested up to 7.3dB headroom at 500 MHz
- Panel comes with 24 CAT 6A UTP HD style black modular connectors
- 50 micro-inch gold plated contacts
- Fits standard 19" EIA rack mount widths
- Package includes cable management bar, cable ties and #12 rack screws

PART NO.	DESCRIPTION
ICMPP246AU	24-Port CAT 6A UTP patch panel, 1 RMS*



PERMANENT LINK PERFORMANCE TEST




CAT 6A 10G FOILED TWISTED PAIR (FTP) PATCH PANEL

- Permanent Link performance tested up to 2.8dB headroom at 500 MHz
- FTP provides excellent protection against EMI/RFI interferences
- Panel comes with 24 CAT 6A FTP HD style modular connectors
- 50 micro-inch gold plated contacts
- Pre-installed grounding studs
- Fits standard 19" EIA rack mount widths
- Package includes cable management bar, cable ties and #12 rack screws

PART NO.	DESCRIPTION
ICMPP246AS	24-Port CAT 6A FTP patch panel, 1 RMS*




PERMANENT LINK PERFORMANCE TEST



*1 RMS (rack mount space) = 1.75" H


HORIZONTAL PATCH PANEL FEATURES

- Exceeds TIA-568 performance standards
- Built-in PCB technology for maximum signal quality
- 50 micro-inch gold plated contacts



Color wiring diagram makes termination fast and easy


4-Pair punch-down tool →




Nylon cable ties

VERTICAL ZERO-U PATCH PANEL FEATURES

- Designed to mount on walls and distribution racks, uses no rack space
- Exceeds TIA-568 performance standards
- Built-in PCB technology for maximum signal quality
- 50 micro-inch gold plated contacts




Rear 110-Type IDC



Retention caps
Purchased separately

FRONT ACCESS ZERO-U PATCH PANEL FEATURES

- Designed to mount on walls and distribution racks, uses no rack space
- Exceeds TIA-568 performance standards
- Front access 110-Type IDC terminations
- 50 micro-inch gold plated contacts
- Designed for wall mount
- Removable cover



PATCH PANELS & CROSS-CONNECT

CAT 6 AND CAT 5e PATCH PANELS



CAT 6 AND CAT 5e 12-PORT VERTICAL ZERO-U PATCH PANELS

- Two-piece design; patch panel with 89D mounting bracket
- Designed to mount on walls and distribution racks, uses no rack space
- 10" H x 3.30" W x 2.40" D
- Package includes cable ties for cable management


PART NO.	DESCRIPTION	CARTON
ICMPP12V60	CAT 6, 12-Ports, 8P8C	25
ICMPP12V5E	CAT 5e, 12-Ports, 8P8C	25



CAT 6 AND CAT 5e 24-PORT PATCH PANEL

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION	CARTON
ICMPP02460	CAT 6, 24-Ports, 8P8C, 1 RMS*	16
ICMPP0245E	CAT 5e, 24-Ports, 8P8C, 1 RMS*	16



CAT 6 AND CAT 5e 48-PORT PATCH PANEL

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION	CARTON
ICMPP04860	CAT 6, 48-Ports, 8P8C, 2 RMS*	10
ICMPP0485E	CAT 5e, 48-Ports, 8P8C, 2 RMS*	10



CAT 6 AND CAT 5e 12-PORT FRONT ACCESS ZERO-U PATCH PANELS

- Two-piece design; patch panel with removable cover
- Front access 110-Type IDC terminations
- Designed to mount on walls and distribution racks, uses no rack space

PART NO.	DESCRIPTION	CARTON
ICMPP12F6E	CAT 6, 12-Ports, 8P8C, front access	10
ICMPP12F5E	CAT 5e, 12-Ports, 8P8C, front access	10

*1 RMS (rack mount space) = 1.75" H

DUST COVER

- Works with CAT 6A, CAT 6, CAT 5e and voice modular connectors and patch panels
- Snaps on the port opening to prevent dust from entering

PART NO.	DESCRIPTION
ICACSDCICL	Dust cover, 10 pcs.
ICACSDCVCL	Dust cover, 100 pcs. VALUEPACK

Color = Clear





VOICE 12-PORT USOC VERTICAL ZERO-U PATCH PANEL

- Two-piece design; patch panel with 89D mounting bracket
- Designed to mount on walls and distribution racks, uses no rack space
- 10" H x 3.30" W x 2.40" D
- Package includes cable ties for cable management

PART NO.	DESCRIPTION
ICMPP012U6	12-Ports, 6P6C, USOC wiring

CARTON
25



VOICE 24-PORT USOC PATCH PANEL

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION
ICMPP024U6	24-Ports, 6P6C, USOC wiring, 1 RMS*

CARTON
15



VOICE 48-PORT USOC PATCH PANEL

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION
ICMPP048U6	48-Ports, 6P6C, USOC wiring, 2 RMS*

CARTON
10



PATCH PANEL CABLE MANAGEMENT BAR

- Mount on rear of 19" rack mount patch panels
- Works with CAT 6, CAT 5e and voice patch panels
- Designed to support terminated cable
- Durable ABS plastic

PART NO.	DESCRIPTION
ICMPP25CMB	Cable management bar

CARTON
40

*1 RMS (rack mount space) = 1.75" H

PATCH PANEL COLOR ICONS

- Apply to patch panels for system administration
- Icons are molded with text identification
- 12 icons per tree

PART NO.	DESCRIPTION
ICMPPSCIxx ¹	6 voice and 6 data icons
ICMPPICDxx ¹	12 data icons
ICMPPICVxx ¹	12 voice icons

Color (xx ¹) =	WH	IV	BL	OR	RD	YL	GY	GN	PR



PATCH PANELS & CROSS-CONNECT

FEED-THROUGH PATCH PANELS



48-PORT HIGH DENSITY PATCH PANEL WITH CAT 6 AND CAT 5e FEED-THROUGH MODULAR COUPLERS

- Fits standard 19" EIA rack mount widths
- 48 modular couplers pre-installed
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICMPP48C61	48-Ports, CAT 6, 8P8C, 1 RMS*
ICMPP48C51	48-Ports, CAT 5e, 8P8C, 1 RMS*



HIGH DENSITY PATCH PANELS WITH CAT 6 FEED-THROUGH MODULAR COUPLERS

- Fits standard 19" EIA rack mount widths
- 24 modular couplers pre-installed
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICMPP24CP6	24-Ports, CAT 6, 8P8C, 1 RMS*
ICMPP48CP6	48-Ports, CAT 6, 8P8C, 2 RMS*



HIGH DENSITY PATCH PANELS WITH CAT 5e FEED-THROUGH MODULAR COUPLERS

- Fits standard 19" EIA rack mount widths
- 24 modular couplers pre-installed
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICMPP24CP5	24-Ports, CAT 5e, 8P8C, 1 RMS*
ICMPP48CP5	48-Ports, CAT 5e, 8P8C, 2 RMS*



FEED-THROUGH PATCH PANEL FEATURES

- CAT 6 or CAT 5e modular couplers pre-installed
- 50 micro-inch gold plated contacts




Connect patch cords on both ends

No assembly and no termination is required

CONFIGURABLE HIGH DENSITY BLANK PATCH PANEL

- Panel is configurable with HD style modular connectors

PART NO.	DESCRIPTION
IC107BP481	48-Ports blank, 1 RMS*



CONFIGURABLE CAT 6A UTP BLANK PATCH PANEL

- Panel is configurable with CAT 6A UTP modular connectors

PART NO.	DESCRIPTION
IC107PPU6A	24-Ports blank, 1 RMS*



CONFIGURABLE CAT 6A FTP BLANK PATCH PANEL

- Panel is configurable with CAT 6A FTP modular connectors


PART NO.	DESCRIPTION
IC107PPS6A	24-Ports blank, 1 RMS*



CONFIGURABLE HIGH DENSITY BLANK PATCH PANEL

- Panel is configurable with HD style modular connectors

PART NO.	DESCRIPTION
IC107BP241	24-Ports blank, 1 RMS*
IC107BP482	48-Ports blank, 2 RMS*



CONFIGURABLE BLANK PATCH PANEL

- Panel is configurable with EZ style modular connectors

PART NO.	DESCRIPTION
IC107BE241	24-Ports blank, 1 RMS*



*1 RMS (rack mount space) = 1.75" H

PATCH PANELS & CROSS-CONNECT

VERTICAL BLANK PATCH PANELS



CONFIGURABLE HIGH DENSITY WALL MOUNT VERTICAL ZERO-U BLANK PATCH PANEL

- Two-piece design; patch panel with 89U mounting bracket
- Panel is configurable with HD style modular connectors only
- 10" H x 3.30" W x 2.80" D

PART NO.	DESCRIPTION	CARTON
IC107BP12V	12-Ports blank	30



CONFIGURABLE WALL MOUNT VERTICAL ZERO-U BLANK PATCH PANEL

- Two-piece design; patch panel with 89U mounting bracket
- Panel is configurable with EZ® style modular connectors
- 10" H x 3.30" W x 2.80" D

PART NO.	DESCRIPTION	CARTON
IC107BP8VB	8-Ports blank	30

VERTICAL ZERO-U BLANK PATCH PANEL FEATURES

- Vertical patch panels are designed to mount on walls and distribution racks, uses no rack space
- They provide a flexible solution suitable as a Consolidation Point in the Work Area
- Mounting bracket acts as a channel for routing cable behind the termination

12-Port HD style

Front view

Rear view

8-Port EZ style

Front view

Rear view





VOICE 8P2C PATCH PANELS WITH REAR TELCO CONNECTORS

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION	CARTON
ICMPP24T2C	24-Ports, active pins: 4 and 5, 1 RMS*	15
ICMPP48T2C	48-Ports, active pins: 4 and 5, 2 RMS*	10

• Male 50-Pin Telco connector(s) on the rear		
ICMPP24TF2	24-Ports, active pins: 4 and 5, 1 RMS*	15
ICMPP48TF2	48-Ports, active pins: 4 and 5, 2 RMS*	10
• Female 50-Pin Telco connector(s) on the rear		



VOICE 8P4C PATCH PANELS WITH REAR TELCO CONNECTORS

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION	CARTON
ICMPP24T4C	24-Ports, active pins: 3/4 and 5/6, 1 RMS*	15
ICMPP48T4C	48-Ports, active pins: 3/4 and 5/6, 2 RMS*	15

• Male 50-Pin Telco connector(s) on the rear		
ICMPP24TF4	24-Ports, active pins: 3/4 and 5/6, 1 RMS*	15
ICMPP48TF4	48-Ports, active pins: 3/4 and 5/6, 2 RMS*	15
• Female 50-Pin Telco connector(s) on the rear		



VOICE 6P2C PATCH PANELS WITH REAR TELCO CONNECTORS

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION	CARTON
ICMPP024T2	24-Ports, active pins: 3 and 4, 1 RMS*	15
ICMPP048T2	48-Ports, active pins: 3 and 4, 2 RMS*	10

• Male 50-Pin Telco connector(s) on the rear		
ICMPP024TF2	24-Ports, active pins: 3 and 4, 1 RMS*	15
ICMPP048TF2	48-Ports, active pins: 3 and 4, 2 RMS*	10
• Female 50-Pin Telco connector(s) on the rear		



VOICE 6P4C PATCH PANELS WITH REAR TELCO CONNECTORS

- Fits standard 19" EIA rack mount widths
- Package includes cable ties and #12 rack screws

PART NO.	DESCRIPTION	CARTON
ICMPP024T4	24-Ports, active pins: 3/4 and 2/5, 1 RMS*	15
ICMPP048T4	48-Ports, active pins: 3/4 and 2/5, 2 RMS*	10

• Male 50-Pin Telco connector(s) on the rear		
ICMPP024TF4	24-Ports, active pins: 3/4 and 2/5, 1 RMS*	15
ICMPP048TF4	48-Ports, active pins: 3/4 and 2/5, 2 RMS*	10
• Female 50-Pin Telco connector(s) on the rear		

*1 RMS (rack mount space) = 1.75" H

Male Telco Connector



Female Telco Connector






CAT 6 110 WIRING BLOCK KIT

- 96-Pair base with feet
- Package includes 24 4-Pair 110 connecting blocks

PART NO.	DESCRIPTION	CARTON
IC110WK966	96-Pair wiring block kit	10



CAT 5e 110 WIRING BLOCK KITS

- PART NO.** **DESCRIPTION** **CARTON**
- IC110W1004 100-Pair wiring block kit 10
- 100-Pair base with feet
 - Package includes 20 4-Pair and 4 5-Pair 110 connecting blocks

- IC110W3004 300-Pair wiring block kit 5
- 300-Pair base with feet
 - Package includes 60 4-Pair and 12 5-Pair 110 connecting blocks



110 WIRING BLOCKS WITH FEET

PART NO.	DESCRIPTION	CARTON
IC110WF100	100-Pair wiring block	10
IC110WF300	300-Pair wiring block	5



110 WIRING BLOCKS WITHOUT FEET

PART NO.	DESCRIPTION	CARTON
IC110NF100	100-Pair wiring block	40
IC110NF300	300-Pair wiring block	10



110 CABLE MANAGEMENT BLOCKS

- Works with 110 wiring blocks
- Helps organize cable

PART NO.	DESCRIPTION	CARTON
A. IC110CMBWF	Block with feet	25
B. IC110CMBNF	Block without feet	50



CAT 5e 110 HINGED WIRING BLOCK KIT

- 100-Pair hinged base
- Hinge design allows access to the rear of the block
- Package includes 20 4-Pair and 4 5-Pair 110 connecting blocks

PART NO.	DESCRIPTION
IC110H1004	100-Pair hinged wiring block kit

CARTON
10



110 HINGED WIRING BLOCK

- 100-Pair hinged base
- Hinge design allows access to the rear of the block

PART NO.	DESCRIPTION
IC110WH100	100-Pair hinged wiring block

CARTON
10




110 HINGED CABLE MANAGEMENT BLOCK

- Works with 110 hinged wiring blocks
- Hinge design allows access to the rear of the cable channel
- Helps organize cable

PART NO.	DESCRIPTION
IC110WHCMS	Hinged cable management block

CARTON
25



110 WIRING SYSTEM FEATURES

- High performance solution for phone and data communications
- Ideal in a Telco Room, Main Distribution Frame, Intermediate Distribution Frame and Consolidation Point

110 WIRING LABEL HOLDERS

- Use with 110 wiring blocks
- Holds and protects labels

PART NO.	DESCRIPTION
IC110LHLDR	Label holders, 6 pcs.





CAT 6 RACK MOUNT 110 WIRING BLOCK PANEL KIT

- 96-Pair base with steel panel
- Fits standard 19" EIA rack mount widths
- Package includes 24 4-Pair 110 connecting blocks
- Package includes labels, label holders and #12 rack screws

PART NO.	DESCRIPTION	CARTON
IC110PRK61	96-Pair wiring block kit, 1 RMS*	15



RACK MOUNT 110 WIRING BLOCK PANELS

- Works with 3-Pair, 4-Pair and 5-Pair connecting blocks
- Fits standard 19" EIA rack mount widths
- Package includes labels, label holders and #12 rack screws

PART NO.	DESCRIPTION	CARTON
A. IC110RM100	100-Pair wiring block, 1 RMS*	15
B. IC110RM200	300-Pair wiring block, 2 RMS*	10




RACK MOUNT 110 CABLE MANAGEMENT PANEL

- Plastic clips with steel panel
- Fits standard 19" EIA rack mount widths
- Helps organize cable


PART NO.	DESCRIPTION	CARTON
IC110RMCMB	110 cable management panel, 1 RMS*	15

*1 RMS (rack mount space) = 1.75" H

Connect 110 Systems with 110 Patch Cords



← 110 patch cords
Page 74



110 CONNECTING BLOCKS

- Works with 110 wiring blocks
- Supports Category 5e data
- Terminate with 22~26 AWG solid or stranded wires
- Color coded for easy termination

PART NO.	DESCRIPTION
A. IC110CB4PR	4-Pair, 10 pcs.
B. IC110CB5PR	5-Pair, 10 pcs.
C. IC110CB4PC	4-Pair, 100 pcs. VALUEPACK
D. IC110CB5PC	5-Pair, 100 pcs. VALUEPACK

CARTON
300
320




110 RETENTION CAP

- Secures and protects terminated wires
- Works with 110 connecting blocks and patch panels
- 50 pieces per bag

PART NO.	DESCRIPTION
IC110TC450	4 Conductor, 2-Pair, 110 retention cap, 50 pcs.

CARTON
400




CABLE MANAGEMENT SPOOLS

- Wall mounts to help retain and guide cable
- 10 pieces per bag

PART NO.	DESCRIPTION
A. ICACSWDS20	Spool with built-in wood screw, 10 pcs.
B. ICACSWDS10	Spool without screw, 10 pcs.

CARTON
30
30




110 PATCH PLUGS

PART NO.	DESCRIPTION
A. ICMP1101PR	Terminates 1-Pair of CAT 5e cable
B. ICMP1102PR	Terminates 2-Pairs of CAT 5e cable
C. ICMP1103PR	Terminates 3-Pairs of CAT 5e cable
D. ICMP1104PR	Terminates 4-Pairs of CAT 6 cable

- Terminate with solid or stranded UTP cable

Termination tools →
Page 107





66 WIRING BLOCK, 50 PAIR


- Wall mountable
- Made of high impact flame retardant material UL 94V-0

PART NO.	DESCRIPTION
A. IC066NB050	66 wiring block

MOUNTING BRACKETS

- Snaps on the rear of 66 wiring blocks


PART NO.	DESCRIPTION
B. ICMB889B0WH	89B bracket, open rear, 10" H x 3.30" W x 1.90" D
C. ICMB889D0WH	89D bracket, open front, 10" H x 3.30" W x 1.90" D
D. ICMB889U0WH	89U bracket, open front, 10" H x 3.30" W x 2.35" D



66 WIRING BLOCK AND MOUNTING BRACKET VALUEPACKS

- Packaged in a resealable box for easy storage
- Reduces packaging waste
- 25 pieces per box

PART NO.	DESCRIPTION
A. IC066NBC50	66 wiring block, 25 pcs.
B. ICMB889BCWH	89B mounting bracket, 25 pcs.



66 WIRING BLOCK COVER, LABELING STRIPS AND BRIDGING CLIPS

PART NO.	DESCRIPTION
A. IC066CV050	Wiring block cover
B. IC066LS050	Labeling strips, 10 pcs.
C. IC066BRCLP	Bridging clips, 100 pcs.

- Protects terminated wires from dust and debris

- Use a standard labeler or pen

- Electrically interconnect adjacent terminals within the same row

66 WIRING BLOCK SYSTEM


89B mounting bracket

Labeling strips



Terminals are designed for repeated termination

Terminate with solid insulated or stripped cable (22~26 AWG)



Bridging clips electrically interconnect adjacent terminals within the same row




66 WIRING BLOCK PRE-WIRED WITH DATA PORTS

- Pre-wired data ports
- Integrated with 89D mounting bracket for wall mounting
- 10" H x 3.30" W x 3.00" D

PART NO.	DESCRIPTION
IC06628P8C	12-Ports, 8P8C

CARTON
25




66 WIRING BLOCKS PRE-WIRED WITH VOICE PORTS

- Pre-wired voice ports
- Integrated with 89D mounting bracket for wall mounting
- 10" H x 3.30" W x 3.00" D

PART NO.	DESCRIPTION
A. IC06686P6C	8-Ports, 6P6C
B. IC06626P4C	12-Ports, 6P4C

CARTON
25
25



66 WIRING BLOCKS PRE-WIRED WITH TELCO CONNECTORS


- Pre-wired with 1 or 2 female Telco connectors (25/50-Pair)
- Integrated with 89D mounting bracket for wall mounting
- 10" H x 3.30" W x 3.00" D

PART NO.	DESCRIPTION
A. IC066SFT25	Pre-wired with 1 25-pair female Telco connector
B. IC066DFT50	Pre-wired with 2 25-pair female Telco connectors

CARTON
25
25

66 WIRING BLOCK PRE-WIRED WITH MODULAR CONNECTORS

66 WIRING BLOCK PRE-WIRED WITH TELCO CONNECTORS



Permanent



Work Area (WA)

Horizontal Cabling

One Vendor, No Compatibility Issue

Premise cables and connectivity outlets are fine tuned to work together as End-to-End solutions. **CAT 6** Permanent Link solution including modular connectors, patch panels and premise cables stack up to **7.6dB** NEXT headroom when installed and tested per TIA specification. We also work with Elite Installers™ to offer warranty programs that are simple and effective. Using End-to-End solutions, Elite Installers can offer a **15 Year** Performance Warranty without certification. Better yet, Certified Elite Installers can verify the site and offer a **Lifetime** Performance Warranty.

Choosing the Right Cabling

Choose different category-rated cables to support any installation requirement. Premise cables exceed TIA and IEEE standards and are backwards compatible with lower category-rated products.

TIA-568-C.2 Standards	Frequency	Applications	Distance	Maximum Pair Untwist
CAT6^a	500 MHz	10/100/1000 Base-T/10 GbE, Digital Video, IEEE 802.3at for PoE Plus	100 m. (328 ft.)	13 mm. (0.5 in.)
CAT6	250 MHz	10/100/1000 Base-T, Digital Video, Phone, IEEE 802.3at for PoE Plus	100 m. (328 ft.)	13 mm. (0.5 in.)
CAT5^e	100 MHz	10/100 Base-T/1000 Base-T/ Phone	100 m. (328 ft.)	13 mm. (0.5 in.)

Protecting the Installation

- 15 Year Performance Limited Warranty™ for **Elite Installers**: no certification required
- Lifetime Performance Limited Warranty™ for **Certified Elite Installers** for verified sites
- Go online to icc.com/warranty for complete terms and conditions



Page **5**

+



Page **34**

+



Page **48**

=



LIFE WARRANTY™

or



15 YEAR™


Link

Telecom Room (TR)



UTP vs. FTP

- Use **Unshielded Twisted Pair** (UTP) cable in low Electromagnetic Interference (EMI) environments. UTP cable is more cost effective compared to FTP since it does not require the manufacturing cost of the shielding in FTP cable.
- Use **Foiled Twisted Pair** (FTP) cable in environments with high Electromagnetic Interference (EMI) or Radio Frequency Interference (RFI).



CMR vs. CMP

- Use **Riser Rated Cable** in vertical settings, such as cable runs between floors through cable risers. These spaces cannot be used for environmental air. The cable must self-extinguish to prevent the flame from traveling up the cable.
- Use **Plenum Rated Cable** in spaces like raised flooring systems and air handling ducts. Plenum cable must self-extinguish and not reignite. They produce less smoke than traditional PVC cable.



Premium Quality

- With stringent quality control procedures, premise cables have been inspected and tested to comply with the strict FCC®, TIA® and UL® standards.
- Premise cables are Restriction of Hazardous Substance (RoHS) compliant to protect the environment.



CAT 6A UTP 650 MHz 10G PREMISE CABLES

- 4-Pair, 23 AWG, UTP, solid copper cable
- Designed with an X separator
- 0.34" outer diameter
- Packaged on a reel; 13.0" H x 17.3" W
- 1000 feet per reel (305 meters)




PART NO.
ICCABP6Axx1
ICCABR6Axx1

DESCRIPTION
 CAT 6A UTP cable, CMP (Plenum)
 CAT 6A UTP cable, CMR (Riser)

PALLET
 15
 15

Color (xx1) = BL WH

CAT6^a

Tested per TIA Channel Link specification

CAT 6A FTP 650 MHz 10G PREMISE CABLES

- 4-Pair, 23 AWG, FTP, solid copper cable
- Shielded jacket protects from EMI and RFI noise
- Designed with an X separator
- 0.34" outer diameter
- Packaged on a reel; 13.0" H x 17.3" W
- 1000 feet per reel (305 meters)




PART NO.
ICCABP6Fxx1
ICCABR6Fxx1

DESCRIPTION
 CAT 6A FTP cable, CMP (Plenum)
 CAT 6A FTP cable, CMR (Riser)

PALLET
 15
 15

Color (xx1) = BL

CAT6^a

Tested per TIA Channel Link specification

CAT 6e UTP 600 MHz PREMISE CABLES

- 4-Pair, 23 AWG, UTP, solid copper cable
- Designed with an X separator
- 0.234" outer diameter
- Packaged in an EZ pull box; 15.55" H x 9.60" W x 15.75" D
- 1000 feet per box (305 meters)




PART NO.
ICCABP6Exx1
ICCABR6Exx1

DESCRIPTION
 CAT 6e UTP cable, CMP (Plenum)
 CAT 6e UTP cable, CMR (Riser)

PALLET
 36
 30

Color (xx1) = BL WH

CAT6^e

Tested per TIA Channel Link specification

CAT 6A UTP 650 MHz 10G PREMISE CABLE PERFORMANCE CHART

FREQUENCY (MHz)	1	10	16	62.5	100	200	250	350	500	600	650
ATTENUATION (max)	2.1	5.9	7.5	15.0	19.1	27.6	31.1	37.2	45.3	50.1	52.3
RETURN LOSS (min)	20.0	27.0	27.0	23.5	22.1	20.0	19.3	18.3	17.5	16.9	16.7
NEXT (min)	78.3	63.3	60.2	51.4	48.3	43.8	42.3	40.1	37.8	36.6	36.1
PS NEXT (min)	76.3	61.3	58.2	49.4	46.3	41.8	40.3	38.1	35.8	34.6	34.1
ACR (min)	71.8	51.8	47.7	35.9	31.8	25.8	23.8	20.9	17.8	-	-
PS ACR (min)	68.8	48.8	44.7	32.9	28.8	22.8	20.8	17.9	14.8	-	-
ACRF (min)	67.0	67.0	67.0	65.6	62.5	58.0	56.5	54.3	52.0	-	-
PS ACRF (min)	67.0	58.2	54.1	42.3	38.2	32.2	30.2	27.3	24.2	-	-

CAT 6A FTP 650 MHz 10G PREMISE CABLE PERFORMANCE CHART


FREQUENCY (MHz)	1	10	16	62.5	100	200	250	350	500	600	650
ATTENUATION (max)	2.1	5.9	7.5	15.0	19.1	27.6	31.1	37.2	45.3	50.1	52.3
RETURN LOSS (min)	20.0	27.0	27.0	23.5	22.1	20.0	19.3	18.3	17.5	16.9	16.7
NEXT (min)	78.3	63.3	60.2	51.4	48.3	43.8	42.3	40.1	37.8	36.6	36.1
PS NEXT (min)	76.3	61.3	58.2	49.4	46.3	41.8	40.3	38.1	35.8	34.6	34.1
ACR (min)	71.8	51.8	47.7	35.9	31.8	25.8	23.8	20.9	17.8	-	-
PS ACR (min)	68.8	48.8	44.7	32.9	28.8	22.8	20.8	17.9	14.8	-	-
ACRF (min)	67.0	67.0	67.0	65.6	62.5	58.0	56.5	54.3	52.0	-	-
PS ACRF (min)	67.0	58.2	54.1	42.3	38.2	32.2	30.2	27.3	24.2	-	-

CAT 6e UTP 600 MHz PREMISE CABLE PERFORMANCE CHART


FREQUENCY (MHz)	1	10	16	62.5	100	200	250	350	500	600	
ATTENUATION (max)	2.0	5.9	7.4	14.9	19.1	27.7	31.2	37.5	45.8	50.7	
RETURN LOSS (min)	21.0	25.5	26.0	26.0	22.5	19.8	19.0	17.8	16.2	15.7	
NEXT (min)	82.3	67.3	64.2	55.4	52.3	47.8	46.3	45.7	44.8	44.2	
PS NEXT (min)	80.3	65.3	62.2	53.4	50.3	45.8	44.3	43.7	42.8	42.2	
ACR (min)	80.3	61.4	56.8	40.4	33.2	20.1	15.1	8.2	0.0	-	
PS ACR (min)	78.3	59.4	54.8	38.4	31.2	18.1	13.1	6.2	-	-	
ACRF (min)	73.8	53.8	49.7	37.9	33.9	27.8	25.8	22.9	19.8	18.2	
PS ACRF (min)	71.8	51.8	47.7	35.9	31.8	25.8	23.8	20.9	17.8	16.2	

CAT 6 UTP 500 MHz PREMISE CABLES, PLENUM

- 4-Pair, 23 AWG, UTP, solid copper cable
- 0.200" outer diameter
- Packaged in an EZ pull box; 15.50" H x 10.25" W x 15.50" D
- 1000 feet per box (305 meters)



PART NO.	DESCRIPTION	PALLET
ICCABP6Vxx ¹	CAT 6 UTP cable, CMP (Plenum)	30
Color (xx ¹) =	BL WH GY YL GN	

CAT6


Tested per TIA Channel Link specification

CAT 6 UTP 500 MHz PREMISE CABLES, RISER

- 4-Pair, 23 AWG, UTP, solid copper cable
- 0.039" outer diameter
- Packaged in an EZ pull box; 14.57" H x 9.45" W x 15.35" D
- 1000 feet per box (305 meters)



PART NO.	DESCRIPTION	PALLET
ICCABR6Vxx ¹	CAT 6 UTP cable, CMR (Riser)	36
Color (xx ¹) =	BL WH GY YL GN	

CAT6


Tested per TIA Channel Link specification

CAT 5e UTP 350 MHz PREMISE CABLES

- 4-Pair, 24 AWG, UTP, solid copper cable
- 0.177" outer diameter
- Packaged in an EZ pull box; 14.37" H x 8.97" W x 14.56" D
- 1000 feet per box (305 meters)



PART NO.	DESCRIPTION	PALLET
ICCABP5Exx ¹	CAT 5e UTP cable, CMP (Plenum)	39
ICCABR5Exx ¹	CAT 5e UTP cable, CMR (Riser)	45
Color (xx ¹) =	BL WH GY YL GN	

CAT5e

Tested per TIA Channel Link specification

CAT 6 UTP 500 MHz PLENUM PREMISE CABLE PERFORMANCE CHART

FREQUENCY (MHz)	1	10	16	62.5	100	200	250
ATTENUATION (max)	2.0	6.0	7.6	15.4	19.8	29.0	32.8
RETURN LOSS (min)	20.0	25.0	25.0	21.5	20.1	18.0	17.3
NEXT (min)	74.3	59.3	56.2	47.4	44.3	39.8	38.3
PS NEXT (min)	72.3	57.3	54.2	45.4	42.3	37.8	36.3
ACR (min)	72.3	53.3	48.7	32.0	24.5	10.8	5.5
PS ACR (min)	70.3	51.3	46.7	29.9	22.5	8.8	3.5
ACRF (min)	67.8	47.8	43.7	31.8	27.8	21.8	19.8
PS ACRF (min)	64.8	44.8	40.7	28.9	24.8	18.8	16.8

CAT 6 UTP 500 MHz RISER PREMISE CABLE PERFORMANCE CHART



FREQUENCY (MHz)	1	10	16	62.5	100	200	250
ATTENUATION (max)	2.0	6.0	7.6	15.4	19.8	29.0	32.8
RETURN LOSS (min)	20.0	25.0	25.0	21.5	20.1	18.0	17.3
NEXT (min)	74.3	59.3	56.3	47.4	44.3	39.8	38.3
PS NEXT (min)	72.3	57.3	54.3	45.1	42.3	37.8	36.3
ACR (min)	72.3	53.3	48.7	32.0	24.5	10.8	5.5
PS ACR (min)	70.3	51.3	46.7	30.0	22.5	8.8	3.5
ACRF (min)	67.8	47.8	43.7	31.8	27.8	21.7	19.8
PS ACRF (min)	64.8	44.8	40.7	28.8	24.8	18.7	16.8

CAT 5e UTP 350 MHz PREMISE CABLE PERFORMANCE CHART

FREQUENCY (MHz)	1	10	16	62.5	100	200	250
ATTENUATION (max)	2.0	6.3	8.0	16.0	20.5	29.5	33.2
RETURN LOSS (min)	21.0	26.0	26.0	22.5	21.1	19.0	18.3
NEXT (min)	70.3	55.3	52.2	43.4	40.3	35.8	34.3
PS NEXT (min)	68.3	53.3	50.2	41.4	38.3	33.8	32.3
ACR (min)	68.3	49.0	44.2	27.3	19.8	6.3	1.2
PS ACR (min)	66.3	47.0	42.2	25.3	17.8	4.3	0
ACRF (min)	67.8	47.8	43.7	31.9	27.8	21.8	19.8
PS ACRF (min)	64.8	44.8	40.7	28.9	24.8	18.8	16.8

Hinged Wall Mount Brackets

- **Limited space / closet installations**
- Available in EZ-Fold or regular style
- Supports up to 60 lb. of equipment



Fixed Frame Wall Mount Racks

- **Limited floor space / small room installations**
- Self-squaring design; easy to assemble
- Supports up to 125 lb. of equipment



Swing Gate Wall Mount Racks

- **Small room / space for swing out**
- Swing out to access rear cable or equipment
- Supports up to 150 lb. of equipment




Floor Mount Distribution Racks

- **Regulation size Telecom Rooms**
- Available with 2 and 4 posts
- Supports up to 1500 lb. of equipment




HINGED WALL MOUNT BRACKET FEATURES


- Large rear opening for cable entry
- Standard EIA-310-D hole pattern
- Roll tapped threading limits rack screws from stripping
- 0.25" wall mounting holes
- Heavy duty 16 gauge steel
- Optional cover can be mounted on top only

**EZ-FOLD WALL MOUNT BRACKET FEATURES**

- Unfold to 6 inch depth
- No weight bearing at the hinge
- Heavy duty 16 gauge steel

**EZ-FOLD WALL MOUNT BRACKET FEATURES**

- No weight bearing at the hinge
- Hinged every 2 RMS for easy upgrade access and maintenance
- Double mounting, double the strength
- Heavy duty 16 gauge steel



HINGED WALL MOUNT BRACKETS, 6" DEPTH

- Designed with heavy duty steel supporting up to 40 lb. of equipment
- 6" depth for network and phone equipment
- Package includes #10 wood screws and #12 rack screws

PART NO.	DESCRIPTION
ICCMShBCVR	Wall mount bracket cover, 1 pc.
ICCMShB1RS	1.75" H x 19.31" W x 6" D, 10 lb. capacity, 1 RMS*
ICCMShB1RC	1.75" H x 19.31" W x 6" D, 10 lb. capacity, 1 RMS*, 2 pcs. VALUEPACK
ICCMShB2RS	3.50" H x 19.31" W x 6" D, 20 lb. capacity, 2 RMS*
ICCMShB2RC	3.50" H x 19.31" W x 6" D, 20 lb. capacity, 2 RMS*, 2 pcs. VALUEPACK
ICCMShB4RS	7.00" H x 19.31" W x 6" D, 40 lb. capacity, 4 RMS*
ICCMShB4RC	7.00" H x 19.31" W x 6" D, 40 lb. capacity, 4 RMS*, 2 pcs. VALUEPACK



ICCMShB1RS

ICCMShB2RS

ICCMShB4RS

ICCMShBCVR

EZ-FOLD WALL MOUNT BRACKETS, 6" DEPTH

- Designed with heavy duty steel supporting up to 30 lb. of equipment
- 6" depth for network and phone equipment
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICCMShBCVR	Wall mount bracket cover, 1 pc.
ICCMsABR62	3.50" H x 19.30" W x 6" D, 30 lb. capacity, 2 RMS*
ICCMsABR64	7.00" H x 19.30" W x 6" D, 30 lb. capacity, 4 RMS*
ICCMsABR66	10.50" H x 19.30" W x 6" D, 30 lb. capacity, 6 RMS*
ICCMsABR68	14.00" H x 19.30" W x 6" D, 30 lb. capacity, 8 RMS*



ICCMsABR62

ICCMsABR64

ICCMsABR66

ICCMsABR68

ICCMShBCVR

EZ-FOLD WALL MOUNT BRACKETS, 15" DEPTH

- Designed with heavy duty steel supporting up to 30 lb. of equipment
- 15" depth for network and phone equipment
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICCMsABRSC	Wall mount bracket cover kit, top and bottom covers, 2 pcs.
ICCMsABRS2	3.50" H x 19.30" W x 15" D, 30 lb. capacity, 2 RMS*
ICCMsABRS4	7.00" H x 19.30" W x 15" D, 30 lb. capacity, 4 RMS*
ICCMsABRS6	10.50" H x 19.30" W x 15" D, 30 lb. capacity, 6 RMS*
ICCMsABRS8	14.00" H x 19.30" W x 15" D, 30 lb. capacity, 8 RMS*



ICCMsABRS2

ICCMsABRS4

ICCMsABRS6

ICCMsABRS8

ICCMsABRSC

*1 RMS (rack mount space) = 1.75" H

WALL MOUNT RACK FEATURES


- 18" depth for network and phone equipment
- Standard EIA-310-D hole pattern
- 0.25" wall mounting holes
- Steel construction for strength and durability

Self-squaring design →

**SWING FRAME WALL MOUNT RACK FEATURES**

- Assemble and install in four easy steps
- Supports up to 85 lb.
- The frame is designed to swing outward
- Standard EIA-310-D hole pattern
- Steel construction for strength and durability

The frame can be installed to swing open left or right →



Package includes a template to mark holes

Wing bolt locking system →




Swings open →

SWING GATE WALL MOUNT RACK FEATURES

- Swings open left or right for quick and easy access
- Punch down while fully open
- 150 lb. weight capacity
- Standard EIA-310-D hole pattern
- 0.25" wall mounting holes
- Steel construction for strength and durability

The frame can be installed to swing open left or right →



Swings open →

WALL MOUNT RACKS, 18" DEPTH

- Designed with heavy duty steel, supporting up to 125 lb. of equipment
- Package includes #12 rack screws


PART NO.	DESCRIPTION
ICCMSWMR08	17.75" H x 19.75" W x 18" D, 8 RMS*
ICCMSWMR15	30.00" H x 19.75" W x 18" D, 15 RMS*
ICCMSWMR30	56.25" H x 19.75" W x 18" D, 30 RMS*



ICCMSWMR08



ICCMSWMR15



ICCMSWMR30

SWING FRAME WALL MOUNT RACKS, 18" DEPTH

- Designed with heavy duty steel, supporting up to 85 lb. of equipment
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICCMSSFR12	25.60" H x 19.50" W x 18"D, 85 lb. capacity, 12 RMS*
ICCMSSFR25	49.13" H x 19.50" W x 18"D, 85 lb. capacity, 25 RMS*



ICCMSSFR12



ICCMSSFR25

SWING GATE WALL MOUNT RACKS, 19" DEPTH

- Designed with heavy duty steel, supporting up to 150 lb. of equipment
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICCMSSGR21	27" H x 20.5" W x 19" D, 150 lb. capacity, 12 RMS*
ICCMSSGR22	41" H x 20.5" W x 19" D, 150 lb. capacity, 20 RMS*



ICCMSSGR21




ICCMSSGR22

*1 RMS (rack mount space) = 1.75" H

VERTICAL HINGED WALL MOUNT BRACKET FEATURES

- Mounting rails tilt downward for easy access to rear equipment
- Rail is designed with twist-lock to secure mounted equipment
- The frame comes assembled
- 0.25" wall mounting holes
- Supports up to 60 lb. of equipment
- Steel construction for strength and durability
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICCMSVHB06	12.75" H x 19.75" W x 12" D, 40 lb. capacity, 6 RMS*
ICCMSVHB08	16.25" H x 19.75" W x 12" D, 60 lb. capacity, 8 RMS*
ICCMSVHB18	16.25" H x 19.75" W x 18" D, 60 lb. capacity, 8 RMS*



ICCMSVHB06



ICCMSVHB08



ICCMSVHB18

UTILITY WALL MOUNT RACK

- Suitable for areas where floor or wall space is limited
- Standard EIA-310-D hole pattern
- 0.25" wall mounting holes
- Steel construction for strength and durability
- Package includes #12 rack screws

PART NO.	DESCRIPTION
ICCMSWMUR5	Wall mount utility rack, 5 RMS*



*1 RMS (rack mount space) = 1.75" H

2-POST DISTRIBUTION RACKS

- 19" EIA rack mount width
- Supports up to 750 lb. when floor anchored
- Lightweight aluminum construction

PART NO.	DESCRIPTION
ICCMSR1984	7' H, 45 RMS*
ICCMSR1972	6' H, 38 RMS*
ICCMSR1948	4' H, 24 RMS*
ICCMSRFLKT	Concrete rack mount kit

Numbered markings →



ICCMSRFLKT



ICCMSR1948



ICCMSR1972



ICCMSR1984

**ADJUSTABLE 4-POST DISTRIBUTION RACK**

- Designed to be adjusted from 27" and up to 32" depth
- Works with 4-post rack shelves
- 19" EIA rack mount width
- Side rail holes for linking racks or vertical cable channels
- Supports up to 1500 lb. when properly loaded and floor anchored
- Lightweight aluminum construction
- Mounts to concrete floor with optional anchor kit



PART NO.	DESCRIPTION
ICCMSR4P84	7' H, 45 RMS*
ICCMSRFLKT	Concrete rack mount kit

Roll tapped mounting holes



The rails on all racks have Rack Mount Space (RMS) numbered markings

Rack is designed to adjust from 27" up to 32" depth



*1 RMS (rack mount space) = 1.75" H

CABLE MANAGEMENT RACK

- 19" EIA rack mount width
- Designed with side rail holes for linking racks
- Supports up to 1000 lb. when floor anchored
- Mounts to concrete floor with optional anchor kit
- Lightweight aluminum construction

PART NO.	DESCRIPTION
ICCMSCMRH7	7' H, 44 RMS*
ICCMSRFLKT	Concrete rack mount kit



Integrated with 6" depth x 3.15" width cable channels along both sides of rails

Numbered markings



VERTICAL CABLE CHANNEL AND COVER

- Joins two 2-Post or 4-Post distribution racks together
- Front swivel latches for easy cable assembly
- Large rear openings for simplified cable routing
- Lightweight aluminum construction
- 6.5" H x 6" W x 6.10" D

PART NO.	DESCRIPTION
ICCMSCC6BK	6.5' H vertical cable channel
ICCMSCCVBK	3' H vertical cable channel cover

2 covers are required to cover 1 cable channel



ICCMSCCVBK



ICCMSCC6BK



Cable channels can be mounted back to back



*1 RMS (rack mount space) = 1.75" H

SINGLE-SIDED VERTICAL FINGER DUCT PANELS, 4" W X 5" D

- Package includes cover and #12 rack screws

**ICCMSCMA84****ICCMSCMA81****ICCMSCMA21****PART NO.****ICCMSCMA84****DESCRIPTION**

78" H, front, flat mount, brackets on one side

ICCMSCMA81

78" H, front, side mount, brackets on one side

ICCMSCMA21

35" H, front, side mount, brackets on one side

DOUBLE-SIDED VERTICAL FINGER DUCT PANELS, 4" W X 10" D

- Package includes cover and #12 rack screws

**ICCMSCMA83****ICCMSCMA82****ICCMSCMA23****ICCMSCMA22****PART NO.****ICCMSCMA83****DESCRIPTION**

78" H, front and rear, side mount, brackets on one side

ICCMSCMA82

78" H, front and rear, center mount, brackets on both sides

ICCMSCMA23

35" H, front and rear, side mount, brackets on one side

ICCMSCMA22

35" H, front and rear, center mount, brackets on both sides

FINGER DUCT PANEL FEATURES

- Route and manage large amounts of cable
- Designed with flexible fingers for easy cable routing
- Durable plastic



Slide-on and removable covers




Rear feed-through holes

**MOUNTING OPTIONS****Center Mount**

Brackets on both sides to interconnect two racks

**Side Mount**


Bracket on one side, mounts on either side of the rack's rear rails

**Flat Mount**

Flat bracket on side, works with ICCMSCMRH7 rack

HORIZONTAL FINGER DUCT PANELS


- Available in single and double-sided styles
- Designed with flexible fingers for easy cable routing
- Fits standard 19" EIA rack mount widths
- Package includes cover and #12 rack screws



PART NO.	DESCRIPTION
A. ICCMSCMA41	Single-sided, 1.75 H x 19" W x 3.25" D, 1 RMS*
B. ICCMSCMA42	Single-sided, 3.50" H x 19" W x 3.25" D, 2 RMS*
C. ICCMSCMA61	Double-sided, 1.75" H x 19" W x 7.10" D, 1 RMS*
D. ICCMSCMA62	Double-sided, 3.50" H x 19" W x 7.10" D, 2 RMS*

PLASTIC RING AND INTERBAY PANELS

- Plastic rings for easy cable routing
- Base is designed with openings for rear cable access and with cable tie anchor points
- Fits standard 19" EIA rack mount widths
- Package includes cover and #12 rack screws



PART NO.	DESCRIPTION
A. ICCMSCMA51	Interbay panel, 1.75" H x 19" W x 3.88" D, 1 RMS*
B. ICCMSCMA52	Interbay panel, 3.50" H x 19" W x 3.88" D, 2 RMS*
C. ICCMSCMA31	Ring panel, 1.75" H x 19" W x 3.88" D, 1 RMS*
D. ICCMSCMA32	Ring panel, 3.50" H x 19" W x 3.88" D, 2 RMS*

*1 RMS (rack mount space) = 1.75" H

METAL RING AND INTERBAY PANELS

- Steel construction for strength and durability
- Base is designed with openings for rear cable access
- Fits standard 19" EIA rack mount widths
- Package includes #12 rack screws



PART NO.	DESCRIPTION
A. ICCMSCMPK1	Ring panel and cover, 1.75" H x 19" W x 3" D, 1 RMS*
B. ICCMSCMPK2	Ring panel and cover, 3.50" H x 19" W x 3" D, 2 RMS*
C. ICCMSCMP31	Ring panel, 1.75" H x 19" W x 2.83" D, 1 RMS*
D. ICCMSCMP32	Ring panel, 3.50" H x 19" W x 2.83" D, 2 RMS*
E. ICCMSCMP51	Interbay panel, 1.75" H x 19" W x 3" D, 1 RMS*
F. ICCMSCMP52	Interbay panel, 3.50" H x 19" W x 3" D, 2 RMS*

*1 RMS (rack mount space) = 1.75" H

EXTENDED BRACKETS AND BLANK PANELS

- Extended brackets are designed for front or rear cable management
- No extra rack mount spaces are needed
- Blank panels fill empty spaces between mounted equipment
- Both fit standard 19" EIA rack mount widths
- Package includes #12 rack screws



PART NO.	DESCRIPTION	CARTON
A. ICCMSFCMRP	Front extended bracket, 3" deep	
B. ICCMSRCMRP	Rear extended bracket, 5" deep	
C. ICCMSCMPB1	Blank panel, 1.75" H x 19" W, 1 RMS*	60
D. ICCMSCMPB2	Blank panel, 3.50" H x 19" W, 2 RMS*	40
E. ICCMSCMPB3	Blank panel, 5.25" H x 19" W, 3 RMS*	30
F. ICCMSCMPB4	Blank panel, 7.00" H x 19" W, 4 RMS*	30
G. ICCMSCMPC1	Blank panel, 1.75" H x 19" W, 1 RMS*, 12 pcs. VALUEPACK	
ICCMSCMPC2	Blank panel, 3.50" H x 19" W, 2 RMS*, 12 pcs. VALUEPACK	
ICCMSCMPC3	Blank panel, 5.25" H x 19" W, 3 RMS*, 6 pcs. VALUEPACK	
ICCMSCMPC4	Blank panel, 7.00" H x 19" W, 4 RMS*, 6 pcs. VALUEPACK	


METAL BLANK PANEL VALUEPACKS



UNIVERSAL PLASTIC RING, 3" HEIGHT X 3" WIDTH

- Mount on the sides of racks to route cable vertically and horizontally
- Mount between distribution racks to join them together
- Durable ABS plastic

PART NO.	DESCRIPTION
ICCMSCMPR7	3" H x 3" W single ring, universal



PLASTIC RING, 1.25" HEIGHT

- Mount on the sides of racks to route cable horizontally
- Durable ABS plastic

PART NO.	DESCRIPTION
ICCMSCMPR6	1.25" H single ring, horizontal



PLASTIC RING, 1.25" WIDTH

- Mount on the sides of racks to route cable vertically
- Durable ABS plastic

PART NO.	DESCRIPTION
ICCMSCMPR5	1.25" W single ring, vertical



FRONT AND REAR PLASTIC RING, 3" HEIGHT X 3" WIDTH

- Mount between distribution racks to route cable vertically
- Designed with a steel frame
- Durable ABS plastic


PART NO.	DESCRIPTION
ICCMSCMPR8	3" H x 3" W dual rings, vertical



FRONT AND REAR PLASTIC RING, 3" HEIGHT X 3" WIDTH


- Mount between distribution racks to route cable horizontally
- Designed with a steel frame
- Durable ABS plastic

PART NO.	DESCRIPTION
ICCMSCMPR9	3" H x 3" W dual rings, horizontal

**METAL RINGS**


- Mount on the sides of racks to route cable vertically
- Available with single-sided and double-sided rings
- Metal construction for durability
- Package includes #12 rack screws

PART NO.	DESCRIPTION
A. ICCMSCMPR1	1.70" single-sided, vertical
B. ICCMSCMPR2	3" single-sided, vertical
C. ICCMSCMPR3	3" double-sided, vertical
D. ICCMSCMPR4	6" double-sided, vertical

**METAL RING VALUEPACKS**

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 10 pieces per box


PART NO.	DESCRIPTION
A. ICCMSCMPT1	1.70" single-sided, vertical, 10 pcs.
B. ICCMSCMPT2	3" single-sided, vertical, 10 pcs.

**"L" BRACKET PANEL, SINGLE AND VALUEPACK**

PART NO.	DESCRIPTION
A. ICCMSCMPL1	0.95" H x 6" W, 1 pc.
B. ICCMSCMPLC	0.95" H x 6" W, 25 pcs. VALUEPACK

- Designed to mount to any EIA compliant hole spacing
- Provides custom vertical or horizontal cable management
- Packaged in a resealable box for easy storage
- Reduces packaging waste
- 25 pieces per box

*1 RMS (rack mount space) = 1.75" H

**Cable Radius Manager**

Cable radius manager sits on the side or mounts on the front of wall mount and distribution racks to support cable bend radius.



PART NO.	DESCRIPTION
ICCMSRMU02	Radius management units, 2 pcs.
ICCMSRMU1C	Radius management units, 20 pcs. VALUEPACK

SOLID BOTTOM RACK SHELVES

- Supports heavier equipment
- Package includes #12 rack screws



10" Depth, 2 RMS*

75 lb. capacity

Single-sided

PART NO. ICCMSRSF10



15" Depth, 3 RMS*

75 lb. capacity

Single-sided

PART NO. ICCMSRSF15



20" Depth, 2 RMS*

125 lb. capacity

Double-sided

Compatible with 2-Post racks

PART NO. ICCMSRDS20



30" Depth, 3 RMS*

75 lb. capacity

Double-sided

Compatible with 2-Post racks

PART NO. ICCMSRDS30



20" Depth, 3 RMS* Heavyduty


250 lb. capacity

Double-sided

PART NO. ICCMSHDS20

VENTED BOTTOM RACK SHELVES

- Provides air flow to ventilate mounted equipment
- Package includes #12 rack screws



10" Depth, 2 RMS*

50 lb. capacity

Single-sided

PART NO. ICCMSRSV10



15" Depth, 3 RMS*

50 lb. capacity

Single-sided

PART NO. ICCMSRSV15



20" Depth, 2 RMS*

100 lb. capacity

Double-sided

Compatible with 2-Post racks

PART NO. ICCMSRDV20



30" Depth, 3 RMS*

100 lb. capacity

Double-sided

Compatible with 2-Post racks

PART NO. ICCMSRDV30

*1 RMS (rack mount space) = 1.75" H

10" SLIDING KEYBOARD SHELF, 3 RMS*

- Bottom tray slides out an additional 10" to hold a keyboard
- Top shelf space can hold a flat screen monitor and a mouse
- 20" fully extended
- 25 lb. capacity
- Package includes #12 rack screws



PART NO.

ICCMSRKLST

10" KEYBOARD SHELF, 3 RMS*

- Keyboard shelf with sliding mouse tray
- 18.25" fully extended
- 10 lb. capacity
- Package includes #12 rack screws



ICCMSRKSMT

4-POST RACK SHELVES

- Manufactured with durable steel
- Fits standard 19" EIA rack mount widths
- Package includes #12 rack screws

ADJUSTABLE 27" TO 32" SOLID BOTTOM, 2 RMS*

125 lb. capacity

PART NO. ICCMSRAS30

**32" VENTED BOTTOM, 2 RMS***

125 lb. capacity

PART NO. ICCMSRFV32



*1 RMS (rack mount space) = 1.75" H

WALL MOUNT J-HOOK VALUEPACKS


- Secures cable to the wall
- Alternative solution to cable trays
- Made of high quality galvanized steel
- Rust resistant zinc finish
- 25 pieces per box




PART NO. ICCMSJHK22



ICCMSJHK33



ICCMSJHK44



ICCMSJHK55

CEILING MOUNT J-HOOK VALUEPACKS


- Secures cable from the ceiling
- Designed with a 90° swivel bracket allowing the hook to pivot from 0° to 180°
- Alternative solution to cable trays
- Made of high quality galvanized steel
- Rust resistant zinc finish
- 25 pieces per box




PART NO. ICCMSJH922



ICCMSJH933



ICCMSJH944



ICCMSJH955



J-HOOK FILL CHART - 50% CAPACITY

J-HOOK SIZE	CABLE TYPE		
	CAT 5e 4-PAIR 23 AWG 0.340" dia.	CAT 6 4-PAIR 23 AWG 0.236" dia.	CAT 6A 4-PAIR 24 AWG 0.189" dia.
3/4"	15	10	5
1 5/16"	50	30	15
2"	80	50	25
4"	160	100	50

Based on 50% fill capacity and ICC cabling O.D.



CONCRETE RACK MOUNT KIT

- Secures racks to concrete floors and brick walls
- 1200 lb. of load tension when properly installed as a kit
- Self expanding, no caulking is required
- Package includes 4 anchors, rods, hex nuts and washers

PART NO.	DESCRIPTION
ICCMSRFLKT	Rack mount kit



#12 RACK SCREWS

- #12-24 UNC thread combination drive
- 5/8 inch
- Black oxide finish
- Used with racks and rack mount products

PART NO.	DESCRIPTION
ICACSS01BK	#12-24 x 5/8", 25 pcs.



GROUNDING KIT

- Terminates grounding cable to patch panels and racks
- Accepts 6~14 gauge wires

PART NO.	DESCRIPTION
ICACSGKS00	Grounding kit

Convert Panels from 19" to 23"


19" W

23" W

Offset bracket design maintains flush mounting of panels



PART NO.	DESCRIPTION
ICCMSCBARM	1 RMS*, 2 pcs.
ICCMSCBARC	1 RMS*, 20 pcs. VALUEPACK
ICCMSCBBRM	2 RMS*, 2 pcs.
ICCMSCBBRC	2 RMS*, 20 pcs. VALUEPACK

*1 RMS (rack mount space) = 1.75" H



LADDER RACK RUNWAY SECTIONS

PART NO.	DESCRIPTION
1. ICCMSLST10	Ladder rack runway, 10'
2. ICCMSLST05	Ladder rack runway, 5'
3. ICCMSLRW05	Kit, 5' runway, relay bracket, wall angle and J-bolts
4. ICCMSLFT90	90° flat turn for a gradual sweeping bend
5. ICCMSLIR90	90° inside corner routes cable vertically
6. ICCMSLOR90	90° outside corner routes cable vertically



7. WALL SUPPORT ANGLE

Mounts runway to the wall
ICCMSLAWSK



8. RELAY RACK BRACKET

Mounts and secures runway over racks
ICCMSLRRBK



9. PROTECTIVE END CAPS

Covers runway ends
ICCMSLPECK, 2 each



10. J-BOLT KIT

Inserts over and secures runway
ICCMSLJB01, 2 each



11. TEE-JUNCTION SPLICES

Fastens runway in a tee intersection
ICCMSLTJSK, 2 each



12. BUTT SPLICES

Joins ladder rack runway at ends
ICCMSLEBSK, 2 each

**Cable fills are based on .34" outside diameter (OD) CAT 6A, .24" O.D. CAT 6, and .21" O.D. CAT 5e ICC cable



17. CABLE POSTS
Prevents cable from falling
ICCMSLCRPK. 2 each



4-POST RELAY RACK BRACKETS
 Secures runway over 4-Post racks
ICCMSL4PBK, 2 each



13. TRIANGLE WALL SUPPORT

Holds ladder rack runway to the wall, recommended every 5'

ICCMSLTWSK



14. WALL BRACKETS

Secures runway flat against the wall

ICCMSLVWBK, 2 each



15. SWIVEL BUTT SPLICES
Allows ends to adjust in various angles
ICCMSLESSK, 2 each



16. RADIUS DROP

Maintains bend radius at drop points

ICCMSLCDRK

All CAT 6A, CAT 6 and CAT 5e patch cords have 50 micro inch gold plated contacts



Top view

Bottom view

Molded slim profile strain relief

CAT 6A FTP 10G PATCH CORDS

- Exceeds TIA-568 CAT 6A performance standard
- Supports 10G bandwidth
- 360° shielding from Electromagnetic Interference and Alien Crosstalk
- RJ-45 plugs with 50 micro inch gold plated contacts
- Factory tested and wired T568

PART NO.
ICPCSGzzxx¹


DESCRIPTION
4-Pair, FTP, 26 AWG, stranded conductors

Length (zz¹) = 03, 05, 07, 10, 15 and 25 feet

Color (xx¹) =



COMPONENT-RATED PERFORMANCE TEST



Molded slim profile strain relief

CAT 6 PATCH CORDS

- Exceeds TIA-568 CAT 6 performance standard
- Slim boot fits narrow port spacing
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs with 50 micro inch gold plated contacts
- Factory tested and wired T568

PART NO.
ICPCSKzzxx¹


DESCRIPTION
4-Pair, UTP, 24 AWG, stranded conductors


Length (zz¹) = 01, 03, 05, 07, 10, 14 and 25 feet

Color (xx¹) =



COMPONENT-RATED PERFORMANCE TEST





CAT 5e PATCH CORDS


- Exceeds TIA-568 CAT 5e performance standard
- Slim boot fits narrow port spacing
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs with 50 micro inch gold plated contacts
- Factory tested and wired T568

PART NO.	DESCRIPTION
ICPCSJzzxx ¹	4-Pair, UTP, 24 AWG, stranded conductors

Length (zz') = 01, 03, 05, 07, 10, 14 and 25 feet

Color (xx') =	WH	BL	OR	RD	YL	GY	BK	GN

COMPONENT-RATED PERFORMANCE TEST



A.



B.



CAT 6 AND CAT 5e PATCH CORD VALUEPACKS

- 4-Pair, UTP, 24 AWG, stranded conductors
- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 25 pieces per bag

A. CAT 6

PART NO.	DESCRIPTION
ICPCSD01BL	1' L, 25 pcs.
ICPCSD03BL	3' L, 25 pcs.
ICPCSD05BL	5' L, 25 pcs.
ICPCSD07BL	7' L, 25 pcs.
ICPCSD10BL	10' L, 25 pcs.

Length = 01, 03, 05, 07 and 10 feet


Color = Blue



B. CAT 5e

PART NO.	DESCRIPTION
ICPCSC01BL	1' L, 25 pcs.
ICPCSC03BL	3' L, 25 pcs.
ICPCSC05BL	5' L, 25 pcs.
ICPCSC07BL	7' L, 25 pcs.
ICPCSC10BL	10' L, 25 pcs.

T568 Wiring Diagram





110 TO RJ-45 CAT 6 PATCH CORD, T568B

- Terminated with 110 to RJ-45 patch plugs
- 4-Pair, 8P8C, wired to T568B
- Exceeds TIA-568 CAT 6 performance standard
- Factory tested

PART NO.	DESCRIPTION
ICPCSEzzBL ¹	110 to RJ-45

Length (zz') = 03, 07 and 10 feet
Color = Blue



110 TO 110 CAT 6 PATCH CORD, T568B

- Terminated with 110 to 110 patch plugs
- 4-Pair, wired to T568B
- Exceeds TIA-568 CAT 6 performance standard
- Factory tested

PART NO.	DESCRIPTION
ICPCSQzzBL ¹	110 to 110

Length (zz') = 03, 07 and 10 feet
Color = Blue



110 TO RJ-45 CAT 5e PATCH CORD, T568B

- Terminated with 110 to RJ-45 patch plugs
- 4-Pair, 8P8C, wired to T568B
- Exceeds TIA-568 CAT 5e performance standard
- Factory tested

PART NO.	DESCRIPTION
ICPCSBzzBL ¹	110 to RJ-45

Length (zz') = 03, 07 and 10 feet
Color = Blue



110 TO 110 CAT 5e PATCH CORD, T568B

- Terminated with 110 to 110 patch plugs
- 4-Pair, wired to T568B
- Exceeds TIA-568 CAT 5e performance standard
- Factory tested

PART NO.	DESCRIPTION
ICPCSRzzBL ¹	110 to 110

Length (zz') = 03, 07 and 10 feet
Color = Blue



110 Patching

110 patch cords are factory terminated and tested to exceed CAT 5e or CAT 6 performance standards.



MALE TO MALE 25-PAIR RJ-21X TELCO CABLE

- Terminated with male Telco connectors
- 25-Pair, 24 AWG, UTP cable


PART NO.	DESCRIPTION
ICPCSTMMzz¹	Male to male 25-Pair Telco cable
Length (zz¹) = 05, 10, 15, 25, 75 and 00 (00 = 100) feet	
Color = Gray	



FEMALE TO FEMALE 25-PAIR RJ-21X TELCO CABLE

- Terminated with female Telco connectors
- 25-Pair, 24 AWG, UTP cable


PART NO.	DESCRIPTION
ICPCSTFFzz¹	Female to female 25-Pair Telco cable
Length (zz¹) = 05, 10, 15, 25, 75 and 00 (00 = 100) feet	
Color = Gray	



MALE TO FEMALE 25-PAIR RJ-21X TELCO CABLE

- Terminated with male to female Telco connectors
- 25-Pair, 24 AWG, UTP cable

PART NO.	DESCRIPTION
ICPCSTFMzz¹	Male to female 25-Pair Telco cable
Length (zz¹) = 05, 10, 15, 25, 75 and 00 (00 = 100) feet	
Color = Gray	



BLUNT 25-PAIR RJ-21X TELCO CABLE TO TELCO CONNECTOR

- Blunt end allows cable to be terminated onto 110 and 66 wiring blocks
- The other end is terminated with a male or female Telco connector

PART NO.	DESCRIPTION
ICPCSTMBzz¹	Blunt cable to male Telco connector (pictured)
ICPCSTFBzz¹	Blunt cable to female Telco connector
Length (zz¹) = 05, 10, 15 and 25 feet	
Color = Gray	



90° Male Telco Cable



90° Female Telco Cable



50-Pin, 90° style, CMR rated, Category 3

CORDS & CABLE ASSEMBLIES

MODULAR PLUGS



SOLID AND STRANDED CAT 6 MODULAR PLUG

- Accepts 24~26 AWG solid and stranded wires
- Oval cable entry
- Package includes loading bar

PART NO.	DESCRIPTION
ICMP8P8C6E	CAT 6, 100 pcs.



SOLID AND STRANDED CAT 5e AND CAT 6 SHIELDED MODULAR PLUG

- Protects from Electromagnetic Interference
- Accepts 24~26 AWG solid and stranded wires
- Oval cable entry
- Package includes loading bar

PART NO.	DESCRIPTION
ICMP8P8C6S	CAT 6, 100 pcs.



STRANDED CAT 5e MODULAR PLUG

- Accepts 24~26 AWG stranded wires
- Oval cable entry
- Package includes loading bar

PART NO.	DESCRIPTION
ICMP8P8C5E	CAT 5e, 100 pcs.



SOLID 8P8C MODULAR PLUG

- Accepts 24~28 AWG solid wires
- Oval cable entry

PART NO.	DESCRIPTION
ICMP8P8SRD	8P8C, 100 pcs.



STRANDED 8P8C MODULAR PLUG

- Accepts 24~28 AWG stranded wires
- Oval cable entry

PART NO.	DESCRIPTION
ICMP8P8CRD	8P8C, 100 pcs.



STRANDED 8P8C MODULAR PLUG

- Accepts 24~28 AWG stranded wires
- Flat cable entry

PART NO.	DESCRIPTION
ICMP8P8CFT	8P8C, 100 pcs.



SOLID 6P6C MODULAR PLUG

- Accepts 24~28 AWG solid wires
- Oval cable entry

PART NO.	DESCRIPTION
ICMP6P6SRD	6P6C, 100 pcs.



STRANDED 6P6C MODULAR PLUG

- Accepts 24~28 AWG stranded wires
- Oval cable entry

PART NO.	DESCRIPTION
ICMP6P6CRD	6P6C, 100 pcs.



STRANDED 6P6C MODULAR PLUG

- Accepts 24~28 AWG stranded wires
- Flat cable entry

PART NO.	DESCRIPTION
ICMP6P6CFT	6P6C, 100 pcs.



STRANDED 6P4C MODULAR PLUG

- Accepts 24~28 AWG stranded wires
- Flat cable entry

PART NO.	DESCRIPTION
ICMP6P4CFT	6P4C, 100 pcs.



STRANDED 4P4C MODULAR PLUG

- Accepts 24-28 AWG stranded wires
- Flat cable entry

PART NO. ICMP4P4CHS
DESCRIPTION 4P4C, 100 pcs.



FLAT LINE CORDAGE

- Works with flat entry plugs
- 26 AWG stranded copper wire
- 1000 feet per roll

PART NO. IC1000S4SV
DESCRIPTION 4-Conductor
IC1000S6SV 6-Conductor

Color = Silver satin



6P6C VOICE LINE CORD

- 6-Position, 6-Conductor
- Pin 1 to 6
- Designed for phone connectivity

PART NO. ICLC6zzFSV1
DESCRIPTION 6P6C

Length (zz') = 07, 14 and 25 feet
Color = Silver satin



6P4C VOICE LINE CORD


- 6-Position, 4-Conductor
- Pin 2 to 5
- Designed for phone connectivity

PART NO. ICLC4zzFSV1
DESCRIPTION 6P4C

Length (zz') = 07, 14 and 25 feet
Color = Silver satin


MAKE CUSTOM LENGTH EXTENSION CORDS

- Ideal for customizing extension cords for phone and data connectivity
- 50 micro inch gold plated contacts on modular plugs
- Each bag contains 100 plugs
- Factory made patch cords are recommended for consistent performance



Termination tools
Page 109

Premise cable
Page 50



STRANDED OR SOLID PLUGS

- Always identify the cable types before selecting the appropriate plug
- For flat cables, choose flat plugs
- For round cables, choose oval plugs
- For stranded cables, choose stranded plugs
- For solid cables, choose solid plugs

VELCRO® ONE WRAP® CABLE TIES

- Designed for secure cable fastening
- Quick, easy cable management and color-coding
- Comes individually perforated; tear off as needed
- 10 pieces per bag



PART NO.	DESCRIPTION
A. ICACSV08xx1	8" L x 0.5" W, 10 pcs.
B. ICACSV12xx1	12" L x 0.5" W, 10 pcs.

Color (xx1) =	WH	IV	BL	OR	RD	YL	GY	BK	GN

VELCRO® ONE WRAP® CABLE TIE VALUEPACKS

- Packaged in a resealable bag for easy storage
- Reduces packaging waste
- 100 pieces per bag



PART NO.	DESCRIPTION
A. ICACSVB8BK	8" L x 0.5" W, 100 pcs.
B. ICACSVB12BK	12" L x 0.5" W, 100 pcs.

Color	=	BK

BULK VELCRO® CABLE TIES

- 1 continuous roll; cut off as needed
- 75 feet per roll
- Durable material



PART NO.	DESCRIPTION
A. ICACSV75BL	75' L x 0.5" W, 1 roll, blue
B. ICACSV75BK	75' L x 0.5" W, 1 roll, black

Color	=	BL	BK

Velcro® Cable Ties

Make cable management and color coding quick and easy.



4"

SUPPORTS 18 lb.



PART NO.	ICACSS04BK	Black	ICACSS04NL	Natural	100 pcs. per bag
----------	------------	-------	------------	---------	------------------

5.5"

SUPPORTS 18 lb.



PART NO.	ICACSS55BK	Black	ICACSS55NL	Natural	100 pcs. per bag
----------	------------	-------	------------	---------	------------------

6"

SUPPORTS 40 lb.



PART NO.	ICACSM06BK	Black	ICACSM06NL	Natural	100 pcs. per bag
----------	------------	-------	------------	---------	------------------

7.5"

SUPPORTS 50 lb.



PART NO.	ICACSL75BK	Black	ICACSL75NL	Natural	100 pcs. per bag
PART NO.	ICACSL7KBK	Black	ICACSL7KNL	Natural	1000 pcs. per bag VALUEPACK

8"

SUPPORTS 18 lb.



PART NO.	ICACSS08BK	Black	ICACSS08NL	Natural	100 pcs. per bag
PART NO.	ICACSS8KBK	Black	ICACSS8KNL	Natural	1000 pcs. per bag VALUEPACK

8.5"

SUPPORTS 40 lb.



PART NO.	ICACSM85BK	Black	ICACSM85NL	Natural	100 pcs. per bag
PART NO.	ICACSM8KBK	Black	ICACSM8KNL	Natural	1000 pcs. per bag VALUEPACK

11"

SUPPORTS 50 lb.



PART NO.	ICACSL11BK	Black	ICACSL11NL	Natural	100 pcs. per bag
PART NO.	ICACSL1KBK	Black	ICACSL1KNL	Natural	1000 pcs. per bag VALUEPACK

12"

SUPPORTS 40 lb.



PART NO.	ICACSM12BK	Black	ICACSM12NL	Natural	100 pcs. per bag
----------	------------	-------	------------	---------	------------------

14.5"

SUPPORTS 50 lb.



PART NO.	ICACSL15BK	Black	ICACSL15NL	Natural	100 pcs. per bag
----------	------------	-------	------------	---------	------------------

14.5"

SUPPORTS 120 lb.



PART NO.	ICACSE15NL	Natural	100 pcs. per bag
----------	------------	---------	------------------

NYLON CABLE TIES

- Durable and strong nylon material
- Loop tensile strength supports from 18 to 120 lb.

NYLON CABLE TIE VALUEPACKS

- 1000 pieces packaged in a resealable bag



Enclosed Rack Mount Solutions


- Fiber rack mount enclosures provide a safe and clean environment for installing fiber on racks

Rack mount enclosures

Page **86**

Rear metal cover

Front metal cover



Enclosed Wall Mount Solutions

- Fiber wall mount enclosures are perfect for installing fiber in limited space


Wall mount enclosures

Page **89**

Lockable doors



Rack Mount Panel Solutions



Wall Outlet Solutions


- Multimedia outlets are perfect for distributing fiber to the Work Area

Multimedia boxes
Page 92



Configurable bezels

Multimedia outlets
Page 93




Configurable slim bezels



PLUG AND PLAY APPLICATION FEATURES

- Supports 10G Ethernet, fiber channel and link specifications
- Eliminates splicing, polishing and testing
- Saves significant time and reduces overall installation costs
- Modular design for easy Moves, Adds, Changes (MACs)
- Configurable with fiber enclosures and blank fiber patch panels





← Rack mount enclosures
Page **87**

PLUG AND PLAY CASSETTE FEATURES

- 100% factory terminated and tested
- Low Insertion Loss of <0.5dB
- Made of high quality and durable aluminum

LC quad cassettes have 2 MPO and the duplex cassettes have 1 MPO adapter on the rear






HD LC QUAD PLUG AND PLAY MPO CASSETTES, 24 FIBERS

- 6 LC quad adapters on the front with 2 MPO adapters on the rear
- Package includes dust caps and performance test results


PART NO.	DESCRIPTION
A. ICFC24ML1G	6 LC quad, multimode, 10G aqua, 50/125µm (OM3)
B. ICFC24SLD9	6 LC quad, single-mode, blue, 9/125µm
C. ICFC24ML50	6 LC quad, multimode, beige, 50/125µm (OM2)
D. ICFC24MLD6	6 LC quad, multimode, beige, 62.5/125µm (OM1)



LC PLUG AND PLAY MPO CASSETTES, 12 FIBERS

- 6 LC duplex adapters on the front with 1 MPO adapter on the rear
- Package includes dust caps and performance test results

PART NO.	DESCRIPTION
A. ICFC12ML1G	6 LC duplex, multimode, 10G aqua, 50/125µm (OM3)
B. ICFC12SLD9	6 LC duplex, single-mode, blue, 9/125µm
C. ICFC12ML50	6 LC duplex, multimode, beige, 50/125µm (OM2)
D. ICFC12MLD6	6 LC duplex, multimode, beige, 62.5/125µm (OM1)



SC PLUG AND PLAY MPO CASSETTES, 12 FIBERS

- 6 SC duplex adapters on the front with 1 MPO adapter on the rear
- Package includes dust caps and performance test results

PART NO.	DESCRIPTION
A. ICFC12MS1G	6 SC duplex, multimode, 10G aqua, 50/125µm (OM3)
B. ICFC12SSD9	6 SC duplex, single-mode, blue, 9/125µm
C. ICFC12MS50	6 SC duplex, multimode, beige, 50/125µm (OM2)
D. ICFC12MSD6	6 SC duplex, multimode, beige, 62.5/125µm (OM1)

RACK MOUNT PLUG AND PLAY CASSETTES WITH BLANK FIBER PATCH PANELS

- Fits standard 19" EIA rack mount widths
- Package includes #12 rack screws

Cassettes sold separately



PART NO.	DESCRIPTION
ICFORPP1RM	3-Panel, 1 RMS*
ICFORPP2RM	6-Panel, 2 RMS*
*1 RMS (rack mount space) = 1.75" H	

FIBER OPTIC SYSTEM

FIBER ADAPTER PANELS

**HD LC QUAD ADAPTER PANEL, 24 FIBERS**

- 6 quad LC aqua adapters
- LC to LC

PART NO.
ICFOPL161G

DESCRIPTION
Ceramic sleeves
support MM/SM*

**LC ADAPTER PANEL, 12 FIBERS**

- 6 duplex LC blue adapters
- LC to LC

PART NO.
ICFOPL16BK

DESCRIPTION
Ceramic sleeves
support MM/SM*

**SC ADAPTER PANEL, 6 FIBERS**

- 6 simplex SC blue adapters
- SC to SC

PART NO.
ICFOPS16BK

DESCRIPTION
Metal sleeves
support MM*

ICFOPS26BK

Ceramic sleeves
support MM/SM*

**SC ADAPTER PANEL, 12 FIBERS**

- 6 duplex SC blue adapters
- SC to SC

PART NO.
ICFOPC16BK

DESCRIPTION
Metal sleeves
support MM*

ICFOPC26BK

Ceramic sleeves
support MM/SM*

**ST ADAPTER PANEL, 8 FIBERS**

- 8 simplex ST metal adapters
- ST to ST

PART NO.
ICFOPT18BK

DESCRIPTION
Metal sleeves
support MM*

ICFOPT28BK

Ceramic sleeves
support MM/SM*

**BLANK ADAPTER PANEL**

- Covers unused panel openings

PART NO.
ICFOPB00BK

DESCRIPTION
Blank

**HD MPO ADAPTER PANEL, 72 FIBERS**

- 6 MPO aqua adapters
- MPO to MPO
- Key up to key down

PART NO.
ICFOPM261G

DESCRIPTION
6-Ports, MM/SM*

**HD MPO ADAPTER PANEL, 72 FIBERS**

- 6 MPO black adapters
- MPO to MPO
- Key up to key down

PART NO.
ICFOPM26BK

DESCRIPTION
6-Ports, MM/SM*

**MPO ADAPTER PANEL, 48 FIBERS**

- 4 MPO black adapters
- MPO to MPO
- Key up to key down

PART NO.
ICFOPM24BK

DESCRIPTION
4-Ports, MM/SM*

**ST ADAPTER PANEL, 6 FIBERS**

- 6 simplex ST metal adapters
- ST to ST

PART NO.
ICFOPT16BK

DESCRIPTION
Metal sleeves
support MM*

ICFOPT26BK

Ceramic sleeves
support MM/SM*

**ST TO SC ADAPTER PANEL, 12 FIBERS**

- 6 duplex ST to SC metal adapters
- ST to SC

PART NO.
ICFOPR16BK

DESCRIPTION
Metal sleeves
support MM*

ICFOPR26BK

Ceramic sleeves
support MM/SM*


**4-PORT BLANK ADAPTER PANEL**

- Configurable with EZ® and HD data, voice, audio, video and fiber optic modular connectors

PART NO.
ICFOPJ04BK


DESCRIPTION
4-Ports

*MM=Multimode, SM=Single-mode

**HD LC QUAD FIBER PATCH PANEL, 96 FIBERS**

- Patch panel loaded with 24 LC to LC quad adapters
- Fits standard 19" EIA rack mount widths
- Package includes dust caps and #12 rack screws

PART NO.	DESCRIPTION
ICFP96ML1G	LC quad patch panel, aqua adapters, 1 RMS*

**HD MPO FIBER PATCH PANELS, 288 FIBERS**

- Patch panel loaded with 24 MPO to MPO adapters
- Fits standard 19" EIA rack mount widths
- Package includes dust caps and #12 rack screws
- Key up to key down


PART NO.	DESCRIPTION
A. ICFP24MP1G	MPO patch panel, aqua adapters, 1 RMS*
B. ICFP24MPBK	MPO patch panel, black adapters, 1 RMS*

**BLANK FIBER PATCH PANELS**

- Configurable with fiber adapter panels and plug and play cassettes
- Fits standard 19" EIA rack mount widths
- Package includes #12 rack screws

PART NO.	DESCRIPTION
A. ICFORPP1RM	3 panel, 1 RMS*
B. ICFORPP2RM	6 panel, 2 RMS*

*1 RMS (rack mount space) = 1.75" H

**Fast and Flexible Installations**

4-Port blank adapter panel is configurable with fiber optic modular couplers

All adapter panels come with protective caps to prevent dust from entering

Push-pins allow for easy removal and installation of adapter panels

A.



B.



C.



D.



SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE WITH REMOVABLE FRONT AND REAR METAL COVERS, 3 PANEL

- Holds up to 3 adapter panels and 1 splice tray
- Slide-out tray with front and rear metal covers
- Package includes #12 rack screws

PART NO.	DESCRIPTION
A. ICFORE31RM	3 panel, 1.75" H x 17" W x 12.6" D, 1 RMS*

SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE WITH REMOVABLE FRONT AND REAR METAL COVERS, 6 PANEL

- Holds up to 6 adapter panels and 1 splice tray
- Slide-out tray with front and rear metal covers
- Package includes #12 rack screws

PART NO.	DESCRIPTION
B. ICFORE62RM	6 panel, 3.50" H x 17" W x 12.6" D, 3 RMS*

SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE WITH REMOVABLE FRONT AND REAR METAL COVERS, 12 PANEL

- Holds up to 12 adapter panels and 1 splice tray
- Slide-out tray with front and rear metal covers
- Package includes #12 rack screws

PART NO.	DESCRIPTION
C. ICFORET4RM	12 panel, 7.00" H x 17" W x 12.6" D, 4 RMS*

SPLICE TRAY

- Supports 12 fibers with fusion sleeves
- Designed to work with the fiber optic enclosures with removable front and rear metal covers; see above

PART NO.	DESCRIPTION
D. ICFOSKFM12	12 splice

*1 RMS (rack mount space) = 1.75" H

Easy Front and Rear Access

Fiber enclosures are designed with removable front and rear metal covers.



All enclosures have a 3.651" depth starting from the mounting rail to the front → 3.651" D

A.

**SWING-OUT FIBER OPTIC RACK MOUNT ENCLOSURE, 2 PANEL**

- Holds up to 2 adapter panels and 1 small or large splice tray
- Swing-out tray with open front
- Package includes 8 nylon ties, 2 Velcro® tie loops and #12 rack screws

PART NO.	DESCRIPTION
A. ICFOR102BK	2 panel, 1.75" H x 17" W x 11" D, 1 RMS*

B.

**SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE, 3 PANEL**

- Holds up to 3 adapter panels and 1 small or large splice tray
- Slide-out tray with removable front transparent flexi-panel door
- Package includes:
 - 7 fiber saddles, 4 Velcro® tie loops and #12 rack screws

PART NO.	DESCRIPTION
B. ICFOR103BK	3 panel, 1.75" H x 17" W x 14" D, 1 RMS*

C.

**SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE, 4 PANEL**

- Holds up to 4 adapter panels and 4 small or 2 large splice trays
- Slide-out tray with swing-down front transparent flexi-panel door
- Package includes:
 - 2 cable management spools and 7 fiber saddles
 - 4 nylon ties, 4 Velcro® tie loops and #12 rack screws
 - 1 grounding lug

PART NO.	DESCRIPTION
C. ICFOR204BK	4 panel, 3.50" H x 17" W x 14" D, 2 RMS*

D.

**SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE, 6 PANEL**

- Holds up to 6 adapter panels and 6 small or 3 large splice trays
- Slide-out tray with swing-down front transparent flexi-panel door
- Package includes:
 - 2 cable management spools and 7 fiber saddles
 - 4 nylon ties, 4 Velcro® tie loops and #12 rack screws
 - 1 grounding lug

PART NO.	DESCRIPTION
D. ICFOR306BK	6 panel, 5.25" H x 17" W x 14" D, 3 RMS*

E.

**SLIDE-OUT FIBER OPTIC RACK MOUNT ENCLOSURE, 12 PANEL**

- Holds up to 12 adapter panels and 8 small or 4 large splice trays
- Slide-out tray with swing-down front transparent flexi-panel door
- Package includes:
 - 2 cable management spools and 7 fiber saddles
 - 4 nylon ties, 4 Velcro® tie loops and #12 rack screws
 - 1 grounding lug

PART NO.	DESCRIPTION
E. ICFOR412BK	12 panel, 7.00" H x 17" W x 14" D, 4 RMS*

*1 RMS (rack mount space) = 1.75" H

A.



B.



C.



D.



E.

**FIBER OPTIC RACK MOUNT ENCLOSURE, 4 PANEL**

- 2 slide-out trays with front transparent flexi-panel door
- Top tray holds up to 4 adapter panels
- Bottom tray comes with 1 universal splice tray; holds up to 4
- Package includes:
 - 14 fiber saddles
 - 8 nylon ties, 4 Velcro® tie loops and 4 Velcro® ties
 - 2 grounding lugs and #12 rack screws

PART NO.	DESCRIPTION
A. ICFOR444BK	4 panel, 96 splice, 7.00" H x 17" W x 14" D, 4 RMS*

FIBER OPTIC SPLICE RACK MOUNT ENCLOSURE

- 1 slide-out tray with front transparent flexi-panel door
- Tray comes with 1 universal splice tray; holds up to 4
- Package includes:
 - 7 fiber saddles, 12 nylon ties and 1 fastener strip
 - 1 grounding lug and #12 rack screws

PART NO.	DESCRIPTION
B. ICFORS3096	96 splice, 5.25" H x 17" W x 14" D, 3 RMS*

FIBER OPTIC SPLICE RACK MOUNT ENCLOSURE

- 1 slide-out tray with front transparent flexi-panel door
- Tray comes with 6 universal splice trays; holds up to 8
- Package includes:
 - 7 fiber saddles, 12 nylon ties and 1 fastener strip
 - 1 grounding lug and #12 rack screws

PART NO.	DESCRIPTION
C. ICFORS4192	192 splice, 7.00" H x 17" W x 14" D, 4 RMS*

LOADED FIBER OPTIC RACK MOUNT ENCLOSURE WITH SC ADAPTERS

- Enclosure comes loaded with 24 simplex SC to SC blue adapters
- Holds 1 large splice tray
- Slide-out tray with removable front transparent flexi-panel door
- Package includes:
 - 7 fiber saddles, 2 nylon ties, 4 Velcro® tie loops and #12 rack screws

PART NO.	DESCRIPTION
D. ICFORSC024	24 simplex SC adapters, 1.75" H x 17" W x 14" D, 1 RMS*

LOADED FIBER OPTIC RACK MOUNT ENCLOSURE WITH ST ADAPTERS

- Enclosure comes loaded with 24 simplex ST to ST metal adapters
- Holds 1 large splice tray
- Slide-out tray with removable front transparent flexi-panel door
- Package includes:
 - 7 fiber saddles, 2 nylon ties, 4 Velcro® tie loops and #12 rack screws

PART NO.	DESCRIPTION
E. ICFORST024	24 simplex ST adapters, 1.75" H x 17" W x 14" D, 1 RMS*

*1 RMS (rack mount space) = 1.75" H

**SINGLE DOOR FIBER OPTIC WALL MOUNT ENCLOSURE, 4 PANEL**

- Holds up to 4 adapter panels
- Holds 1 splice tray; 12 splice
- Single door design
- Package includes:
 - 4 nylon ties, 4 Velcro® tie loops

PART NO.	DESCRIPTION
A. ICFODE41WM	4 panel, single door with lock, 10.75" H x 13" W x 3.5" D
ICFOSKFM12	12 splice, splice tray (not pictured)

SINGLE DOOR FIBER OPTIC WALL MOUNT ENCLOSURE, 2 PANEL

- Holds up to 2 adapter panels and 1 small splice tray
- Single door design
- Package includes:
 - 2 cable management spools and 4 nylon ties
 - 4 standoff harness clips and 4 split flat cable clamps with adhesive base

PART NO.	DESCRIPTION
B. ICFOD102BK	2 panel, single door, 13" H x 9.25" W x 3.5" D

SINGLE DOOR FIBER OPTIC WALL MOUNT ENCLOSURE, 4 PANEL

- Holds up to 4 adapter panels and 1 small splice tray
- Single door design
- Package includes:
 - 2 cable management spools and 4 nylon ties
 - 4 standoff harness clips and 4 split flat cable clamps with adhesive base

PART NO.	DESCRIPTION
C. ICFOD104BK	4 panel, single door, 13" H x 11.5" W x 3.5" D

DUAL DOOR FIBER OPTIC WALL MOUNT ENCLOSURE, 2 PANEL

- Holds up to 2 adapter panels and 1 small splice tray
- Dual door design; the inner door is designed with a cam lock
- Comes with a built-in and adjustable cable management spool
- Package includes:
 - 2 nylon ties, 2 Velcro® tie loops and 2 keys

PART NO.	DESCRIPTION
D. ICFOD202BK	2 panel, dual doors, 10.2" H x 12" W x 3.5" D

DUAL DOOR FIBER OPTIC WALL MOUNT ENCLOSURE, 4 PANEL

- Holds up to 4 adapter panels and 1 small splice tray
- Dual door design; the outer door is designed with a cam lock and the inner door is designed with a hasp for an optional lock
- Package includes:
 - 2 cable management spools
 - 4 nylon ties and 2 Velcro® tie loops
 - 1 grounding lug and 2 keys

PART NO.	DESCRIPTION
E. ICFOD204BK	2 panel, dual doors, 10.8" H x 12" W x 4.0" D



SMALL 12 SPLICE TRAY KIT

- Two-piece design for cover and base
- Works with fiber rack and wall mount enclosures
- Package includes:
 - Side holders for bare fusion
 - Fusion with sleeve and mechanical splice ribbon fusion
 - 4 nylon ties and 3 male to female Velcro® buttons

PART NO.	DESCRIPTION
ICFOSFM12	12 splice, small tray, 5.95" H x 4.67" W x 0.38" D



LARGE 24 SPLICE TRAY KIT

- Two-piece design for cover and base
- Works with fiber rack mount enclosures only
- Package includes:
 - Side holders for bare fusion
 - Fusion with sleeve and mechanical splice ribbon fusion
 - 4 nylon ties and 4 male to female Velcro® buttons

PART NO.	DESCRIPTION
ICFOSFM24	24 splice, large tray, 11.15" H x 4.00" W x .44" D



UNIVERSAL 24 SPLICE TRAY KIT FOR SPLICE ENCLOSURES

- Two-piece design for cover and base
- Works with splice fiber rack mount enclosures
- Package includes:
 - 2 left and 2 right mechanical fusion sleeves
 - 2 left and 2 right position fusion sleeves
 - 4 nylon ties

PART NO.	DESCRIPTION
ICFOSUF24	24 splice, 10.66" H x 4.50" W x .4" D




SPLICE TRAY

- Supports 12 fibers with fusion sleeves
- Designed to work with the fiber optic enclosures with removable front and rear metal doors

PART NO.	DESCRIPTION
ICFOSKFM12	12 splice


*1 RMS (rack mount space) = 1.75" H



10G Fiber Optic Jumpers

Laser optimized aqua fiber jumpers to support 10G/40G/100G applications, MPO, LC, and SC in a variety of configurations and lengths



Page **94**




FIBER OPTIC MODULAR COUPLERS HD STYLE

- Female to female couplers
- Feed-through on the front and rear; no termination required
- Designed with ceramic sleeves
- Supports multimode and single-mode

PART NO.	DESCRIPTION
A. IC107LC2xx ¹	LC duplex couplers, ceramic sleeves
B. IC107SC2xx ¹	SC simplex couplers, ceramic sleeve
C. IC107ST2xx ¹	ST simplex couplers, ceramic sleeve

Color (xx ¹) =	WH	IV
		

CARTON / CASE
50 / 400
50 / 400
50 / 400













FIBER OPTIC COUPLERS

- Female to female couplers
- Feed-through on the front and rear; no termination required
- Joins two fiber cables

PART NO.	DESCRIPTION
A. ICFOA5MM02	LC to LC duplex, ceramic sleeves, MM/SM*
B. ICFOA8MM01	SC to SC simplex, metal sleeve, MM*
ICFOA8SM01	SC to SC simplex, ceramic sleeve, MM/SM*
C. ICFOA8MM02	SC to SC duplex, metal sleeves, MM*
ICFOA8SM02	SC to SC duplex, ceramic sleeves, MM/SM*
D. ICFOA7MM01	ST to ST simplex, metal sleeve, MM*
ICFOA7SM01	ST to ST simplex, ceramic sleeve, MM/SM*
E. ICFOA9MM02	SC to ST duplex, metal sleeves, MM*
ICFOA9SM02	SC to ST duplex, ceramic sleeves, MM/SM*

*MM=Multimode, SM=Single-mode

BLANK AND FIBER OPTIC ELITE™ BEZELS WORK WITH MULTIMEDIA OUTLETS AND BOXES

					
PART NO. DESCRIPTION	IC108BF1xx1 1-Port, flat	IC108BF2xx1 2-Ports, flat	IC108BA1xx1 1-Port, angled	IC108BA2xx1 2-Ports, angled	IC108BFBxx1 Blank, flat
					
	IC108BFCxx1 SC to SC duplex, flat	IC108BFDxx1 2 SC to SC duplex, flat	IC108BACxx1 SC to SC duplex, angled	IC108BFTxx1 ST to ST duplex, flat	IC108BFBxx1 SC to ST duplex, flat

FIBER OPTIC SLIM BEZELS WORK WITH MULTIMEDIA OUTLETS

		
ICFOBWLxx2 LC to LC duplex	ICFOBWCxx2 SC to SC duplex	ICFOBWTxx2 ST to ST duplex


Color (xx1) = WH IV Color (xx2) = WH IV GY



All fiber optic bezels are designed with metal sleeves

MUTOA ELITE™ MULTIMEDIA BOXES

- Package includes:
- Cover and base
 - Cable ties for cable management
 - Paper labels and clear view covers
 - Adhesive strips and wood screws for mounting



1-Bezel opening

Knockouts on top and bottom work with raceway

6-Bezel openings

Circuit identification label

8.67" H

8.50" W

2.41" D

Magnets (optional)



PART NO.	DESCRIPTION
IC108MMBxx1	MUTOA multimedia box with 7 Elite bezel openings

SINGLE GANG ELITE™ MULTIMEDIA OUTLETS

Package includes:

- Cover and base
- Cable ties for cable management
- Paper labels and clear view covers
- Wood screws for mounting

Color (xx') = WH IV GY





Configurable with Elite™ bezels

**PART NO.**
IC108WBSxx¹**DESCRIPTION**
Single gang multimedia outlet with 2 Elite and 2 slim bezel openings**DOUBLE GANG ELITE™ MULTIMEDIA OUTLETS**

Package includes:

- Cover and base
- Cable ties for cable management
- Paper labels and clear view covers
- Wood screws for mounting

Color (xx') = WH IV GY

**PART NO.**
IC108WBDxx¹**DESCRIPTION**
Double gang multimedia outlet with 4 Elite and 3 slim bezel openings



10G 50/125µm MULTIMODE FIBER JUMPERS, OFNR RISER RATED

CONNECTOR TYPE	50/125µm SIMPLEX	50/125µm DUPLEX
LC to LC	ICFOJ1G6zz ¹	ICFOJ1G7zz ¹
LC to SC	ICFOJ2G6zz ¹	ICFOJ2G7zz ¹
LC to ST	ICFOJ8G6zz ¹	ICFOJ8G7zz ¹

Length (zz¹) = 01, 02, 03, 05, 07 and 10 meters (1 meter = 3.28 feet)

Note: Housing boot and clip colors may vary



MPO FIBER JUMPERS, OFNP PLENUM RATED, 12 FIBERS

CONNECTOR TYPE	SIMPLEX
10G MPO to MPO, multimode, 50/125µm	ICFOJATGzz ¹
MPO to MPO, multimode, 50/125µm	ICFOJA55zz ¹
MPO to MPO, multimode, 62.5/125µm	ICFOJA55zz ¹
MPO to MPO, single-mode 9/125µm	ICFOJATSzz ¹

Length (zz¹) = 05, 10, 15, 20, 30 and 50 meters (1 meter = 3.28 feet)

Note: Housing boot and clip colors may vary

PASS


Surface Contour

Surface Detail

3D-Mesh

Live Image

Fiber optic cable assemblies are factory built, terminated, and tested to ensure results exceeding ANSI/TIA-568-C.3 performance standards. Cable assemblies are factory tested to an average Insertion Loss of 0.3dB, the lowest in the industry.




MULTIMODE FIBER JUMPERS, OFNR RISER RATED

CONNECTOR TYPE	50/125μm SIMPLEX	50/125μm DUPLEX	62.5/125μm SIMPLEX	62.5/125μm DUPLEX
LC to LC	ICFOJ1M6zz ¹	ICFOJ1M7zz ¹	ICFOJ1M2zz ¹	ICFOJ1M3zz ¹
LC to SC	ICFOJ2M6zz ¹	ICFOJ2M7zz ¹	ICFOJ2M2zz ¹	ICFOJ2M3zz ¹
LC to ST	-	ICFOJ3M7zz ¹	-	ICFOJ3M3zz ¹
SC to SC	ICFOJ8C6zz ¹	ICFOJ8C7zz ¹	ICFOJ8C2zz ¹	ICFOJ8C3zz ¹
SC to ST	ICFOJ9C6zz ¹	ICFOJ9C7zz ¹	ICFOJ9C2zz ¹	ICFOJ9C3zz ¹
ST to ST	ICFOJ7C6zz ¹	ICFOJ7C7zz ¹	ICFOJ7C2zz ¹	ICFOJ7C3zz ¹

Length (zz¹) = 01, 02, 03, 05, 07 and 10 meters (1 meter = 3.28 feet)

Note: Housing boot and clip colors may vary



SINGLE-MODE FIBER JUMPERS, OFNR RISER RATED

CONNECTOR TYPE	9/125μm SIMPLEX	9/125μm DUPLEX
LC to LC	ICFOJ1M4zz ¹	ICFOJ1M5zz ¹
LC to SC	ICFOJ2M4zz ¹	ICFOJ2M5zz ¹
LC to ST	-	ICFOJ3M5zz ¹
SC to SC	ICFOJ8C4zz ¹	ICFOJ8C5zz ¹
SC to ST	ICFOJ9C4zz ¹	ICFOJ9C5zz ¹
ST to ST	ICFOJ7C4zz ¹	ICFOJ7C5zz ¹

Length (zz¹) = 01, 02, 03, 05, 07 and 10 meters (1 meter = 3.28 feet)


Note: Housing boot and clip colors may vary

14", 21" and 28" Combos

- Ideal solution for small and single-family homes
- Designed to be stud mounted
- Enclosure is compatible with most major brand modules
- Cables pictured are optional

14" Combo

- 14" H x 14.25" W x 3.68" D
- Modules packaged separately



14"

PART NO.	DESCRIPTION
ICRESDC14K*	Enclosure and hinged door with voice, CAT 6 data and 1 x 6 video splitter modules
ICRESDC14D*	Enclosure and hinged door with voice and 1 x 6 video splitter modules
ICRESDC14E*	Enclosure and hinged door
ICRESDC14H	Hinged door

*Includes grommets, rubber bumpers and mounting hardware

NET.MEDIA CENTER COMBO REFERENCE GUIDE

ENCLOSURE	PART NO.	VOICE PORTS	DATA PORTS	VIDEO PORTS
14"	ICRESDC14K	8	8, CAT 6	6, 2 GHz
14"	ICRESDC14D	8	-	6, 2 GHz
21"	ICRESDC21K	8	8, CAT 6	6, 2 GHz
28"	ICRESDC28K	8	8, CAT 6	6, 2 GHz

21" Combo

- 21" H x 14.25" W x 3.68" D
- Modules packaged separately



Includes knockouts for optional AC power outlets

28" Combo

- 28" H x 14.25" W x 3.68" D
- Modules packaged separately



Modules can be mounted vertically or horizontally

All enclosures are designed with measurements on each side for accurate installation between studs

21"

PART NO.	DESCRIPTION
ICRESDC21K*	Enclosure and hinged door with voice, CAT 6 data and 1 x 6 video splitter modules
ICRESDC21E*	Enclosure and hinged door
ICRESDC21H	Hinged door

28"

PART NO.	DESCRIPTION
ICRESDC28K*	Enclosure and hinged door with voice, CAT 6 data and 1 x 6 video splitter modules
ICRESDC28E*	Enclosure and hinged door
ICRESDC28H	Hinged door

*Includes grommets, rubber bumpers and mounting hardware

9", 8" and Mini Combos

- Ideal solution for apartments, condos, remodels and retrofits
- Can be surface or stud mounted
- 9" enclosure is compatible with most major brand modules
- Package includes mounting hardware
- Cables pictured are optional

9" Combo

- 9.4" H x 15.10" W x 4.9" D
- Modules packaged separately

Tough ABS plastic

Voice module


- 8-Ports, bridged IDC
- Up to 4 incoming phone lines
- Up to 8 extensions
- Built-in RJ31X
- Built-in expansion port

CAT 6 data module

- 8-Ports
- TIA Category 6 rated
- 50 micro-inch gold plated contacts

CATV module


- 1 input x 6 outputs
- 2 GHz, 5~2300 MHz bandwidth



9" and 8" enclosures are designed with measurements on each side for accurate installation between studs

Designed with a pad lock option for additional security

Includes knockouts for optional AC power outlets



9"

PART NO.
ICRESDC9PK

DESCRIPTION

Cover and base with voice, CAT 6 data and 1 x 6 video splitter modules

ICRESDC9PD


Cover and base with voice and 1 x 6 video splitter modules

NET.MEDIA CENTER COMBO REFERENCE GUIDE

ENCLOSURE	PART NO.	VOICE PORTS	DATA PORTS	VIDEO PORTS
9"	ICRESDC9PK	8	8, CAT 6	6, 2 GHz
9"	ICRESDC9PD	8	-	6, 2 GHz
8"	ICRDSMMBK8	8	-	6, 2 GHz
Mini	ICRDSMMBK1	8	8, CAT 5e	4, 1 GHz
Mini	ICRDSMMBD1	8	-	4, 1 GHz

8" Combo 6 Pack

- 8" H x 15.10" W x 4.9" D
- Modules packaged separately



Mini Combo

- 7.5" H x 6.5" W x 3.5" D

CAT 5e data module

- 8-Ports
- TIA Category 5e rated
- 50 micro-inch gold plated contacts



CATV module

- 1 input x 4 outputs
- 5 MHz - 1 GHz bandwidth



8" ValuePack

PART NO.
ICRDSMMBK8

DESCRIPTION

- Cover and base, **6 pcs.**
- Voice module, **6 pcs.**
- 1 x 4 splitter, **6 pcs.**
- Mounting hardware
- Only available in 6 pack



Mini

PART NO.
ICRDSMMBK1

DESCRIPTION

Cover and base with voice, CAT 5e data and 1 x 4 video splitter modules

ICRDSMMBD1

Cover and base with voice and 1 x 4 video splitter modules

42" Enclosure

- 42" H x 14.25" W x 3.68" D
- Ideal solution for custom homes
- Designed to be stud mounted
- Enclosure is compatible with most major brand modules

PART NO.
ICRESDC42E

Surface screw mounts have a recessed design preventing screws from interfering when modules mount over them


All doors are packaged separately for protection while enclosure is being installed

Knockout for an optional door lock with key

Ample room for modules and upgrades



All enclosures are designed with measurements on each side for accurate installation between studs



Vertical and horizontal cable tie anchor points

Configure Your 42" Net.Media Center

Multi-media patch panels Page **105**



HDMI modular couplers for high definition audio and video



Speaker modular connectors for whole house audio




RCA modular connectors for component audio and video



Data modular connectors for multi-user computer networking



Fiber optic modular couplers for high bandwidth applications



Data modules
Page **103**

Universal electronics bracket
Page **105**

Voice modules
Page **102**

Door lock for added security

Covers to conceal cable
Page **105**

VOICE MODULES

- 8-Ports, bridged IDC
- Supports up to 4 incoming phone lines and up to 8 extensions per line
- Built-in RJ31X and expansion port



PART NO. ICRESVPA3C
DESCRIPTION PCB board design



PART NO. ICRESVPA2C
DESCRIPTION Light weight ABS plastic bracket



PART NO. ICRESVPA1C
DESCRIPTION Steel bracket

VOICE EXPANSION MODULES

- 8-Ports, bridged IDC
- For an additional 8 extensions per phone line
- Built-in RJ31X and expansion port



PART NO. ICRESVPB3C
DESCRIPTION PCB board design




PART NO. ICRESVPB2C
DESCRIPTION Light weight ABS plastic bracket



PART NO. ICRESVPB1C
DESCRIPTION Steel bracket

Phone Wiring Diagram



CAT 6 DATA MODULES

- 8-Ports, 110-Type IDC
- Supports up to 8 computers
- Exceeds TIA Category 6 performance standards



PART NO. ICRESDPB3C
DESCRIPTION PCB board design



PART NO. ICRESDPB2C
DESCRIPTION Light weight ABS plastic bracket



PART NO. ICRESDPB1C
DESCRIPTION Steel bracket

CAT 5e DATA MODULES

- 8-Ports, 110-Type IDC
- Supports up to 8 computers
- Exceeds TIA Category 5e performance standards




PART NO. ICRESDPA3C
DESCRIPTION PCB board design



PART NO. ICRESDPA2C
DESCRIPTION Light weight ABS plastic bracket



PART NO. ICRESDPA1C
DESCRIPTION Steel bracket

Data Wiring Diagram**WIRE DATA MODULE TO T568A**

TIA-570 residential wiring standard specifies T568A color code wiring as the standard for residential installations.

VIDEO SPLITTER MODULES

- Supports 2 GHz, 5~2300 MHz bandwidth
- Light weight metal bracket



PART NO. ICRESAV42L
DESCRIPTION 1 input x 4 outputs



PART NO. ICRESAV62L
DESCRIPTION 1 input x 6 outputs



PART NO. ICRESAV82L
DESCRIPTION 1 input x 8 outputs

COMBO VIDEO SPLITTER AND VOICE MODULES

- Video splitter supports 2 GHz, 5~2300 MHz bandwidth
- Voice module, 8-Ports, bridged IDC, supports up to 4 incoming phone lines and up to 8 extensions per line
- Steel bracket



PART NO. ICRES8V42S
DESCRIPTION 1 input x 4 output video




PART NO. ICRES8V62S
DESCRIPTION 1 input x 6 output video



PART NO. ICRES8V82S
DESCRIPTION 1 input x 8 output video

Video Wiring Diagram



4-PORT EZ MULTI-MEDIA PATCH PANELS

- Configurable with EZ® voice, data and video modular connectors
- Light weight metal bracket

PART NO.
ICRESBMP04

**ELECTRICAL POWER STRIP 125V**

- Provides power for up to 6 separate devices
- Protects from power surges
- 14 AWG x 3, 3' length power cord

PART NO.
ICRESPSB07

**6-PORT HD MULTI-MEDIA PATCH PANELS**

- Configurable with HD voice, data and video modular connectors
- Light weight metal bracket

PART NO.
ICRESBMP06

**UNIVERSAL ELECTRONICS BRACKET**

- Designed to hold electronics
- Modems, routers, switches
- Steel bracket

PART NO.
ICRESDCBUM

**COMPACT 1X4 VIDEO SPLITTERS**

- 1 input x 4 outputs
- Supports 2 GHz, 5~2050 MHz
- Use in confined locations
- Screw mount on flat surfaces

PART NO.
ICRESVS42G

**CABLE MANAGEMENT COVER**

- Designed to conceal cable
- Make installations look clean
- Steel construction

PART NO.
ICRESCMC06

**PROTECTIVE PLASTIC AND RUBBER GROMMETS**

- Install in enclosure knockouts to protect cable from damage
- 10 pieces per bag



PART NO. ICRESDCAC3 Plastic



ICRESDCAC2 Rubber

DOOR LOCK AND KEYS

- Install on 14", 21", 28" and 42" Net.Media Center doors
- Prevents unwanted access
- Provides added security

PART NO.
ICRSDC2LK

**Integrated Residential Outlets**

Integrated faceplates with voice, data and video connectivity built in. Their is no assembly required and no need to shop for additional components.



JACKEASY™ TERMINATION TOOL

PART NO.	DESCRIPTION
ICACSPDTEH	JackEasy termination tool with EZ® and HD blades
ICACS8WUEH	EZ and HD replacement blades
ICACSBAGJE	Holster bag

Step 1

- A. Strip approximately 1.50" of the jacket and separate the wires
- B. Choose between T568A or T568B wiring
- C. Sort out wires and place into IDC

Note: For maximum performance, minimize the untwisting of individual pairs to 0.125"



Step 2

JackEasy
Termination Tool

- B. Insert the module into the JackEasy tool and terminate all 4 pairs of wires at the same time. The tool is designed with a floor base; use the floor or any flat surface for support when terminating.

- C. The JackEasy is designed with an anti-slip grip making it easy to hold and control.

- A. Match the "V" shaped logo on the top of the connector to the inner chamber wall; HD faces sideways (pictured below) and EZ faces forward.



Switch Blades



HOLSTER BAG
ICACSBAGJE




Use a flat head screw driver to remove and switch between EZ and HD blades. The floor base is designed with blade storages on both sides.

110 AND 66 SINGLE BLADE PUNCH-DOWN TOOL

PART NO.	DESCRIPTION
ICACSPDT00	Single blade punch-down tool with 110 and 66 blades
ICACS110RB	110 replacement blade
ICACS066RB	66 replacement blade

110 wiring termination


66 wiring termination



HANDHELD TERMINATION AID

- Helps terminate EZ® and HD modules and 110 patch plugs
- Provides a base for termination
- Prevents modules or plugs from slipping out of hands

PART NO.
ICACSHA01



The handheld aid can also be screwed down to the work table




110 4-PAIR PUNCH-DOWN TOOL

PART NO.	DESCRIPTION
ICACSPDT4P	110 4-Pair punch-down tool
ICACS04PH5	110 4-Pair replacement blade

Anti-slip rubber with raised grip prevents hand slippage →

50 kgs impact force →

Simultaneously terminates and trims 4 pairs of wires →




110 5-PAIR PUNCH-DOWN TOOL

PART NO.	DESCRIPTION
ICACSPDT05	110 5-Pair punch-down tool
ICACS05PRH	110 5-Pair replacement blade

80 kgs of impact force to terminate 5 pairs of wires simultaneously

Tip of the shaft engages the blade set eliminating the possibility of blade misalignment



The blade is reversible to hide the cutting edge, permitting the tool to be used for termination without trimming wires

UTP AND COAX CABLE STRIPPER TOOLS

PART NO. **DESCRIPTION**
A. ICACSTSUCD Deluxe stripper tool

- Strips UTP, STP and coax cable
- 5~06.2mm wire diameter
- RG-59, RG-6, RG-7 and RG-11

B. ICACSTSUS1 Economy stripper tool

- Strips UTP cable
- 5~6.2mm wire diameter
- Tip helps insert wire into 110-Type IDC



CATV COAX CABLE STRIPPER TOOL

- For stripping RG-58, RG-59, RG-6 and RG-6 quad coax cable
- No cassettes needed, 3 blade types
- Includes an allen wrench to adjust blade positions
- Knife-like blades for high quality stripping

PART NO.
ICACSCSCTV



HEAVY DUTY MODULAR CRIMPING TOOL

- Designed to crimp 8-Position 8-Conductor modular plugs
- Built-in steel blade strips and cuts cable
- Steel frame construction and long lasting use
- Rubber handle provides comfortable termination

PART NO.
ICACSCT845



UNIVERSAL MODULAR CRIMPING TOOL

- Designed to crimp 4, 6 and 8-Position modular plugs
- Built-in steel blade strips and cuts cable
- Steel frame construction and long lasting use

PART NO.
ICACSCT864



UNIVERSAL COMPRESSION TOOL

- Crimps compression connectors and modular compression connectors
- F-Type, RCA and BNC and BNC 90° right angle
- Steel frame construction and long lasting use
- Rubber handle provides comfortable termination

PART NO.
ICACSCT01U



F-TYPE COMPRESSION TOOL

- Compress F-Type compression connectors
- For use with RG-59, RG-6, and RG-6 quad cable
- Ratchet mechanism prevents releasing early
- Vertically presses the connector to avoid over crimping
- Steel frame construction and long lasting use
- PVC handle for a comfortable grip

PART NO.
ICACSCT02F




ECONOMY COMPRESSION TOOL

- Compress F-Type, RCA and BNC compression connectors
- For use with RG-59, RG-6, and RG-6 quad cable
- Vertically presses the connector to avoid over crimping
- Steel frame construction and long lasting use
- PVC handle for a comfortable grip

PART NO.
ICACSCT01E




Stripping Lengths for Coax Cable



STRIPPING LENGTHS CHART

	F-TYPE CONNECTORS	RCA CONNECTORS	BNC CONNECTORS
X	0.25" ~ 0.30"	0.17" ~ 0.18"	0.17" ~ 0.18"
Y	0.25" ~ 0.30"	0.25" ~ 0.30"	0.25" ~ 0.30"
Z	0.50" ~ 0.55"	0.50" ~ 0.55"	0.50" ~ 0.55"



MODULAR COMPRESSION CONNECTORS HD STYLE

- Front female nickel plated connector with rear compression connector
- Rear compression connector works with RG-6 quad shield coaxial cable
- Not compatible with plenum cable
- Blue band

PART NO.	DESCRIPTION	CARTON / CASE
A. IC107FQGW	F-Type	50 / 400
B. IC107BQCWH	BNC, 75 Ohm	50 / 400
C. IC107RQRWH	RCA, red insert	50 / 400
IC107RQGWH	RCA, green insert	50 / 400
IC107RQLWH	RCA, blue insert	50 / 400
IC107RQWWH	RCA, white insert	50 / 400
IC107RQYWH	RCA, yellow insert	50 / 400
IC107RQKWH	RCA, black insert	50 / 400

Color = White



F-TYPE CONNECTOR VALUEPACKS

- Internal O-ring and compression sleeve reduces moisture
- Rust resistant steel prevents signal degradation
- Not for use on plenum cable
- Packaged in a resealable bag for easy storage

PART NO.	DESCRIPTION
ICRDSAV01F	RG-6, black band, 20 pcs.
ICRDSAV04F	RG-6Q, blue band, 20 pcs.
ICRDSAV59F	RG-59, black band, 20 pcs.
ICRDSAV01C	RG-6, black band, 100 pcs.
ICRDSAV04C	RG-6Q, blue band, 100 pcs.
ICRDSAV59C	RG-59, black band, 100 pcs.



BNC CONNECTOR VALUEPACKS

- Internal O-ring and compression sleeve reduces moisture
- Rust resistant steel prevents signal degradation
- Not for use on plenum cable

PART NO.	DESCRIPTION
ICRDSB61BC	RG-6, black band, 20 pcs.
ICRDSB51BC	RG-59, white band, 20 pcs.



BNC 90° RIGHT ANGLE CONNECTOR VALUEPACK

- Suitable for connecting equipment being mounted in tight corners
- Helps avoid excess bending and stress to the cable
- Internal O-ring and compression sleeve reduces moisture
- Rust resistant steel prevents signal degradation
- Not for use on plenum cable

PART NO.	DESCRIPTION
ICRDSB6RBC	RG-6, 90° angle, black band, 20 pcs.

WIRE CUTTER AND STRIPPER TOOL

- Knife-like blades to cut wire easily
- For stripping 12~24 AWG stranded wire
- For stripping 10~22 AWG solid wire
- Designed with a safety lock to prevent injuries
- Steel frame construction and long lasting use
- PVC handle for a comfortable grip

PART NO.
ICACSTRST



WIRE CUTTER TOOL

- Cuts up to 18 AWG copper or aluminum wire
- Knife-like blades to cut wire easily
- Steel frame construction and long lasting use
- PVC handle for a comfortable grip

PART NO.
ICACSWRCTR



RACEWAY CUTTING TOOL

- Cuts plastic raceway and wall ducts
- 2.5" maximum jaw opening capacity
- Blade cuts cleanly leaving no ragged edges
- Steel frame construction with cushioned grip
- Ratchet mechanism allows safe and controlled cuts

PART NO.
ICACSTPE60




F-TYPE CONNECTOR TOOLS

- For installing and removing F-Type connectors
- Ideal solution in hard to reach locations
- Works with RG-59, RG-6 and RG-6 quad connectors
- 3/8-32 threaded end
- Carbon steel frame with chrome plating
- PVC handle for a comfortable grip

PART NO.	DESCRIPTION
ICACSF06RT	6" length
ICACSF12RT	12" length






VOICE PHONE COUPLERS

- For connecting line cords together
- Supports phone applications
- 50 micro-inch gold plated contacts

PART NO.	DESCRIPTION
A. ICMA3508DR	8P8C, Pin 1-1, female to female, keyed
B. ICMA350A6C	6P6C, Pin 1-6, female to female
C. ICMA267D66	6P6C, Pin 1-1, male to 2 females

Color = Ivory



METAL AND ADHESIVE MAGNETS

- To mount boxes on flat metal surfaces

PART NO.	DESCRIPTION
A. ICMAGBLOCK	Metal magnet, 2 pcs.

- Works with boxes designed with magnet holders

PART NO.	DESCRIPTION
B. IC317MTAPE	Adhesive magnet, 2 pcs.

- Magnetic front with rear adhesive tape
- Works with all boxes



ELITE™ COLOR ICONS, TEXT AND GRAPHIC

- Works with Elite surface mount boxes and bezels
- 10 icons per tree

PART NO.	DESCRIPTION
IC108ICDxx¹	5 data, 5
IC108ICVxx¹	5 voice, 5
IC108ICAx¹	5 voice, 5 data
IC108ICNxx¹	Top: 2 data, 2 voice, Line 1, Line 2, Fax, Lan, Modem, Printer Bottom: CAT 5, Aux, Rx, Tx, 2 blank, 2 , 2

Color (xx¹) =	WH	IV	BL	OR	RD	YL	BK	GN	PR



PATCH PANEL COLOR ICONS

- Apply to patch panels for system administration
- Icons are molded with text identification
- 12 icons per tree

PART NO.	DESCRIPTION
ICMPPSCix¹	6 voice and 6 data icons
ICMPPICDxx¹	12 data icons
ICMPPICVxx¹	12 voice icons

Color (xx¹) =	WH	IV	BL	OR	RD	YL	GY	GN	PR



DUST COVER


- Works with CAT 6A, CAT 6, CAT 5e and voice modular connectors and patch panels
- Snaps on the port opening to prevent dust from entering

PART NO.	DESCRIPTION
ICACSDCICL	Dust cover, 10 pcs.
ICACSDCVCL	Dust cover, 100 pcs. VALUEPACK

Color = Clear

Raceway Features

- Route cables in any open architectural environment
- 94V-0 vinyl, UL® listed



BULK PACKAGING

6' SECTIONS (PER FOOT)

PART NO.	DESCRIPTION	CARTON
ICRWR11Sxx¹	3/4" W, 1' L	120'
ICRWR12Sxx¹	1 1/4" W, 1' L	120'
ICRWR13Sxx¹	1 3/4" W, 1' L	120'

Order by 6' increments
Example: 1 stick = 6 ICRWR11Sxx

8' SECTIONS (PER FOOT)

PART NO.	DESCRIPTION	CARTON
ICRWR118xx¹	3/4" W, 1' L	120'
ICRWR128xx¹	1 1/4" W, 1' L	120'
ICRWR138xx¹	1 3/4" W, 1' L	120'

Order by 8' increments
Example: 1 stick = 8 ICRWR118xx

Color (xx¹) = WH IV



INDIVIDUAL PACKAGING

6' SECTIONS (PER STICK)

PART NO.	DESCRIPTION	CARTON
ICRW22R6xx¹	3/4" W, 6' L	120'
ICRW33R6xx¹	1 1/4" W, 6' L	120'
ICRW44R6xx¹	1 3/4" W, 6' L	120'




Order by single piece
Example: 1 stick = 1 ICRW22R6xx


8' SECTIONS (PER STICK)

PART NO.	DESCRIPTION	CARTON
ICRW22R8xx¹	3/4" W, 8' L	120'
ICRW33R8xx¹	1 1/4" W, 8' L	120'
ICRW44R8xx¹	1 3/4" W, 8' L	120'

Order by single piece
Example: 1 stick = 1 ICRW22R8xx


Color (xx¹) = WH IV

RACEWAY FILL CHART - 40% CAPACITY								
		TYPES OF CABLES						
SIZE OF RACEWAY		CAT 5E	CAT 6	CAT 6A	25-PAIR	6 FIBER	1 FIBER	COAX
 3/4" W x 1/2" H		2	1	-	-	1	6	1
 1 1/4" W x 3/4" H		6	4	2	1	3	15	2
 1 3/4" W x 1" H		11	7	4	2	6	28	5
Based on 40% fill capacity and ICC cabling outside diameter (O.D.)								




Raceway Compatible Outlets


SURFACE MOUNT BOXES, 12-PORTS
Page 28




ELITE™ SURFACE MOUNT BOXES, 2, 4 AND 6-PORTS
Page 28




ELITE™ SURFACE MOUNT BOXES, 1-PORT
Page 28




ELITE™ MULTI-MEDIA BOXES
Page 30



MOUNTING BOXES
Page 27



JUNCTION BOXES
Page 27



Features

- Ivory and white colors
- Single and 10 packs
- Retail ready packaging
- Thick bags for protection
- Perforated edge to open easily
- Barcoded to process easily



TEES AND BASES

PART NO.	DESCRIPTION
ICRW11TBxx ¹	3/4", 10 sets
ICRW12TBxx ¹	1 1/4", 10 sets
ICRW13TBxx ¹	1 3/4", 10 sets
ICRW22TBxx ¹	3/4", 1 set
ICRW33TBxx ¹	1 1/4", 1 set
ICRW44TBxx ¹	1 3/4", 1 set



TEES

PART NO.	DESCRIPTION
ICRW11TOxx ¹	3/4", 10 pcs.
ICRW12TOxx ¹	1 1/4", 10 pcs.
ICRW13TOxx ¹	1 3/4", 10 pcs.
ICRW22TExx ¹	3/4", 1 pc.
ICRW33TExx ¹	1 1/4", 1 pc.
ICRW44TExx ¹	1 3/4", 1 pc.



90° FLAT ELBOWS AND BASES

PART NO.	DESCRIPTION
ICRW11EBxx ¹	3/4", 10 sets
ICRW12EBxx ¹	1 1/4", 10 sets
ICRW13EBxx ¹	1 3/4", 10 sets
ICRW22EBxx ¹	3/4", 1 set
ICRW33EBxx ¹	1 1/4", 1 set
ICRW44EBxx ¹	1 3/4", 1 set



90° FLAT ELBOWS

PART NO.	DESCRIPTION
ICRW11EOxx ¹	3/4", 10 pcs.
ICRW12EOxx ¹	1 1/4", 10 pcs.
ICRW13EOxx ¹	1 3/4", 10 pcs.
ICRW22FExx ¹	3/4", 1 pc.
ICRW33FExx ¹	1 1/4", 1 pc.
ICRW44FExx ¹	1 3/4", 1 pc.



OUTSIDE CORNER COVERS AND BASES

PART NO.	DESCRIPTION
ICRW11OBxx ¹	3/4", 10 sets
ICRW12OBxx ¹	1 1/4", 10 sets
ICRW13OBxx ¹	1 3/4", 10 sets
ICRW22UCxx ¹	3/4", 1 set
ICRW33UCxx ¹	1 1/4", 1 set
ICRW44UCxx ¹	1 3/4", 1 set



OUTSIDE CORNER COVERS

PART NO.	DESCRIPTION
ICRW11OCxx ¹	3/4", 10 pcs.
ICRW12OCxx ¹	1 1/4", 10 pcs.
ICRW13OCxx ¹	1 3/4", 10 pcs.
ICRW22CCxx ¹	3/4", 1 pc.
ICRW33CCxx ¹	1 1/4", 1 pc.
ICRW44CCxx ¹	1 3/4", 1 pc.



CEILING ENTRIES WITH MOUNTING CLIP

PART NO.	DESCRIPTION
ICRW11CExx ¹	3/4", 10 sets
ICRW12CExx ¹	1 1/4", 10 sets
ICRW13CExx ¹	1 3/4", 10 sets
ICRW22CMxx ¹	3/4", 1 set
ICRW33CMxx ¹	1 1/4", 1 set
ICRW44CMxx ¹	1 3/4", 1 set



REDUCERS

PART NO.	DESCRIPTION
ICRW11ROxx ¹	3/4" to 3/4", 10 pcs. 1 1/4" to 3/4"
ICRW12ROxx ¹	1 1/4" to 3/4", 10 pcs. 1 3/4" to 3/4"
ICRW13ROxx ¹	1 3/4" to 1 1/4", 10 pcs.
ICRW22RExx ¹	3/4" to 3/4", 1 pc. 1 1/4" to 3/4"
ICRW33RExx ¹	1 1/4" to 3/4", 1 pc. 1 3/4" to 3/4"
ICRW44RExx ¹	1 3/4" to 1 1/4", 1 pc.



JOINT COVERS

PART NO.	DESCRIPTION
ICRW11JCxx ¹	3/4", 10 pcs.
ICRW12JCxx ¹	1 1/4", 10 pcs.
ICRW13JCxx ¹	1 3/4", 10 pcs.
ICRW22JCxx ¹	3/4", 1 pc.
ICRW33JCxx ¹	1 1/4", 1 pc.
ICRW44JCxx ¹	1 3/4", 1 pc.

Color (xx¹) = WH IV



END CAPS

PART NO.	DESCRIPTION
ICRW11ECxx ¹	3/4", 10 pcs.
ICRW12ECxx ¹	1 1/4", 10 pcs.
ICRW13ECxx ¹	1 3/4", 10 pcs.
ICRW22ECxx ¹	3/4", 1 pc.
ICRW33ECxx ¹	1 1/4", 1 pc.
ICRW44ECxx ¹	1 3/4", 1 pc.

Color (xx¹) = WH IV



Wiring Ducts

- Slotted and solid design
- Integrated with snap-on cover
- Available in white, gray and black

2\"W X 2\"H SLOTTED

PART NO. ICRWL226xx¹

2\"W X 2\"H SOLID

ICRWS226xx¹

2\"W X 4\"H SLOTTED

ICRWL246xx¹

2\"W X 4\"H SOLID

ICRWS246xx¹

6' SECTIONS, ORDER BY 6' INCREMENTS, 120' PER CARTON

Color (xx¹) = WH GY BK

Wiring Duct Features

- Easy to cut, trim, and paint to fit virtually any color décor and application layout
- Pre-drilled mounting holes for easy mounting


WIRING DUCT FILL CHART - 40% CAPACITY

	TYPES OF CABLES						
WIRING DUCT SIZE	CAT 5e	CAT 6	CAT 6A	25-PAIR	6 FIBER	1 FIBER	COAX
2" W x 2" H	25	16	9	6	14	63	12
2" W x 4" H	51	32	19	11	29	127	24


Based on 40% fill capacity and ICC cabling outside diameter (O.D.)

HiPerLink
Copper

- CAT 6e and CAT 6A cable
- CMP or CMR jackets
- Up to 295 feet in length per TIA standard
- Tested to exceed TIA performance standards
- Average two week lead time


COPPER CASSETTE TO CASSETTE
MODEL CX


- For installation between racks
- Modular jacks for easy changes
- Modular cassette for tool less installation
- 24 copper ports in 1 RMS


COPPER CASSETTE TO PATCH CORDS
MODEL CP

- For installation between cross-connects
- 8P8C RJ-45 modular plugs

HiPerLink
Fiber Optic


- LC connectors
- OM4, OM3, 50/125µm, 62.5/125µm
- or singlemode fiber cable
- OFNR and OFNP jackets
- Tested with 0.2dB or less Insertion Loss
- Average two to four week lead time



FIBER CASSETTE TO CASSETTE

MODEL FCC

- For installation between racks
- Modular couplers for easy changes
- Modular cassette for tool less installation
- 48 fiber ports in 1 RMS






FIBER CASSETTE TO FIBER JUMPERS

MODEL FCN

- For installation between cross-connects
- LC or SC duplex fiber jumpers

IC066BRCLP44	IC107F06xx 18	IC108BF1xx 30, 92	IC1076V0xx 7	ICCMSABR68 55
IC066CV05044	IC107F12xx 18	IC108BF2xx 30, 92	IC1076VCxx 7	ICCMSABRS2 55
IC066DFT5045	IC107FD8xx 18	IC108BFbxx 30, 92	IC1078E5xx 6	ICCMSABRS4 55
IC066LS05044	IC107FFWSS 22	IC108BFCxx 9	IC1078F5xx 6	ICCMSABRS6 55
IC066NB05044	IC107FFWxx 22	IC108BFCxx 92	IC1078F6xx 5	ICCMSABRS8 55
IC066NBC5044	IC107FQGWH 14, 111	IC108BFDxx 9	IC1078GAxx 4	ICCMSABRSC 55
IC066SFT2545	IC107FRWSS 22	IC108BFDxx 92	IC1078L6xx 5	ICCMSCBARC 69
IC106FP2xx 21	IC107FRWxx 22	IC108BFRxx 9	IC1078S6A0 4	ICCMSCBARM 69
IC106FP4xx 21	IC107FT0xx 18	IC108BFTxx 9	IC06626P4C 45	ICCMSCBBRM 69
IC107AF2xx 19	IC107FT9xx 18	IC108BFTxx 92	IC06628P8C 45	ICCMSCBBRM 69
IC107AF4xx 19	IC107FWPxx 22	IC108CE1xx 23	IC06686P6C 45	ICCMSCC6BK 60
IC107AF8xx 19	IC107G6Gxx 15	IC108F01xx 30	ICACS04PH5 108	ICCMSCCVBK 60
IC107AS2xx 20	IC107G8Gxx 15	IC108F02xx 30	ICACS05PRH 108	ICCMSMA21 61
IC107AS4xx 20	IC107GFGxx 15	IC108FD4xx 30	ICACS8WUEH 106	ICCMSMA22 61
IC107AS8xx 20	IC107HDMxx 12	IC108ICAxx 113	ICACS066RB 107	ICCMSMA23 61
IC107B3Gxx 14	IC107K6Gxx 15	IC108ICDxx 113	ICACS110RB 107	ICCMSMA31 62
IC107B5Fxx 14	IC107K8Gxx 15	IC108ICNxx 113	ICACSABAGJE 106	ICCMSMA32 62
IC107B5Gxx 14	IC107KFGxx 15	IC108ICVxx 113	ICACSBWSBK 69	ICCMSMA41 62
IC107B6Gxx 15	IC107L6Cxx 5	IC108MMBxx 30, 92	ICACSCSCTV 109	ICCMSMA42 62
IC107B7Gxx 15	IC107L6Gxx 15	IC108SB1xx 28	ICACSCTO1E 110	ICCMSMA51 62
IC107B8Gxx 15	IC107L8Gxx 15	IC108SB2xx 28	ICACSCTO1U 110	ICCMSMA52 62
IC107B9Fxx 14	IC107LC2xx 8, 91	IC108SB4xx 28	ICACSCTO2F 110	ICCMSMA61 62
IC107B9Gxx 14	IC107LF1xx 19	IC108SB6xx 28	ICACSC845 109	ICCMSMA62 62
IC107BC1xx 28	IC107LF2xx 19	IC108WBDxx 31, 93	ICACSC864 109	ICCMSMA81 61
IC107BC2xx 28	IC107LF3xx 19	IC108WBSxx 31, 93	ICACSC8TRST 112	ICCMSMA82 61
IC107BE241 37	IC107LF4xx 19	IC110CB4PC 43	ICACSDCICL 17, 34, 113	ICCMSMA83 61
IC107BFCWH 14	IC107LF6xx 19	IC110CB4PR 43	ICACSDCVCL 17, 34, 113	ICCMSMA84 61
IC107BFGxx 15	IC107LFGxx 15	IC110CB5PC 43	ICACSE15NL 79	ICCMSMCP31 63
IC107BGCPWH 14	IC107MB6BK 29	IC110CB5PR 43	ICACSF06RT 112	ICCMSMCP32 63
IC107BN0xx 17	IC107MRDxx 27	IC110CBMBF 40	ICACSF12RT 112	ICCMSMCP51 63
IC107BN2xx 17	IC107MRSxx 27	IC110CBMBWF 40	ICACSGK6AS 4, 32	ICCMSMCP52 63
IC107BNCxx 14	IC107PMGxx 16	IC110H1004 41	ICACSGKS00 69	ICCMSMCPB1 63
IC107BP8VB 38	IC107PPS6A 37	IC110HLDR 41	ICACSHA01 107	ICCMSMCPB2 63
IC107BP12V 38	IC107PPU6A 37	IC110NF100 40	ICACSL1KBK 79	ICCMSMCPB3 63
IC107BP241 37	IC107R6Gxx 15	IC110NF300 40	ICACSL1KNL 79	ICCMSMCPB4 63
IC107BP481 37	IC107R8Gxx 15	IC110PRK61 42	ICACSL7KBK 79	ICCMSMCP1 63
IC107BP482 37	IC107RD5xx 15	IC110RM100 42	ICACSL7KNL 79	ICCMSMPC2 63
IC107BQCWH 14, 111	IC107RF5xx 15	IC110RM200 42	ICACSL11BK 79	ICCMSMPC3 63
IC107BSSBK 16	IC107RF6xx 15	IC110RMCMB 42	ICACSL11NL 79	ICCMSMPC4 63
IC107C5Cxx 6	IC107RQGW 15, 111	IC110TC350 43	ICACSL15BK 79	ICCMSMPC1 63
IC107C5Exx 6	IC107RQKWH 15, 111	IC110TC450 43	ICACSL15NL 79	ICCMSMPC2 63
IC107C6ASH 4	IC107RQLWH 15, 111	IC110W1004 40	ICACSL75BK 79	ICCMSMPL1 65
IC107C6Cxx 5	IC107RQRWH 15, 111	IC110W3004 40	ICACSL75NL 79	ICCMSMPLC 65
IC107C6Rxx 7	IC107RQWWH 15, 111	IC110WF100 40	ICACSM06BK 79	ICCMSMPR1 65
IC107C6Sxx 7	IC107RQYWH 15, 111	IC110WF300 40	ICACSM06NL 79	ICCMSMPR2 65
IC107CP6xx 5	IC107RR5xx 15	IC110WH100 41	ICACSM8KBK 79	ICCMSMPR3 65
IC107DA1xx 19	IC107S01SS 20	IC110WHCMS 41	ICACSM8KNL 79	ICCMSMPR4 65
IC107DA2xx 19	IC107S01xx 20	IC110WK966 40	ICACSM12BK 79	ICCMSMPR5 64
IC107DA4xx 19	IC107S02SS 20	IC250MBSxx 27	ICACSM12NL 79	ICCMSMPR6 64
IC107DDHxx 13	IC107S02xx 20	IC317MTAPE 29, 113	ICACSM85BK 79	ICCMSMPR7 64
IC107DF4SS 19	IC107S03SS 20	IC625S51xx 11	ICACSM85NL 79	ICCMSMPR8 64
IC107DF8SS 19	IC107S03xx 20	IC625S52xx 11	ICACSMDBxx 27	ICCMSMPR9 64
IC107DFDSS 21	IC107S04SS 20	IC625S66xx 24	ICACSMBSxx 27	ICCMSMPT1 65
IC107DFDxx 21	IC107S04xx 20	IC625S8xx 24	ICACSPDT00 107	ICCMSMPT2 65
IC107DFQxx 21	IC107S06SS 20	IC625SV1xx 11	ICACSPDT4P 108	ICCMSMRH7 60
IC107DFSxx 21	IC107S06xx 20	IC625SV2xx 11	ICACSPDT05 108	ICCMSFCMRP 63
IC107DFSxx 21	IC107SACWH 12	IC630DA6SS 25	ICACSPDTEH 106	ICCMSHB1RC 55
IC107DF1xx 21	IC107SAPxx 12	IC630DB6xx 25	ICACSS01BK 69	ICCMSHB1RS 55
IC107DH2xx 13	IC107SB1xx 28	IC630DD6xx 25	ICACSS02BK 69	ICCMSHB2RC 55
IC107DI1xx 21	IC107SB2xx 28	IC630DDFxx 17	ICACSS04BK 79	ICCMSHB2RS 55
IC107DI2xx 21	IC107SB4xx 28	IC630DI6xx 25	ICACSS04NL 79	ICCMSHB4RC 55
IC107DI3xx 21	IC107SB6xx 28	IC630DIBxx 21	ICACSS08BK 79	ICCMSHB4RS 55
IC107DI4xx 21	IC107SBTxx 28	IC630DSFxx 17	ICACSS8KBK 79	ICCMSHB4CVR 55
IC107DI6xx 21	IC107SC2xx 8, 91	IC630DVfxx 25	ICACSS8KNL 79	ICCMSHDS20 66
IC107DPLxx 21	IC107SD8xx 20	IC630E6Gxx 24	ICACSS08NL 79	ICCMSJH922 68
IC107DR2xx 13	IC107SF1SS 19	IC630E60xx 24	ICACSS55BK 79	ICCMSJH933 68
IC107DR4xx 13	IC107SF2SS 19	IC630E66xx 24	ICACSS55NL 79	ICCMSJH944 68
IC107DSBxx 16	IC107SF3SS 19	IC630EB0xx 22	ICACSTPE60 112	ICCMSJH955 68
IC107DSCxx 16	IC107SF4SS 19	IC630EBDxx 22	ICACSTSUCD 109	ICCMSJH922 68
IC107E5Cxx 6	IC107SF6SS 19	IC630EBSS 22	ICACSTUS1 109	ICCMSJH933 68
IC107EF1WH 23	IC107ST2xx 8, 91	IC630EG0xx 24	ICACSV08xx 78	ICCMSJH955 68
IC107EF2WH 23	IC107ST9xx 20	IC630EGGxx 24	ICACSV12xx 78	ICCMSJH922 68
IC107F1Cxx 18	IC107SV1xx 12	IC630SS6xx 25	ICACSV75BK 78	ICCMSJH933 68
IC107F01xx 18	IC107UAAWH 12	IC635DS4xx 24	ICACSV75BL 78	ICCMSJH955 68
IC107F2Cxx 18	IC107UABWH 12	IC635DS8xx 24	ICACSV88BK 78	ICCMSJH922 68
IC107F02xx 18	IC107Y6Gxx 15	IC640BSSWH 23	ICACSV88BK 78	ICCMSJH933 68
IC107F3Cxx 18	IC107Y8Gxx 15	IC1000S4SV 77	ICACSWDS10 43	ICCMSJH955 68
IC107F03xx 18	IC107YFGxx 15	IC1000S6SV 77	ICACSWDS20 43	ICCMSJH922 68
IC107F4Cxx 18	IC108BA1xx 30, 92	IC1074Plxx 21	ICACSWRCTR 112	ICCMSJH933 68
IC107F04xx 18	IC108BA2xx 30, 92	IC1076F0xx 7	ICCMSABR62 55	ICCMSJH955 68
IC107F5Cxx 6	IC108BACxx 9	IC1076FCxx 7	ICCMSABR64 55	ICCMSJH922 68
IC107F6Cxx 5	IC108BACxx 92		ICCMSABR66 55	ICCMSJH933 68

ICCMSLMFFK71	ICFOJ1M7zz95	ICMB89BOWH44	ICRDS0F5xx10	ICRW13CExx116
ICCMSLOR9070	ICFOJ2G6zz94	ICMB89BCWH44	ICRDS2F5xx10	ICRW13EBxx116
ICCMSLPECK70	ICFOJ2G7zz94	ICMB89DOWH44	ICRDS3RFxx17	ICRW13ECxx116
ICCMSLRRBK70	ICFOJ2M2zz95	ICMB89UOWH44	ICRDSAV01C111	ICRW13EOxx116
ICCMSLRW0570	ICFOJ2M3zz95	ICMP4P4CHS77	ICRDSAV01F111	ICRW13ICxx116
ICCMSLST0570	ICFOJ2M4zz95	ICMP6P4CFT76	ICRDSAV04C111	ICRW13JCxx116
ICCMSLST1070	ICFOJ2M5zz95	ICMP6P6CFT76	ICRDSAV04F111	ICRW13OBxx116
ICCMSLTJSK70	ICFOJ2M6zz95	ICMP6P6CRD76	ICRDSAV59C111	ICRW13OCxx116
ICCMSLTWSK71	ICFOJ2M7zz95	ICMP6P6SRD76	ICRDSAV59F111	ICRW13ROxx116
ICCMSLVWBK71	ICFOJ3M3zz95	ICMP8P8C5E76	ICRDSB6RBC111	ICRW13TBxx116
ICCMSR4P8459	ICFOJ3M5zz95	ICMP8P8C6E76	ICRDSB51BC111	ICRW13TOxx116
ICCMSR194859	ICFOJ3M7zz95	ICMP8P8C6S76	ICRDSB61BC111	ICRW22CCxx116
ICCMSR197259	ICFOJ7C2zz95	ICMP8P8CFT76	ICRDSDBPxx17	ICRW22CMxx116
ICCMSR198459	ICFOJ7C3zz95	ICMP8P8CRD76	ICRSDC2LK105	ICRW22EBxx116
ICCMSRAS3067	ICFOJ7C4zz95	ICMP8P8SRD76	ICRDSMMBK199	ICRW22ECxx116
ICCMSRRCMP63	ICFOJ7C5zz95	ICMP1101PR43	ICRDSMMBK899	ICRW22Fxx116
ICCMSRDS2066	ICFOJ7C6zz95	ICMP1102PR43	ICRDSQBxx17	ICRW22JCxx116
ICCMSRDS3066	ICFOJ7C7zz95	ICMP1103PR43	ICRDSBxx17	ICRW44R8xx114
ICCMSRDV2066	ICFOJ8C2zz95	ICMP1104PR43	ICRDSV05xx10	ICRW44RExx116
ICCMSRDV3066	ICFOJ8C3zz95	ICMP12F5E34	ICRDSV25xx10	ICRW44TBxx116
ICCMSRFLKT59, 60, 69	ICFOJ8C4zz95	ICMP12F6E34	ICRDSVF0xx10	ICRW44TExx116
ICCMSRFV3267	ICFOJ8C5zz95	ICMP012U635	ICRDSVF5xx10	ICRW44UCxx116
ICCMSRKLST67	ICFOJ8C6zz95	ICMPP12V5E34	ICRESAV42L104	ICRWL226xx117
ICCMSRKSMT67	ICFOJ8C7zz95	ICMPP12V6034	ICRESAV62L104	ICRWL246xx117
ICCMSRMMU0265	ICFOJ8G6zz94	ICMPP24CP536	ICRESAV82L104	ICRWR11Sxx114
ICCMSRMMU1C65	ICFOJ8G7zz94	ICMPP24CP636	ICRESBMP04105	ICRWR12Sxx114
ICCMSRSF1066	ICFOJ9C2zz95	ICMPP024T239	ICRESBMP06105	ICRWR13Sxx114
ICCMSRSF1566	ICFOJ9C3zz95	ICMPP24T2C39	ICRESCMC06105	ICRWR118xx114
ICCMSRSF1C66	ICFOJ9C4zz95	ICMPP024T439	ICRESDC9PD98	ICRWR128xx114
ICCMSRSFC266	ICFOJ9C5zz95	ICMPP24T4C39	ICRESDC9PK98	ICRWR138xx114
ICCMSRSV1066	ICFOJ9C6zz95	ICMPP24TF239	ICRESDC14E96	ICRWS226xx117
ICCMSRSV1566	ICFOJ9C7zz95	ICMPP24TF439	ICRESDC14H96	
ICCMSSFR1257	ICFOJA55zz94	ICMPP024U635	ICRESDC14K96	
ICCMSSFR2557	ICFOJATGzz94	ICMPP25CMB35	ICRESDC14P96	
ICCMSSSGR2157	ICFOJATSzz94	ICMPP48C5136	ICRESDC21E97	
ICCMSSSGR2257	ICFOPB00BK84	ICMPP48C6136	ICRESDC21H97	
ICCMSVHB0658	ICFOPC16BK84	ICMPP48CP536	ICRESDC21K97	
ICCMSVHB0858	ICFOPC26BK84	ICMPP48CP636	ICRESDC21P97	
ICCMSVHB1858	ICFOPJ04BK84	ICMPP048T239	ICRESDC28E97	
ICCMSWMR0857	ICFOPL16BK84	ICMPP48T2C39	ICRESDC28H97	
ICCMSWMR1557	ICFOPL161G84	ICMPP048T439	ICRESDC28K97	
ICCMSWMR3057	ICFOPM24BK84	ICMPP48T4C39	ICRESDC28P97	
ICCMSWMUR558	ICFOPM26BK84	ICMPP48TF239	ICRESDC42E100	
ICFC12ML1G83	ICFOPM261G84	ICMPP48TF439	ICRESDCAC2105	
ICFC12ML5083	ICFOPR16BK84	ICMPP048U635	ICRESDCAC3105	
ICFC12MLD683	ICFOPR26BK84	ICMPP0245E34	ICRESDCBUM105	
ICFC12MS1G83	ICFOPS16BK84	ICMPP246AU32	ICRESDPA1C103	
ICFC12MS5083	ICFOPS26BK84	ICMPP0485E34	ICRESDPA2C103	
ICFC12MSD683	ICFOPT16BK84	ICMPP486AS32	ICRESDPA3C103	
ICFC12SLD983	ICFOPT18BK84	ICMPP0246034	ICRESDPB1C103	
ICFC12SSD983	ICFOPT26BK84	ICMPP0486034	ICRESDPB2C103	
ICFC24ML1G83	ICFOPT28BK84	ICMPPICDxx35, 113	ICRESDPB3C103	
ICFC24ML5083	ICFOR102BK87	ICMPPICVxx35, 113	ICRESPSB07105	
ICFC24MLD683	ICFOR103BK87	ICMPPMB50629	ICRESVPA1C102	
ICFC24SLD983	ICFOR204BK87	ICMPPMB60629	ICRESVPA2C102	
ICFOA5MM0291	ICFOR306BK87	ICMPPSC1xx35, 113	ICRESVPA3C102	
ICFOA7MM0191	ICFOR412BK87	ICMPPTF24239	ICRESVPB1C102	
ICFOA7SM0191	ICFOR444BK88	ICMPPTF48239	ICRESVPB2C102	
ICFOA8MM0191	ICFORE31RM86	ICMPPTF24439	ICRESVPB3C102	
ICFOA8MM0291	ICFORE62RM86	ICMPPTF48439	ICRESVS42G105	
ICFOA8SM0191	ICFORET4RM86	ICPCSBBZBL74	ICRW11CExx116	
ICFOA8SM0291	ICFORPP1RM83	ICPCSEZBL74	ICRW11EBxx116	
ICFOA9MM0291	ICFORPP1RM85	ICPCSC01BL73	ICRW11ECxx116	
ICFOA9SM0291	ICFORPP2RM83	ICPCSC03BL73	ICRW11EOxx116	
ICFOBWCBxx9	ICFORPP2RM85	ICPCSC05BL73	ICRW11ICxx116	
ICFOBWCBxx92	ICFORS309688	ICPCSC07BL73	ICRW11JCxx116	
ICFOBWLbxx9	ICFORS419288	ICPCSC10BL73	ICRW11OBxx116	
ICFOBWLbxx92	ICFORSC02488	ICPCSD01BL73	ICRW11OCxx116	
ICFOBWTBxx9	ICFORST02488	ICPCSD03BL73	ICRW11ROxx116	
ICFOBWTBxx92	ICFOSKFM1286, 89, 90	ICPCSD05BL73	ICRW11TBxx116	
ICFOD102BK89	ICFOSTFM1290	ICPCSD07BL73	ICRW11TOxx116	
ICFOD104BK89	ICFOSTFM2490	ICPCSD10BL73	ICRW12CExx116	
ICFOD202BK89	ICFOSTUF2490	ICPCSGzzxx72	ICRW12EBxx116	
ICFOD204BK89	ICFP24MP1G85	ICPCSJzzxx73	ICRW12ECxx116	
ICFODE41WM89	ICFP24MPBK85	ICPCSKzzxx72	ICRW12EOxx116	
ICFOJ1G6zz94	ICFP96ML1G85	ICPCSGzBL74	ICRW12ICxx116	
ICFOJ1G7zz94	ICLC4ZZFSV77	ICPCSRzBL74	ICRW12JCxx116	
ICFOJ1M2zz95	ICLC6ZZFSV77	ICPCSTFBzz75	ICRW12OBxx116	
ICFOJ1M3zz95	ICMA267D66113	ICPCSTFFzz75	ICRW12OCxx116	
ICFOJ1M4zz95	ICMA350A6C113	ICPCSTFMzz75	ICRW12ROxx116	
ICFOJ1M5zz95	ICMA3508DR113	ICPCSTMBzz75	ICRW12TBxx116	
ICFOJ1M6zz95	ICMAGBLOCK29, 113	ICPCSTMMzz75	ICRW12TOxx116	



ICC products are UL or ETL listed and RoHS compliant where applicable.

Join Elite, earn rewards and perks!

The Elite Installer Program is a reseller program that forms a partnership between installers and ICC.

Elite Installer™

Register online for free at icc.com/Elite and start using your benefits.¹

- 15-Year warranty
- Project discounts
- Project rebates
- Sales promotions
- Product notices
- Priority tech support
- Elite certificate
- Priority shipping
- Earn reward points
- CAD drawing usage

Certified Elite Installer™

Send us the installer agreement with payment. Your company will be certified for 5 years and be eligible for more benefits.¹

- Includes 1 training²
- Lifetime Warranty
- Site verifications
- Certified certificate
- Earn free trainings
- Free tools
- Free product samples
- Project kitting/staging
- Business referrals
- Written success stories
- Project assistance
- Media library usage

+

²Master Technician

Send your technician to our 1 day training course to earn a license valid for 5 years.

- Taught by a certified instructor
- Covers industry standards and codes
- Guidelines for installing a cabling system
- How to test and register a site for warranty
- Hands-on termination practices

Earn BICSI education credits!



Lifetime Warranty



Lifetime Cabling System Performance Warranty™¹

- Master Technician required
- Covers parts and labor
- Site must be verified
- Receive a Proof of Warranty




15-Year Warranty



15-Year Cabling System Performance Warranty™

- No certification needed
- Covers parts
- Site must be registered
- Receive a Proof of Warranty



¹ Go online to icc.com for complete details and terms and conditions.

ICC
14700 Alondra Blvd.
La Mirada, CA 90638 USA
+1.562.356.3111 Phone
+1.562.356.3100 Fax
888.ASK.4ICC (275.4422)
csr@icc.com
icc.com



icc.com/catalog